9/4/84 S3295-1(4) A

1980
VITAL STATISTICS
OF LOUISIANA



PUBLIC HEALTH STATISTICS

DEPARTMENT OF HEALTH AND HUMAN RESOURCES
OFFICE OF HEALTH SERVICES AND ENVIRONMENTAL QUALITY

Cover

and

Chapter Introduction Pages

by

KENNETH JONES

Illustrator

1980
VITAL STATISTICS
OF LOUISIANA



DEPARTMENT OF HEALTH AND HUMAN RESOURCES
OFFICE OF HEALTH SERVICES AND ENVIRONMENTAL QUALITY

DAVID C. TREEN
Governor

ROGER B. GUISSINGER
Secretary
Department of Health and Human Resources

SARAH M. BRAUD, M.D.
Acting Assistant Secretary
and State Health Officer
Office of Health Services and Environmental Quality

PREPARED BY
PUBLIC HEALTH STATISTICS

THOMAS E. BALLINGER
Statistical Officer

MARY TRAGELIS
Classification Methods Supervisor

AUDREY P. COLLINS
Statistical Services Supervisor

FRANCES N. BARI
Assistant Statistical Officer

MARY LEE ESTEVE
Chief Nosologist

BEATRICE R. BONIN
Graphic Specialist

CONTENTS

Narrative

Introduction i
Census Population by District and Parish, Shown by Race, Louisiana 1970 and 1980 viii
Louisiana 1980 Census Population Counts, by Age, Race, and Sex ix
Summary of Vital Events in 1980 x

Tables

NATALITY

Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, and by Sex and Race of Child, Louisiana, 1980:
- By Parish 1
- By State Planning Districts and Health Service Areas 6

Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Sex of Child, Race, and Attendant, Louisiana, 1980 7
Live Births Showing Hospital in Which Birth Occurred, by Sex and Race, Louisiana, 1980 . . 8
Congenital Anomalies Specified on Birth Certificate, Shown by Type of Anomalies and Age of Mother, Louisiana, 1980 12
Immature Births Showing Hospital in Which Birth Occurred, Louisiana, 1980 13
Live Births by Birth Order by Weight of Child, Louisiana, 1980 18
Live Births by Weight of Child, Shown by Sex and Race, Louisiana, 1980 18
Live Births by Birth Weight, Age of Mother, and Race, ... 19
Live Births by Birth Order, Shown by Age of Mother and Race of Child, Louisiana, 1980 . . . 20
Illegitimate Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother and Race of Child, Louisiana, 1980:
- By Parish 21
- By State Planning Districts and Health Service Areas 25

FETAL MORTALITY:

Stillbirths by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, by Race, Louisiana, 1980:
- By Parish 27
- By State Planning Districts and Health Service Areas 31

Stillbirths Shown by Selected Causes, Age of Mother, and Race of Child, Louisiana. 1980 . . 32
Reported Induced Terminations of Pregnancy by Parish of Residence and Parish of Occurrence, Louisiana, 1980 34
Reported Induced Terminations of Pregnancy Occurring in Louisiana by Woman's State of Residence, Louisiana, 1980 34
Reported Induced Terminations of Pregnancy by Weeks of Gestation and Woman's Age, Louisiana, 1980 35
Reported Induced Terminations of Pregnancy by Weeks of Gestation and Race, Louisiana, 1980. 35
Reported Induced Terminations of Pregannncy by Type of Procedure and Weeks of Gestation, Louisiana, 1980 36
Reported Induced Terminations of Pregnancy by Woman's Age and Race, Louisiana, 1980 37
Reported Induced Terminations of Pregnancy by Woman's Marital Status and Race, Louisiana, 1980 37

MORTALITY:

Deaths (Exclusive of Stillbirths) by Place of Occurrence, Reallocated to Usual Residence of the Deceased and Shown by Sex, Race, and Age, Louisiana, 1980:
- By Parish 39
- By State Planning Districts and Health Service Areas 46

Deaths Showing Hospital in Which Death Occurred, by Age, Louisiana, 1980 47
Principal Causes of Death by Parish, Louisiana, 1980 52
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race and Age, Louisiana, 1980 54
Accidental Deaths by Type of Accident, Shown by Geographic Location Where Accident Occurred, Louisiana, 1980 80
Infant Deaths (Exclusive of Stillbirths) by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Sex, Race, and Age, Louisiana, 1980:
- By Parish 81
- By State Planning Districts and Health Service Areas 88

Infant Mortality Rates by Place of Residence, Shown by Age at Death and Race, Louisiana by State Planning District and Health Service Areas, 1980 89
Infant Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age, Louisiana, 1980 90
Maternal Deaths by Place of Occurrence, Reallocated to Usual Residence of Deceased and Shown by Race and Age, Louisiana, 1980 95
Maternal Deaths by Cause, Shown by Race, and Age, Louisiana, 1980 96

MORBIDITY:

Reportable Diseases by Parish, Louisiana, 1980 97
Reportable Diseases by Race and Age, Louisiana, 1980 101

MARRIAGE AND DIVORCE:

Marriages, Final Divorces, and Annulments Granted, Louisiana, 1980 105
Marriages by Month of Occurrence, Louisiana, 1980 106
Marriages by Race of Bride, by Race of Groom, Louisiana, 1980 106
Marriages by Previous Marital Status of Bride and Groom, Louisiana, 1980 106
All Marriages by Age of Bride, by Age of Groom, Louisiana, 1980 107

LOUISIANA
HEALTH SERVICE AREAS
AND
STATE PLANNING DISTRICTS

I: HSA 1 (STATE PLANNING DISTRICTS 1 AND 3)

II: HSA 2 (STATE PLANNING DISTRICTS 2, 4, AND 5)

III: HSA 3 (STATE PLANNING DISTRICTS 6, 7, AND 8)



Introduction

• "A vital statistics law is conceded the most fundamental health law that any state can enact. . . . Vital statistics is the bookkeeping of life and health. The State, like an army, cannot protect itself against enemies unless its executive officers know the location and strength of these enemies [disease and death]. Figures show the points of attack; figures also show the effect of measures of control and prevention." (From the report of Oscar Dowling, M.D., president of the Louisiana State Board of Health in the Biennial Report of the Board, 1920 - 1921).

SOURCE AND COMPLETENESS OF DATA

Louisiana law requires that certificates of vital events and reports of communicable disease be submitted to the Department of Health and Human Resources, Office of Health Services and Environmental Quality (formerly the Louisiana State Department of Health). Within this agency Vital Records is charged with the responsibility of recording and preserving the submitted documents; and Public Health Statistics is assigned the tasks of tabulating, summarizing, analyzing, and disseminating statistical information gleaned from the records in its care.

The statistics presented in this report were obtained primarily from certificates registered with the Office of Vital Records, but there are many exceptions to this rule. Records of vital events occurring outside the State to residents of Louisiana were obtained from transcripts of certificates made available through a nationwide system of interchange among all states and territories. Historical data for Louisiana, United States data, and data for other states were taken from publications of the National Center for Health Statistics. Population data were obtained from United States Bureau of the Census publications. Sources of special data are footnoted wherever they appear in this report.

Matching infant death certificates with the corresponding birth certificates indicates that birth registration in Louisiana is approximately 95 percent complete. The degree of registration completeness for stillbirths (spontaneous fetal deaths) is not known, but some under-registration is likely, especially for stillbirths near 20 weeks gestation. Death registration is considered to be very near 100 percent complete as it is necessary to file a death certificate before a burial permit is issued in Louisiana. However, it is conceded that some under-registration does occur for infants dying shortly after birth. Records for all births, stillbirths, and deaths occurring in the State during the specified year and received prior to March 15 of the following year were used in preparing this publication. Abortion (induced fetal death) reporting is not well established in Louisiana or nationally. There is no system for interstate

exchange of abortion reporting forms; neither, it is felt, are all induced abortions reported.

It is considered that certificates for at least 95 percent of marriages occurring in the State annually are filed with Vital Records. Unfortunately, divorce statistics for Louisiana are almost nonexistent. Although Vital Records does receive certificates on some divorces, few parishes submit records of all divorces, and the information on the filed certificates is so incomplete as to prevent any meaningful analysis. The divorce tabulations included in this report reflect counts made by the Clerks of Court as well as data derived from actual certificates received in the central office. For obvious reasons, Louisiana is excluded from the national divorce registration system.

CAUSE-OF-DEATH CODING

CLASSIFICATION SYSTEM

World Health Organization regulations specify that member nations classify cause-of-death in accordance with the current revision of The International Statistical Classification of Diseases, Injuries, and Causes of Death (ICD). The ICD has been revised approximately every ten years since 1900. The current revision, ICD - 9 , has been used for deaths occurring since January 1, 1979.

Prior to 1949, under the first five revisions of the International Classification, causes of death were coded on the basis of priority tables for multiple causes as set forth in The Manual for Joint Causes of Death. Under the sixth through the ninth (current) revisions, the cause of death coded for tabulating death data, is the "underlying cause" as determined from information provided on the death certificate by the attending physician, or coroner. The "underlying cause" may be defined as "(a) the disease or injury which initiated the train of morbid events leading directly to death; or (b) the circumstances of accident or violence which produced the fatal injury"[1]. Under the last four revisions, death resulting from accident or violence may be classified by nature or injury or by external cause of injury, but it has been standard procedure to code such deaths according to the later classification scheme for mortality statistics based on an underlying cause.

COMPARABILITY OF STATISTICS

The decennial revisions have led to repeated breaks in the comparability of cause-of-death data. The introduction of the present concepts of classification in the sixth revision seriously affected the interpretation of mortality trends before and after 1949. Comparability ratios were subsequently computed by the United States to assist in the analysis of mortality trends by providing a measure of the degree of discontinuity. Following the recommendations of the International Conference for the Sixth Revision of the ICD, the United States used a dual coding method for constructing these comparability ratios after the introduction of each of the last four revisions. Current United States comparability ratios for selected causes are shown in Tables 1 and 2 on pages vi and vii. They can be defined as the ratio of deaths assigned to a cause in accordance with the Ninth Revision to deaths assigned in accordance with the Eighth Revision.

For a more detailed description of the construction of the ratios and a brief

---

1. Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Seventh Revision, 1955, Volume 1, page 357

summary of statistical design, see "Estimates of Selected Comparability Ratios Based on Dual Coding of 1976 Death Certificates by the Eighth and Ninth Revision of the International Classification of Disease", Monthly Vital Statistics Report, DHEW Publication No. (PHS) 80-1120, Volume 28, No. 11, (Supplement) Hyattsville, Md., National Center for Health Statistics, February, 1980.

CAUSE-OF-DEATH RANKING

Cause-of-death rankings are based on the "List of 72 Selected Causes of Death" developed by the National Center for Health Statistics. This list was adapted from a basic list recommended by the World Health Organization for use with the Ninth Revision of the ICD. The group titles, "Major Cardiovascular Diseases" and "Symptoms, Signs, and Illdefined Conditions" are not ranked. In addition, category titles that begin with the words "Other" or "All Other" are not ranked. The remaining titles are ranked according to the number of deaths in 1979 to determine the leading causes of death. When a title that represents a subtotal is ranked (e.g. "tuberculosis"), its component parts (in this example, "Tuberculosis of the Respiratory System" and "Other Tuberculosis") are not ranked.

DEFINITIONS

The following is a glossary of technical terms used in this report:

RESIDENCE: defined as that of the deceased for a death and as that of the mother for a birth or stillbirth. Births and deaths occurring in institutions in Louisiana are reallocated to the place of previous residence regardless of length of stay in the institution. All tables refer to resident events except as noted.

RACE: that category which is shown on the certificate. (Tables and figures that include race classification are tabulated by white and nonwhite categories only. White includes persons reported as White, Mexican, Puerto Rican, and Cuban. Nonwhite includes all other races and mixture of races. Approximately one percent of those classified as nonwhite are other than black.)

LIVE BIRTH: the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

IMMATURE BIRTH: a live birth weighing 5 pounds 8 ounces (2,500 grams) or less regardless of length of gestation.

PREMATURE BIRTH: a live birth which occurs prior to 37 weeks gestation regardless of birth weight.

ILLEGITIMATE LIVE BIRTH: a live birth for which the mother is reported on the confidential portion of the birth certificate as not married. (This definition is used for statistical purposes only.)

FETAL DEATH: death prior to the complete expulsion or extraction from its mother of a product of human conception which, after such expulsion or extraction, never breathes or shows any other evidence of life.

SPONTANEOUS FETAL DEATH (STILLBIRTH): a fetal death which is not an induced termation of pregnancy. All spontaneous fetal deaths of 20 weeks or more duration of pregnancy, or a weight of 350 grams or more, must be reported.

INDUCED TERMINATION OF PREGNANCY (ABORTION): the purposeful interruption of pregnancy with the intention other than to produce a liveborn infant or to remove a dead fetus, and which does not result in a live birth.

INFANT DEATH: a death occurring to a child under one year of age.

HERDOMADAL DEATH: a death occurring to a child under 7 days of age.

NEONATAL DEATH: a death occurring to a child under twenty-eight days of age.

PERINATAL DEATH: includes stillbirths and deaths to infants less than seven days old.

MATERNAL DEATH: a death attributed to "Complications of Pregnancy, Childbirth, and the Puerperium."

BIRTH RATE = $\frac{\text{number of live births}}{\text{estimated population}} \times 1{,}000$

IMMATURE BIRTH RATIO = $\frac{\text{number of immature births}}{\text{number of live births}} \times 1{,}000$

ILLEGITIMACY RATIO = $\frac{\text{number of illegitimate live births}}{\text{number of live births}} \times 1{,}000$

ILLEGITIMACY RATE = $\frac{\text{number of illegitimate live births}}{\text{estimated unmarried female population 15 - 44 years old}} \times 1{,}000$

FERTILITY RATE = $\frac{\text{number of live births}}{\text{estimated female population 15 - 44 years old}} \times 1{,}000$

AGE SPECIFIC FERTILITY RATE = $\frac{\text{number of live births to women in specific age group}}{\text{estimated female population in that age group}} \times 1{,}000$

TOTAL FERTILITY RATE = sum of the age specific fertility rates (in 5-year age groups) multiplied by 5 (per 1,000, unless otherwise specified)

FETAL DEATH RATIO = $\frac{\text{number of reportable fetal deaths}}{\text{total number of live births}} \times 1{,}000$

DEATH RATE = $\frac{\text{number of deaths}}{\text{estimated population}} \times$ 1,000 (or 100,000, (as specified)

AGE SPECIFIC DEATH RATE	=	number of deaths in specific age group / estimated population in that age group	X	1,000 (or 100,000 as specified)
AGE ADJUSTED DEATH RATE (Direct Method)	=	total number of expected deaths in a standard population (if the persons in this population had experienced the same age specific death rates as population being adjusted) / total standard population	X	1,000 (or 100,000 as specified)
HERDOMADAL MORTALITY RATE	=	number of deaths under 7 days of age / total number of live births	X	1,000
NEONATAL MORTALITY RATE	=	number of deaths under 28 days of age / total number of live births	X	1,000
PERINATAL MORTALITY RATE	=	stillbirths + deaths of infants under 7 days old / total number of live births + stillbirths	X	1,000
MATERNAL MORTALITY RATE	=	number of deaths due to Complications of Pregnancy, Childbirth, and Puerperium / total number of live births	X	100,000*

* In reports prior to 1972 the maternal death rate was expressed "per 10,000 live births."

AVAILABILITY OF ADDITIONAL DATA

The statistical information published in this report is limited to that which is felt to be most commonly used, based on nationally recommended procedure and also on requests for information received by the Office. Microfiche copies of this publication are available on request.

Public use tapes (all identifiers removed) of birth and death data for 1968 - 1980 are available, as are more detailed statistical data pertaining to vital events and the occurrence of disease in Louisiana.

Request for additional data, or information concerning birth and death tapes, should be addressed to:

Public Health Statistics
P.O. Box 60630
New Orleans, Louisiana 70160
(504) 568 - 5454

Reprint from *Monthly Vital Statistics Report*, DHEW Publication No. (PHS) 80 –1120, Vol. 28, No. 11 (Supplement), pp. 12-13. Hyattsville, Md.: National Center for Health Statistics.

Table 1. COMPARABILITY RATIOS FOR 72 SELECTED CAUSES: BASED ON A STRATIFIED RANDOM SAMPLE OF 1978 DEATHS ASSIGNED ACCORDING TO THE NINTH REVISION AND ON ALL DEATHS ASSIGNED ACCORDING TO THE EIGHTH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES: UNITED STATES

[Denominators of ratios were selected from the List of 70 Selected Causes of Death used during 1968-78 for the Annual Summary]

Cause of death (Ninth Revision of the International Classification of Diseases, 1975)	Number of deaths assigned according to—		Estimated comparability ratio[2]	Error of the estimate of the ratio in (3)		95 percent confidence limits[3]	
	Ninth Revision (estimated from sample)	Eighth Revision (total count)[1]		Standard error	Relative standard error	Upper	Lower
	(1)	(2)	(3)	(4)	(5)	(6)	(7)
All causes	1,909,440	1,909,440	...	...	...	...	...
Shigellosis and amebiasis 004,006	54	55	0.9818	0.0378	3.9	1.0559	0.9077
Certain other intestinal infections 007-009	353	1,939	0.1821	0.0207	11.4	0.2227	0.1415
Tuberculosis 010-018	2,400	3,130	0.7668	0.0119	1.6	0.7901	0.7435
Tuberculosis of respiratory system 010-012	2,039	2,419	0.8429	0.0146	1.7	0.8715	0.8143
Other tuberculosis 013-018	361	711	0.5077	0.0167	3.3	0.5404	0.4750
Whooping cough 033	6	7	0.8571	0.0000	0.0	0.8571	0.8571
Streptococcal sore throat, scarlatina, and erysipelas 034-035	20	14	1.4286	0.0000	0.0	1.4286	1.4286
Meningococcal infection 036	323	330	0.9788	0.0124	1.3	1.0030	0.9546
Septicemia 038	5,441	6,401	0.8500	0.0180	2.1	0.8853	0.8147
Acute poliomyelitis 045	8	16	0.5000	0.0000	0.0	0.5000	0.5000
Measles 055	11	12	0.9167	0.0000	0.0	0.9167	0.9167
Viral hepatitis 070	793	567	1.3986	0.0820	5.9	1.5593	1.2379
Syphilis 090-097	227	225	1.0089	0.0259	2.6	1.0596	0.9582
All other infectious and parasitic diseases 001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139	3,981	3,857	1.0321	0.0634	6.1	1.1563	0.9079
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-208	378,288	377,312	1.0026	0.0017	0.2	1.0059	0.9993
Malignant neoplasms of lip, oral cavity, and pharynx 140-149	8,209	8,114	1.0117	0.0087	0.9	1.0286	0.9948
Malignant neoplasms of digestive organs and peritoneum 150-159	105,081	101,729	1.0330	0.0035	0.3	1.0398	1.0262
Malignant neoplasms of respiratory and intrathoracic organs 160-165	91,191	91,131	1.0007	0.0033	0.3	1.0071	0.9943
Malignant neoplasm of breast 174-175	33,701	33,403	1.0089	0.0022	0.2	1.0131	1.0047
Malignant neoplasms of genital organs 179-187	44,953	44,461	1.0111	0.0031	0.3	1.0171	1.0051
Malignant neoplasms of urinary organs 188-189	16,851	16,980	0.9924	0.0045	0.5	1.0011	0.9837
Malignant neoplasms of all other and unspecified sites 170-173,190-199	43,938	45,975	0.9557	0.0082	0.9	0.9718	0.9396
Leukemia 204-208	15,161	15,056	1.0070	0.0056	0.6	1.0180	0.9960
Other malignant neoplasms of lymphatic and hematopoietic tissues 200-203	19,205	20,463	0.9385	0.0069	0.7	0.9519	0.9251
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature 210-239	5,703	4,719	1.2085	0.0261	2.2	1.2595	1.1575
Diabetes mellitus 250	34,478	34,508	0.9991	0.0087	0.9	1.0162	0.9820
Nutritional deficiencies 260-269	1,877	2,619	0.7167	0.0262	3.7	0.7680	0.6654
Anemias 280-285	2,958	3,182	0.9296	0.0124	1.3	0.9538	0.9054
Meningitis 320-322	1,503	1,589	0.9459	0.0163	1.7	0.9777	0.9141
Major cardiovascular diseases 390-448	981,184	974,429	1.0069	0.0004	0.0	1.0076	1.0062
Diseases of heart 390-398,402,404-429	732,989	723,878	1.0126	0.0039	0.4	1.0202	1.0050
Rheumatic fever and rheumatic heart disease 390-398	8,715	13,110	0.6648	0.0080	1.2	0.6804	0.6492
Hypertensive heart disease 402	22,026	6,670	3.3022	0.0557	1.7	3.4114	3.1930
Hypertensive heart and renal disease 404	4,872	4,020	1.2119	0.0438	3.6	1.2978	1.1260
Ischemic heart disease 410-414	567,520	646,073	0.8784	0.0038	0.4	0.8859	0.8709
Acute myocardial infarction 410	319,562	319,477	1.0003	0.0054	0.5	1.0108	0.9898
Other acute and subacute forms of ischemic heart disease 411	4,924	4,028	1.2224	0.0661	5.4	1.3519	1.0929
Angina pectoris 413	195	186	1.0484	0.0666	6.4	1.1789	0.9179
Old myocardial infarction and other forms of chronic ischemic heart disease 412,414	242,839	322,382	0.7533	0.0055	0.7	0.7640	0.7426
Other diseases of endocardium 424	5,154	4,195	1.2286	0.0227	1.8	1.2731	1.1841
All other forms of heart disease 415-423,425-429	124,701	49,810	2.5035	0.0257	1.0	2.5539	2.4531
Hypertension with or without renal disease 401,403	7,787	6,130	1.2703	0.0294	2.3	1.3280	1.2126
Cerebrovascular diseases 430-438	189,553	188,623	1.0049	0.0066	0.7	1.0178	0.9920
Intracerebral and other intracranial hemorrhage 431-432	24,769	24,845	0.9969	0.0068	0.7	1.0102	0.9836
Cerebral thrombosis and unspecified occlusion of cerebral arteries 434.0,434.9	46,328	44,803	1.0340	0.0222	2.1	1.0774	0.9906
Cerebral embolism 434.1	926	826	1.1211	0.0924	8.2	1.3022	0.9400
All other and late effects of cerebrovascular diseases 430,433,435-438	117,530	118,149	0.9948	0.0061	0.6	1.0067	0.9829
Atherosclerosis 440	31,273	29,366	1.0649	0.0246	2.3	1.1130	1.0168
Other diseases of arteries, arterioles, and capillaries 441-448	19,583	26,432	0.7409	0.0098	1.3	0.7600	0.7218
Acute bronchitis and bronchiolitis 466	759	854	0.8888	0.0274	3.1	0.9425	0.8351
Pneumonia and influenza 480-487	57,315	61,866	0.9264	0.0067	0.7	0.9394	0.9134
Pneumonia 480-486	49,663	53,989	0.9199	0.0076	0.8	0.9347	0.9051
Influenza 487	7,652	7,877	0.9714	0.0078	0.8	0.9866	0.9562
Chronic obstructive pulmonary diseases and allied conditions 490-496	46,002	24,410	1.8846	0.0150	0.8	1.9141	1.8551
Bronchitis, chronic and unspecified 490-491	4,353	4,639	0.9383	0.0134	1.4	0.9646	0.9120
Emphysema 492	17,387	17,796	0.9770	0.0127	1.3	1.0018	0.9522
Asthma 493	2,675	1,975	1.3544	0.0636	4.7	1.4790	1.2298
Other chronic obstructive pulmonary diseases and allied conditions 494-496	21,588	[4]	[4]	[4]	[4]	[4]	[4]
Ulcer of stomach and duodenum 531-533	7,194	6,428	1.1192	0.0247	2.2	1.1675	1.0709
Appendicitis 540-543	758	752	1.0080	0.0264	2.6	1.0597	0.9563
Hernia of abdominal cavity and intestinal obstruction without mention of hernia 550-553,560	5,583	5,919	0.9432	0.0169	1.8	0.9762	0.9102

See footnotes at end of table.

Table 1. COMPARABILITY RATIOS FOR 72 SELECTED CAUSES: BASED ON A STRATIFIED RANDOM SAMPLE OF 1976 DEATHS ASSIGNED ACCORDING TO THE NINTH REVISION AND ON ALL DEATHS ASSIGNED ACCORDING TO THE EIGHTH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES: UNITED STATES—Con.

[Denominators of ratios were selected from the List of 70 Selected Causes of Death used during 1968-78 for the Annual Summary]

Cause of death (Ninth Revision of the International Classification of Diseases, 1975)	Number of deaths assigned according to—		Estimated comparability ratio[2]	Error of the estimate of the ratio in (3)		95 percent confidence limits[3]	
	Ninth Revision (estimated from sample)	Eighth Revision (total count)[1]		Standard error	Relative standard error	Upper	Lower
	(1)	(2)	(3)	(4)	(5)	(6)	(7)
Chronic liver disease and cirrhosis 571	31,799	31,453	1.0110	0.0069	0.7	1.0245	0.9975
Cholelithiasis and other disorders of gallbladder 574-575	3,102	2,956	1.0494	0.0445	4.2	1.1366	0.9622
Nephritis, nephrotic syndrome, and nephrosis 580-589	14,859	8,541	1.7397	0.0777	4.5	1.8920	1.5874
Acute glomerulonephritis and nephrotic syndrome 580-581	426	1,759	0.2422	0.0185	7.6	0.2783	0.2061
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified 582-583,587	3,360	6,782	0.4954	0.0195	3.9	0.5335	0.4573
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause 584-586,588-589	11,073	6,782	1.6327	0.0958	5.9	1.8205	1.4449
Infections of kidney 590	3,968	4,017	0.9878	0.0091	0.9	1.0056	0.9700
Hyperplasia of prostate 600	1,102	1,077	1.0232	0.0226	2.2	1.0674	0.9790
Complications of pregnancy, childbirth, and the puerperium 630-676	429	390	1.1000	0.0435	4.0	1.1853	1.0147
Pregnancy with abortive outcome 630-638	61	16	3.8125	0.0000	0.0	3.8125	3.8125
Other complications of pregnancy, childbirth, and the puerperium 640-676	368	374	0.9840	0.0454	4.6	1.0729	0.8951
Congenital anomalies 740-759	12,981	13,002	0.9984	0.0100	1.0	1.0179	0.9789
Certain conditions originating in the perinatal period 760-779	26,706	24,809	1.0765	0.0238	2.2	1.1230	1.0300
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome 767-769	10,051	13,432	0.7483	0.0306	4.1	0.8083	0.6883
Other conditions originating in the perinatal period 760-766,770-779	16,655	11,377	1.4639	0.0371	2.5	1.5367	1.3911
Symptoms, signs, and ill-defined conditions 780-799	28,037	30,802	0.9102	0.0121	1.3	0.9338	0.8866
All other diseases Residual	97,585	125,340	0.7786	0.0082	1.1	0.7947	0.7625
Accidents and adverse affects E800-E949	100,454	100,761	0.9970	0.0030	0.3	1.0029	0.9911
Motor vehicle accidents E810-E825	47,587	47,038	1.0117	0.0027	0.3	1.0169	1.0065
All other accidents and adverse effects E800-E807,E826-E949	52,867	53,723	0.9841	0.0051	0.5	0.9941	0.9741
Suicide E950-E959	26,919	26,832	1.0032	0.0042	0.4	1.0114	0.9950
Homicide and legal intervention E960-E978	19,666	19,554	1.0057	0.0030	0.3	1.0115	0.9999
All other external causes E980-E999	4,611	4,766	0.9675	0.0144	1.5	0.9957	0.9393

[1]Figures in this column are number of deaths in 1976 assigned to the categories in the Eighth Revision, selected as the most nearly comparable to the Ninth Revision categories, as shown in Table A.

[2]Ratio of deaths assigned according to the Ninth Revision to deaths assigned according to the Eighth Revision.

[3]The probability is 95 percent that the true comparability ratio will have a value between the upper and lower limits shown. These limits were computed before the standard error was rounded to the fourth decimal.

[4]Chronic obstructive lung disease without mention of asthma, bronchitis, or emphysema (No.*519.3), introduced by NCHS to be used with the Eighth Revision, is comparable to Other chronic obstructive pulmonary diseases and allied conditions (ICD Nos. 494-496) of the Ninth Revision. The comparability ratio for this set of titles is 1.0054, with a standard error of 0.0118, a relative error of 1.2 percent, and 95 percent confidence limits of 1.0285 and 0.9823. These data are not shown in this table because there are no sample data for *519.3.

Table 2. COMPARABILITY RATIOS FOR 10 SELECTED CAUSES OF INFANT DEATHS FOR THE *MONTHLY VITAL STATISTICS REPORT*: BASED ON A STRATIFIED RANDOM SAMPLE OF 1976 INFANT DEATHS ASSIGNED ACCORDING TO THE NINTH REVISION AND ON ALL INFANT DEATHS ASSIGNED ACCORDING TO THE EIGHTH REVISION: UNITED STATES

[Denominators of ratios were selected from the List of 8 Selected Causes of Infant Death used during 1968-78 for the *Monthly Vital Statistics Report*]

Cause of death (Ninth Revision of the International Classification of Diseases, 1975)	Number of deaths assigned according to—		Estimated comparability ratio[2]	Error of the estimate of the ratio in (3)		95 percent confidence limits[3]	
	Ninth Revision (estimated from sample)	Eighth Revision (total count)[1]		Standard error	Relative standard error	Upper	Lower
	(1)	(2)	(3)	(4)	(5)	(6)	(7)
All causes	48,265	48,265	1.0000	...	...	...	...
Certain gastrointestinal diseases 008-009,535,555-558	356	761	0.4678	0.0228	4.9	0.5125	0.4231
Pneumonia and influenza 480-487	1,465	1,961	0.7471	0.0200	2.7	0.7862	0.7078
Congenital anomalies 740-759	8,404	8,345	1.0071	0.0062	0.6	1.0191	0.9949
Disorders relating to short gestation and unspecified low birthweight 765	3,830	3,977	0.9630	0.0107	1.1	0.9839	0.9421
Birth trauma 767	1,297	1,813	0.7154	0.0337	4.7	0.7813	0.6493
Intrauterine hypoxia and birth asphyxia 768	1,177	3,599	0.3270	0.0212	6.5	0.3684	0.2856
Respiratory distress syndrome 769	7,560	...	...	...	...	...	...
Other conditions originating in the perinatal period 760-764,766,770-779	13,059	15,378	0.8492	0.0098	1.1	0.8683	0.8301
Sudden infant death syndrome 798.0	4,334	...	...	...	...	...	...
All other causes Residual	6,781	12,431	0.5455	0.0061	1.1	0.5573	0.5335

[1]Figures in this column are number of infant deaths in 1976 assigned to the categories in the Eighth Revision, selected as the most nearly comparable to the Ninth Revision categories, as shown in Table B.

[2]Ratio of deaths assigned according to the Ninth Revision to deaths assigned according to the Eighth Revision.

[3]The probability is 95 percent that the true comparability ratio will have a value between the upper and lower limits shown. These limits were computed before the standard error was rounded to the fourth decimal.

Census Population by District and Parish Shown by Race

Louisiana, 1970 and 1980

DISTRICT AND PARISH	TOTAL			WHITE		NONWHITE	
	1980	1970	PERCENT CHANGE	1980	1970	1980	1970
LOUISIANA	4,203,972	3,644,637	15.3	2,911,243	2,523,911	1,292,729	1,120,726
DISTRICT 1	1,212,774	1,071,695	13.2	794,022	742,150	418,752	329,545
JEFFERSON	454,592	338,229	34.4	380,645	234,224	73,947	104,005
ORLEANS	557,482	593,471	- 6.1	236,967	410,979	320,515	182,492
PLAQUEMINES	26,049	25,225	3.3	19,918	17,468	6,131	7,757
ST. BERNARD	64,097	51,185	25.2	60,868	35,446	3,229	15,739
ST. TAMMANY	110,554	63,585	73.9	95,624	44,033	14,930	19,552
DISTRICT 2	716,110	574,593	24.6	487,649	397,904	228,461	176,689
ASCENSION	50,068	37,086	35.0	38,542	25,682	11,526	11,404
EAST BATON ROUGE	366,164	285,167	28.4	246,375	197,478	119,789	87,689
EAST FELICIANA	19,015	17,657	7.7	9,689	12,227	9,326	5,430
IBERVILLE	32,159	30,746	4.6	16,606	21,292	15,553	9,454
LIVINGSTON	58,655	36,511	60.7	54,489	25,284	4,166	11,227
POINTE COUPEE	24,045	22,002	9.3	13,984	15,236	10,061	6,766
ST. HELENA	9,827	9,937	- 1.1	4,758	6,881	5,069	3,056
TANGIPAHOA	80,698	65,875	22.5	55,990	45,618	24,708	20,257
WASHINGTON	44,207	41,987	5.3	30,753	29,076	13,454	12,911
WEST BATON ROUGE	19,065	16,864	13.2	11,384	11,678	7,702	5,186
WEST FELICIANA	12,266	10,761	13.2	5,079	7,452	7,107	3,309
DISTRICT 3	289,633	237,740	21.8	221,459	164,635	68,179	73,105
ASSUMPTION	22,084	19,654	12.4	15,031	13,610	7,053	6,044
LAFOURCHE	82,483	68,941	19.6	72,039	47,742	10,444	21,199
ST. CHARLES	37,259	29,550	26.1	27,437	20,463	9,822	9,087
ST. JAMES	21,495	19,733	8.9	11,299	13,665	10,196	6,068
ST. JOHN	31,924	23,813	34.1	19,595	16,491	12,329	7,322
TERREBONNE	94,393	76,049	24.1	76,058	52,664	18,335	23,385
DISTRICT 4	540,734	469,721	15.1	400,344	325,282	140,390	144,439
ACADIA	56,427	52,109	8.3	46,403	36,085	10,024	16,024
EVANGELINE	33,343	31,932	4.4	25,201	22,113	8,142	9,819
IBERIA	63,752	57,397	11.1	45,770	39,747	17,982	17,650
LAFAYETTE	150,017	111,643	34.4	117,867	77,313	32,150	34,330
ST. LANDRY	84,128	80,364	4.7	51,827	55,652	32,301	24,712
ST. MARTIN	40,214	32,453	23.9	26,810	22,474	13,404	9,979
ST. MARY	64,395	60,752	6.0	44,746	42,071	19,649	18,681
VERMILION	48,458	43,071	12.5	41,720	29,827	6,738	13,244
DISTRICT 5	259,634	226,845	14.5	205,954	157,090	53,680	69,755
ALLEN	21,390	20,794	2.9	16,720	14,400	4,670	6,394
BEAUREGARD	29,692	22,888	29.7	24,755	15,850	4,937	7,038
CALCASIEU	167,048	145,415	14.9	129,764	100,700	37,284	44,715
CAMERON	9,336	8,194	13.9	8,782	5,674	554	2,520
JEFFERSON DAVIS	32,168	29,554	8.8	25,933	20,466	6,235	9,088
DISTRICT 6	316,378	287,305	10.1	234,666	198,959	81,712	88,346
AVOYELLES	41,393	37,751	9.6	30,720	26,143	10,673	11,608
CATAHOULA	12,287	11,769	4.4	9,092	8,150	3,195	3,619
CONCORDIA	22,981	22,578	1.8	14,854	15,635	8,127	6,943
GRANT	16,703	13,671	22.2	13,802	9,467	2,901	4,204
LASALLE	17,004	13,295	27.9	15,227	9,207	1,777	4,088
RAPIDES	135,282	118,078	14.6	97,459	81,769	37,823	36,309
VERNON	53,475	53,794	- 0.6	41,181	37,252	12,294	16,542
WINN	17,253	16,369	5.4	12,331	11,336	4,922	5,033
DISTRICT 7	551,131	488,695	12.8	357,371	338,421	193,760	150,274
BIENVILLE	16,387	16,024	2.3	9,390	11,097	6,997	4,927
BOSSIER	80,721	65,877	22.5	64,229	45,620	16,492	20,257
CADDO	252,294	230,184	9.6	155,127	159,402	97,167	70,782
CLAIBORNE	17,095	17,024	0.4	9,063	11,789	8,032	5,235
DESOTO	25,664	22,764	12.7	14,093	15,764	11,571	7,000
LINCOLN	39,763	33,800	17.6	24,661	23,406	15,102	10,394
NATCHITOCHES	39,863	35,219	13.2	24,953	24,389	14,910	10,830
RED RIVER	10,433	9,226	13.1	6,609	6,389	3,824	2,837
SABINE	25,280	18,638	35.6	19,691	12,907	5,589	5,731
WEBSTER	43,631	39,939	9.2	29,555	27,658	14,076	12,281
DISTRICT 8	317,573	288,043	10.3	209,778	199,470	107,795	88,573
CALDWELL	10,761	9,354	15.0	8,731	6,478	2,030	2,876
EAST CARROLL	11,772	12,884	- 8.6	4,460	8,922	7,312	3,962
FRANKLIN	24,141	23,946	0.8	16,347	16,583	7,794	7,363
JACKSON	17,321	15,963	8.5	11,751	11,054	5,570	4,909
MADISON	14,733	15,065	- 2.2	6,298	10,433	8,635	4,632
MOREHOUSE	34,803	32,463	7.2	20,731	22,481	14,072	9,982
OUACHITA	139,241	115,387	20.7	97,843	79,905	41,398	35,482
RICHLAND	22,187	21,774	1.9	14,230	15,078	7,937	6,696
TENSAS	8,525	9,732	- 12.4	3,856	6,739	4,669	2,993
UNION	21,167	18,447	14.7	14,931	12,775	6,236	5,672
WEST CARROLL	12,922	13,028	- 0.8	10,780	9,022	2,142	4,006

Louisiana 1980 Census Population Counts
By Age, Race, and Sex

AGE	ALL RACES			WHITE			BLACK			OTHER RACES		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
TOTAL	4,203,972	2,039,012	2,164,960	2,911,243	1,430,296	1,480,947	1,237,263	580,209	657,054	55,466	28,507	26,959
Under 5	361,289	183,565	177,724	225,161	115,554	109,607	130,069	64,950	65,119	6,059	3,061	2,998
5 - 9	345,816	175,706	170,110	218,634	111,727	106,907	121,764	61,169	60,595	5,418	2,810	2,608
10 - 14	371,698	188,946	182,752	234,519	119,859	114,660	132,093	66,475	65,618	5,086	2,612	2,474
15 - 19	426,069	213,744	212,325	274,695	138,982	135,713	145,811	71,727	74,084	5,563	3,035	2,528
20 - 24	420,129	209,747	210,382	287,405	146,256	141,149	125,769	59,487	66,282	6,955	4,004	2,951
25 - 29	368,547	182,808	185,739	258,760	131,737	127,023	103,563	47,764	55,799	6,224	3,307	2,917
30 - 34	311,945	153,740	158,205	226,796	114,723	112,073	80,020	36,517	43,503	5,129	2,500	2,629
35 - 39	244,121	118,845	125,276	180,525	90,376	90,149	60,094	26,755	33,339	3,502	1,714	1,788
40 - 44	205,904	99,602	106,302	151,329	75,515	75,814	51,813	22,710	29,103	2,762	1,377	1,385
45 - 49	193,009	92,155	100,854	143,244	70,264	72,980	47,540	20,845	26,695	2,225	1,046	1,179
50 - 54	200,651	95,210	105,441	151,001	73,693	77,308	47,830	20,662	27,168	1,820	855	965
55 - 59	189,173	88,381	100,792	143,580	68,410	75,170	44,241	19,350	24,891	1,352	621	731
60 - 64	161,682	74,094	87,588	121,445	56,440	65,005	39,251	17,181	22,070	986	473	513
65 - 69	143,435	63,112	80,323	105,217	46,607	58,610	37,321	16,096	21,225	897	409	488
70 - 74	111,287	46,279	65,008	81,151	33,394	47,757	29,491	12,620	16,871	645	265	380
75 - 79	76,565	29,111	47,454	55,395	20,374	35,021	20,728	8,517	12,211	442	220	222
80 - 84	42,154	14,676	27,478	31,089	10,340	20,749	10,842	4,226	6,616	223	110	113
85 or Older	30,498	9,291	21,207	21,297	6,045	15,252	9,023	3,158	5,865	178	88	90
Under 15	1,078,803	548,217	530,586	678,314	347,140	331,174	383,926	192,594	191,332	16,563	8,483	8,080
15 - 64	2,721,230	1,328,326	1,392,904	1,938,780	966,396	972,384	745,932	342,998	402,934	36,518	18,932	17,586
65 or Older	403,939	162,469	241,470	294,149	116,760	177,389	107,405	44,617	62,788	2,385	1,092	1,293

SUMMARY OF VITAL EVENTS IN 1980

BIRTHS

ALL BIRTHS

Live births to Louisiana residents rose to 82,114 during 1980, an increase of 3.7% over the 79,183 registered in 1979. In the United States, live births rose 3.4% in the same period, from 3,494,398 in 1979 to 3,612,258 in 1980. The 1980 Louisiana crude birth rate, 19.5 per 1,000 population, was almost 23% higher than the United States rate of 15.9. Only five states had higher rates than Louisiana. The Louisiana fertility rate for 1980 was 82.3 live births per 1,000 women 15 - 44, over 20% higher than United States fertility rate of 68.4.

The state total fertility rate (TFR), an approximation of completed family size per woman, was 4.1 in 1960 and decreased steadily to approximately 2.0 in 1976. The long downward trend then leveled off and the rate has since fluctuated between approximately 2.1 and 2.2 (the 1980 TFR). The Louisiana total fertility rate is still well above the 1980 national rate of 1.8, with both white and nonwhite components (1.9 and 2.6, respectively) above the national levels of 1.7 for whites and 2.3 for blacks and for all nonwhites.*

In 1980, the sex ratio at birth was 1,049 male births per 1,000 female births, compared to the United States ratio of 1,053. The white sex ratio was 1,061 for the state and 1,058 for the nation, while the state black sex ratio was 1,032 and the national black ratio was 1,029. The United States sex ratio for white births has been consistently higher than the ratio for black births since 1940.

WEIGHT AT BIRTH

Data released by the National Center for Health Statistics indicate that 6.8% of the live births in the United States in 1980 were classified as low birth weight (less than 2,500 grams). In Louisiana, 8.6% of the resident births were low birth weight. The incidence of low birth weight is substantially higher for black infants in both the nation and state. The 1980 levels for black births were 12.5% for the United States and 12.7% for Louisiana, while the corresponding white levels were 5.7% and 6.0%.

In Louisiana, low birth weight levels for mothers 30-34 (6.8%) and 25-29 (7.2%) were less than half the level observed for teenagers under 15 (14.5%) and substantially lower than the levels for mothers 15-19 (11.5%) and 40 and over (10.5%). United States data showed a similar pattern by age, although lower levels were prevalent for "All Races" due to differing national and state proportions of white and nonwhite births.

ILLEGITIMATE BIRTHS

Both the number of illegitimate births and the ratio of illegitimate births to all births continue to rise steadily. In 1960 there were 8,248 illegitimate births (9.2% of all births); in 1970 there were 11,077 (14.9%); and in 1980 the total reached 19,174 (23.4%). Nationally, 18.4% of all births were illegitimate in 1980. Although the state

* The 1980 census figures by race are inconsistent with previous censuses and vital statistics reporting practices due to changes in reporting, coding, and classifying racial groups. To maintain comparability, 1980 census data by race were modified by the United States Bureau of the Census to conform to the historical categories. These modified counts were used as denominators for computing 1980 rates by race in this report. See Bureau of the Census Current Population Reports, Series P 25, No. 17, for more detail on the modification procedure.

PERCENT LOW BIRTH WEIGHT
BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA AND UNITED STATES, 1980

AGE	All RACES		WHITE		BLACK	
	LA.	U.S.	LA.	U.S.	LA.	U.S.
ALL AGES	8.6	6.8	6.0	5.7	12.7	12.5
*Under 15	14.5	14.6	8.5	11.2	16.0	17.2
15 - 19	11.5	9.4	8.3	7.2	14.6	14.0
20 - 24	8.6	6.9	6.1	5.7	13.0	12.6
25 - 29	7.2	5.8	5.2	5.0	11.4	11.2
30 - 34	6.8	5.9	4.8	5.1	10.8	11.1
35 - 39	8.4	7.0	6.8	6.2	10.6	11.7
40 - 44	10.4	8.3	9.9	7.4	10.7	12.2
45 - 49	11.1	9.2	- -	7.7	10.0	15.8

* Louisiana percents in this age group were based on 7 white and 45 black low birth weight live births.

illegitimacy ratio (illegitimate births per 1,000 live births) was higher than the national for total births, both the white and black ratios were lower for Louisiana: data published by the National Center for Health Statistics indicate that the United States white and black ratios were 110.4 and 525.5, respectively, while the corresponding Louisiana ratios were 71.1 and 502.6. The higher black ratio affects the Louisiana illegitimacy ratio to a greater degree than the national ratio because the state has a larger percent of black births.

While the illegitimate ratio (illegitimate births per 1,000 total live births) reflects the proportion of infants who are born to unmarried mothers, the illegitimate rate (illegitimate births per 1,000 unmarried women) is a measure of the risk of bearing an illegitimate child and thus focuses on the relative number of women affected by illegitimacy. The numerators, illegitimate births, are identical for both measures; it is only the denominators that differ. The denominator of the ratio - all births - is affected by both illegitimate and legitimate births; the denominator of the rate, in contrast, is restricted to the unmarried female population and therefore is unaffected by legitimate births.

A study of the table below indicates that, in both the United States and Louisiana, ratios were highest for teenagers (over 500 illegitimate births per 1,000 live births), while rates per 1,000 women in a specific age group were highest for women 20 - 24 (64.5 in Louisiana and 40.9 in United States). The second highest rates were for women 25 - 29, with a Louisiana rate of 54.4 and United States rate of 34.0.

The difference in the age patterns for the rate and ratio can be attributed to the difference in the proportions of married women in the age groups. Relatively few teenagers were married in comparison with

ILLEGITIMATE BIRTH RATES AND RATIOS
LOUISIANA AND UNITED STATES, 1980

AGE OF MOTHER	RATES PER 1,000 WOMEN IN SPECIFIED GROUP		RATIO PER 1,000 LIVE BIRTHS	
AGE	LOUISIANA	UNITED STATES	LOUISIANA	UNITED STATES
ALL AGES	46.1*	29.4*	233.5	184.3
Under 15	---	---	874.0	887.4
15 - 19	43.5	27.6	501.3	475.9
20 - 24	64.5	40.9	223.1	193.5
25 - 29	54.4	34.0	121.5	89.9
30 - 34	31.4	21.1	102.0	74.5
35 - 39	9.4**	9.7	116.7	93.7
40 and Over		2.6***	169.9	120.5

* Rate equals illegitimate births per 1,000 unmarried women 15 - 44.

** Rate equals illegitimate births to mothers 35 and over per 1,000 unmarried women 35 - 44.

*** Rate equals illegitimate births to mothers 40 and over per 1,000 unmarried women 40 - 44.

women 20 - 29; therefore fewer of them are able to have a legitimate child. Thus, although only 44 of every 1,000 females 15 - 19 in Louisiana had an illegitimate child in 1980, this represents a large proportion of the total births in the age group. In contrast, a larger proportion of females 20 - 29 are married and in a position to have a legitimate child; therefore, although the risk of bearing an illegitimate child was higher for women 20 - 24 and 25 - 29 (64.5 and 54.4, respectively), the illegitimate births to this group constituted a smaller proportion of all births to these groups.

DEATHS

ALL DEATHS

Louisiana resident deaths increased in number from 34,648 in 1979 to 35,544 in 1980, although the 1980 rate, 8.5 per 1,000 population, was slightly lower than the 1979 rate, 8.6. The first 6 leading causes of death retained their 1979 relative positions; however, atherosclerosis replaced homicide and legal intervention deaths as the 7th Cause. Diseases of the Heart accounted for 36.5% of all deaths.

INFANT DEATHS

Infant deaths decreased from 1,230 in 1979 to 1,175 in 1980. The infant mortality rate in 1980 was 14.3 per 1,000 live births, below the former all time low of 15.5 observed in Louisiana in 1979 but higher than the United States record low rate of 12.6 in 1980.

The Louisiana 1980 white rate, 10.5, was 4.5% below the United States white rate of 11.0, and the Louisiana black rate of 20.7 was 3.3% below the national black rate of 21.4. Although the state white and nonwhite

NINE LEADING CAUSES OF DEATH
IN LOUISIANA, 1980

CAUSES	LOUISIANA		UNITED STATES	
	Rank	Rate	Rank	Rate
ALL CAUSES		845.5		878.3
Diseases of Heart	1	308.3	1	336.0
Malignant Neoplasms	2	163.9	2	183.9
Cerebrovascular Disease	3	78.2	3	75.1
Accidents	4	60.0	4	46.7
Diabetes Mellitus	5	17.8	7	15.4
Chronic Obstructive Pulmonary Disease and Allied Condition	6	17.8	5	24.7
Atherosclerosis	7	15.9	9	13.0
Homicide and Legal Intervention	8	15.8	11	10.7
Pneumonia and Influenza	9	15.0	6	24.1

Rates per 100,000 population.

rates have been essentially equal to their national counterparts for the past several years, the state total infant mortality rate has been consistently higher than the corresponding United States rate. This can be explained by noting that the state and national black infants mortality rates are approximately twice the white infant mortality rates; the higher black rates have a greater impact on the Louisiana rate than on the national rate since the state has a larger percent black population.

The four leading causes of infant mortality were responsible for 538 (45.8%) of the infant deaths.

FETAL DEATHS

SPONTANEOUS FETAL DEATHS (STILLBIRTHS)

There were 841 stillbirths to Louisiana residents in 1980, or 10.2 per 1,000 live births. The white stillbirth ratio was 7.9, approximately 2.6% higher than the 1979 white ratio of 7.7; in contrast, the black

INFANT MORTALITY RATES
LOUISIANA AND UNITED STATES, 1980

SELECTED CAUSES	RATES PER 1,000 LIVE BIRTHS	
	LOUISIANA	UNITED STATES
Congenital Anomalies	2.8	2.6
Disorder Relating to Short Gestation and Unspecified Low Birthweight	1.4	1.0
Respiratory Distress Syndrome	1.3	1.4
Sudden Infant Death Syndrome	1.0	1.5

ratio dropped 9.4%, from 15.8 in 1979 to 14.3 in 1980.

INDUCED TERMINATION OF PREGNANCY (ABORTION)

There were 16,198 reported abortions performed in Louisiana in 1980; in addition, 327 abortions were reported by other states for Louisiana residents, resulting in a total of 16,525 reported abortions. Almost 82% of the reports with marital status indicated showed that the woman was unmarried.

Women in the 20 - 24 age group had the largest number of abortions (over 35% of those with age reported), followed by women 15 - 19 (26.6%). The ratio of abortions to live births showed a different pattern, however. The ratios per 1,000 live births were highest for those under 15 (476.7) and 40 and over (348.0) and lowest for women 25 - 29 (151.3) and 30 - 34 (163.2)

REPORTED ABORTIONS
LOUISIANA, 1980

AGE	NUMBER OF ABORTIONS	RATIO PER 1,000 LIVE BIRTHS	PERCENT OF TOTAL ABORTIONS WITH AGE KNOWN
ALL AGES	16,525	201.2	100.0
Under 15	174	476.7	1.1
15 - 19	4,330	268.5	26.6
20 - 24	5,703	194.6	35.1
25 - 29	3,459	151.3	21.3
30 - 34	1,656	163.2	10.2
35 - 39	718	266.0	4.4
40 and Over	213	348.0*	1.3
Unknown	272	- -	- -

* Based on live births to females 40 - 49.

INFANT MORTALITY RATES*
BY SELECTED AGE GROUPS
LOUISIANA, 1945 - 1980

(BY RESIDENCE)

* All data are 5 year moving averages.



WHITE INFANT MORTALITY RATES*
BY SELECTED AGE GROUPS
LOUISIANA, 1945 - 1980
(BY RESIDENCE)

* All data are 5 year moving averages.



NONWHITE INFANT MORTALITY RATES*
BY SELECTED AGE GROUPS
LOUISIANA, 1945 - 1980
(BY RESIDENCE)



TOTAL FERTILITY RATES* BY RACE
UNITED STATES AND LOUISIANA
1960 - 1980



* Total Fertility Rates are the sums of the age specific fertility rates (in 5 year age groups) multiplied by 5.
Source of Louisiana population denominators:
Census years - 1960 and 1970 census counts and 1980 modified census counts (see footnote page x).
Intercensal years - linear interpolation between census counts specified above.

ATALITY

Table I A

Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, and by Sex and Race of Child Louisiana, by Parish, 1980

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
TOTAL	82208	82114	19.5			365	16127	29304	22861	10146	2699	576	36	–
				MW	25824	39	4114	9402	7936	3393	804	127	9	–
				FW	24344	43	3765	8947	7469	3268	735	115	2	–
				MNW	16211	136	4245	5503	3759	1773	596	183	16	–
				FNW	15735	147	4003	5452	3697	1712	564	151	9	–
ACADIA	949	1169	20.7			4	267	412	291	132	55	8	–	–
				MW	451	–	80	172	122	52	20	5	–	–
				FW	435	2	106	144	117	44	21	1	–	–
				MNW	137	2	33	52	19	21	9	1	–	–
				FNW	146	–	48	44	33	15	5	1	–	–
ALLEN	298	390	18.2			–	93	146	100	34	12	5	–	–
				MW	146	–	39	54	42	8	3	–	–	–
				FW	141	–	27	57	35	13	5	4	–	–
				MNW	49	–	15	16	11	5	1	1	–	–
				FNW	54	–	12	19	12	8	3	–	–	–
ASCENSION	33	1023	20.4			–	179	396	309	100	29	9	1	–
				MW	394	–	59	158	131	34	8	4	–	–
				FW	328	–	54	127	103	40	4	–	–	–
				MNW	148	–	34	50	38	15	9	2	–	–
				FNW	153	–	32	61	37	11	8	3	1	–
ASSUMPTION	1	482	21.8			2	94	182	133	46	25	–	–	–
				MW	149	–	25	51	49	15	9	–	–	–
				FW	127	–	17	54	37	14	5	–	–	–
				MNW	108	1	25	36	29	11	6	–	–	–
				FNW	98	1	27	41	18	6	5	–	–	–
AVOYELLES	286	739	17.9			6	169	280	174	85	19	6	–	–
				MW	246	–	49	103	56	28	9	1	–	–
				FW	241	1	57	84	66	28	2	3	–	–
				MNW	133	2	38	47	25	18	3	–	–	–
				FNW	119	3	25	46	27	11	5	2	–	–
BEAUREGARD	498	536	18.1			2	107	206	137	64	17	3	–	–
				MW	241	1	50	92	63	27	7	1	–	–
				FW	216	1	41	85	53	28	7	1	–	–
				MNW	45	–	11	15	10	6	2	1	–	–
				FNW	34	–	5	14	11	3	1	–	–	–
BIENVILLE	1	311	19.0			2	89	110	73	24	11	2	–	–
				MW	78	–	22	31	18	4	2	1	–	–
				FW	75	–	15	24	25	8	2	1	–	–
				MNW	77	1	26	27	14	7	2	–	–	–
				FNW	81	1	26	28	16	5	5	–	–	–
BOSSIER	1623	1548	19.2			4	301	603	387	197	47	8	1	–
				MW	617	1	120	248	151	77	18	2	–	–
				FW	545	–	91	205	148	82	17	2	–	–
				MNW	201	3	43	75	49	20	9	2	–	–
				FNW	185	–	47	75	39	18	3	2	1	–
CADDO	7243	4991	19.8			39	1082	1748	1382	569	127	41	3	–
				MW	1317	–	186	483	425	175	37	10	1	–
				FW	1197	3	169	440	389	170	22	4	–	–
				MNW	1260	19	384	421	273	109	37	16	1	–
				FNW	1217	17	343	404	295	115	31	11	1	–
CALCASIEU	3994	3397	20.3			8	603	1284	982	414	87	18	1	–
				MW	1270	1	193	506	375	159	30	5	1	–
				FW	1199	2	218	448	359	144	23	5	–	–
				MNW	472	1	96	169	131	54	18	3	–	–
				FNW	456	4	96	161	117	57	16	5	–	–
CALDWELL	95	155	14.4			–	45	68	32	6	3	1	–	–
				MW	64	–	19	29	10	4	2	–	–	–
				FW	59	–	11	28	17	2	–	1	–	–
				MNW	15	–	8	5	2	–	–	–	–	–
				FNW	17	–	7	6	3	–	1	–	–	–
CAMERON	–	184	19.7			1	42	88	34	13	5	1	–	–
				MW	72	–	15	36	13	6	2	–	–	–
				FW	98	1	22	47	19	6	2	1	–	–
				MNW	6	–	2	2	1	1	–	–	–	–
				FNW	8	–	3	3	1	–	1	–	–	–
CATAHOULA	4	240	19.5			3	49	104	55	22	7	–	–	–
				MW	86	1	16	42	17	8	2	–	–	–
				FW	82	–	13	37	21	7	4	–	–	–
				MNW	38	1	9	16	7	5	–	–	–	–
				FNW	34	1	11	9	10	2	1	–	–	–

Table I A (continued)

Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, and by Sex and Race of Child
Louisiana, by Parish, 1980

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
CLAIBORNE	95	300	17.5			1	85	87	75	35	10	7	–	–
				MW	65	–	13	19	23	8	2	–	–	–
				FW	61	–	10	25	17	8	1	–	–	–
				MNW	80	–	32	20	13	10	3	2	–	–
				FNW	94	1	30	23	22	9	4	5	–	–
CONCORDIA	254	452	19.7			2	130	170	92	47	9	2	–	–
				MW	135	–	30	63	25	13	4	–	–	–
				FW	118	–	32	42	30	11	3	–	–	–
				MNW	99	–	33	34	22	7	1	2	–	–
				FNW	100	2	35	31	15	16	1	–	–	–
DESOTO	1	478	18.6			8	129	175	105	42	18	1	–	–
				MW	125	1	25	58	28	9	3	1	–	–
				FW	129	1	29	47	29	19	4	–	–	–
				MNW	129	4	45	35	30	7	8	–	–	–
				FNW	95	2	30	35	18	7	3	–	–	–
EAST BATON ROUGE	10119	7035	19.2			22	1050	2344	2340	1017	215	45	2	–
				MW	2089	1	232	654	792	347	52	10	1	–
				FW	2030	–	194	697	755	323	55	6	–	–
				MNW	1532	15	329	535	403	181	51	17	1	–
				FNW	1384	6	295	458	390	166	57	12	–	–
EAST CARROLL	184	268	22.8			2	93	84	59	20	7	3	–	–
				MW	37	–	8	13	14	2	–	–	–	–
				FW	28	–	5	15	6	2	–	–	–	–
				MNW	95	2	46	22	14	6	2	3	–	–
				FNW	108	–	34	34	25	10	5	–	–	–
EAST FELICIANA	5	395	20.8			3	91	145	98	36	17	5	–	–
				MW	107	1	19	46	20	11	10	–	–	–
				FW	85	–	14	31	26	10	3	1	–	–
				MNW	102	1	33	34	21	6	3	4	–	–
				FNW	101	1	25	34	31	9	1	–	–	–
EVANGELINE	330	635	19.0			6	143	253	155	53	17	8	–	–
				MW	240	–	54	95	61	20	8	2	–	–
				FW	191	–	32	79	63	13	2	2	–	–
				MNW	95	3	24	37	16	9	4	2	–	–
				FNW	109	3	33	42	15	11	3	2	–	–
FRANKLIN	224	449	18.6			3	135	170	94	27	16	2	2	–
				MW	129	–	31	57	29	8	4	–	–	–
				FW	135	–	32	54	33	10	6	–	–	–
				MNW	101	2	41	33	18	3	1	1	2	–
				FNW	84	1	31	26	14	6	5	1	–	–
GRANT	–	268	16.0			1	54	105	65	32	11	–	–	–
				MW	99	–	11	47	22	15	4	–	–	–
				FW	108	1	21	42	28	11	5	–	–	–
				MNW	34	–	15	7	7	5	–	–	–	–
				FNW	27	–	7	9	8	1	2	–	–	–
IBERIA	1300	1461	22.9			5	297	527	379	194	45	14	–	–
				MW	453	–	93	167	125	54	13	1	–	–
				FW	484	–	80	182	143	63	11	5	–	–
				MNW	277	4	62	94	60	41	13	3	–	–
				FNW	247	1	62	84	51	36	8	5	–	–
IBERVILLE	7	685	21.3	–	–	3	163	213	194	73	30	9	–	–
				MW	164	–	33	52	57	14	7	1	–	–
				FW	148	–	31	50	50	10	5	2	–	–
				MNW	199	3	53	61	41	27	11	3	–	–
				FNW	174	–	46	50	46	22	7	3	–	–
JACKSON	292	308	17.8			–	88	114	74	21	9	2	–	–
				MW	96	–	18	39	26	10	2	1	–	–
				FW	95	–	19	34	31	6	5	–	–	–
				MNW	70	–	35	20	11	2	1	1	–	–
				FNW	47	–	16	21	6	3	1	–	–	–
JEFFERSON	7155	8272	18.2			29	1245	2709	2668	1292	285	41	3	–
				MW	3250	9	406	1046	1117	542	117	13	–	–
				FW	3092	9	381	1013	1064	498	113	12	2	–
				MNW	1005	4	246	340	249	129	27	10	–	–
				FNW	925	7	212	310	238	123	28	6	1	–
JEFFERSON DAVIS	446	679	21.1	–	–	3	137	262	174	74	22	5	2	–
				MW	269	–	65	97	68	29	9	–	1	–
				FW	240	1	35	97	68	29	7	3	–	–
				MNW	89	–	18	33	24	10	2	1	1	–
				FNW	81	2	19	35	14	6	4	1	–	–

Table I A (continued)

Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, and by Sex and Race of Child
Louisiana, by Parish, 1980

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
LAFAYETTE	5226	3101	20.7			7	488	1045	986	456	96	22	1	–
				MW	1175	3	154	391	404	186	34	3	–	–
				FW	1073	2	125	368	378	167	29	4	–	–
				MNW	436	–	109	154	101	51	13	7	1	–
				FNW	417	2	100	132	103	52	20	8	–	–
LAFOURCHE	1592	1708	20.7			8	329	651	444	192	69	15	–	–
				MW	696	1	122	263	197	77	31	5	–	–
				FW	671	–	105	273	181	87	18	7	–	–
				MNW	179	3	51	61	36	17	10	1	–	–
				FNW	162	4	51	54	30	11	10	2	–	–
LASALLE	148	271	15.9			1	60	114	75	17	4	–	–	–
				MW	99	–	23	46	26	3	1	–	–	–
				FW	136	–	26	56	44	9	1	–	–	–
				MNW	13	1	1	5	3	3	–	–	–	–
				FNW	23	–	10	7	2	2	2	–	–	–
LINCOLN	367	551	13.9			2	105	198	148	77	17	4	–	–
				MW	150	–	28	52	43	24	3	–	–	–
				FW	128	–	12	49	44	16	6	1	–	–
				MNW	130	2	31	43	30	17	4	3	–	–
				FNW	143	–	34	54	31	20	4	–	–	–
LIVINGSTON	123	1187	20.2			3	226	468	316	137	32	5	–	–
				MW	561	–	107	213	160	67	13	1	–	–
				FW	519	2	89	214	137	58	15	4	–	–
				MNW	49	–	17	20	5	5	2	–	–	–
				FNW	58	1	13	21	14	7	2	–	–	–
MADISON	164	352	23.9			6	97	129	79	29	7	5	–	–
				MW	56	–	8	22	21	4	–	1	–	–
				FW	52	–	11	23	13	4	1	–	–	–
				MNW	121	4	42	40	22	12	–	1	–	–
				FNW	123	2	36	44	23	9	6	3	–	–
MOREHOUSE	615	722	20.7			12	207	271	142	62	21	7	–	–
				MW	164	4	35	67	21	19	7	1	–	–
				FW	151	–	33	69	36	11	2	–	–	–
				MNW	226	5	74	77	45	18	3	4	–	–
				FNW	181	3	65	58	30	14	9	2	–	–
NATCHITOCHES	563	696	17.5			4	146	233	197	84	28	4	–	–
				MW	209	–	35	73	70	24	6	1	–	–
				FW	177	1	27	65	61	19	4	–	–	–
				MNW	171	2	53	43	34	28	9	2	–	–
				FNW	139	1	31	52	32	13	9	1	–	–
ORLEANS	15660	10351	18.6			48	2092	3381	2844	1454	425	100	7	–
				MW	1491	3	142	419	547	285	79	15	1	–
				FW	1382	1	139	381	493	286	69	13	–	–
				MNW	3641	15	868	1231	888	442	151	42	4	–
				FNW	3837	29	943	1350	916	441	126	30	2	–
OUACHITA	4163	2659	19.1			12	545	1021	714	285	66	15	1	–
				MW	809	1	117	328	234	105	20	4	–	–
				FW	713	–	109	271	231	82	18	2	–	–
				MNW	563	4	158	207	128	49	13	4	–	–
				FNW	574	7	161	215	121	49	15	5	1	–
PLAQUEMINES	37	578	22.2			2	128	216	147	54	27	4	–	–
				MW	190	–	41	69	56	14	9	1	–	–
				FW	223	–	49	90	54	22	6	2	–	–
				MNW	91	1	18	34	21	11	6	–	–	–
				FNW	74	1	20	23	16	7	6	1	–	–
POINTE COUPEE	193	475	19.8			–	88	169	144	51	22	–	1	–
				MW	138	–	23	49	47	12	7	–	–	–
				FW	97	–	14	38	31	11	3	–	–	–
				MNW	114	–	26	38	27	16	6	–	1	–
				FNW	126	–	25	44	39	12	6	–	–	–
RAPIDES	3944	2498	18.5			10	537	950	624	292	70	13	2	–
				MW	819	–	154	332	208	95	24	4	2	–
				FW	788	4	141	316	220	92	14	1	–	–
				MNW	450	3	138	134	106	51	13	5	–	–
				FNW	441	3	104	168	90	54	19	3	–	–
RED RIVER	53	199	19.1			4	58	83	31	17	5	1	–	–
				MW	57	–	12	24	12	7	2	–	–	–
				FW	52	1	10	27	11	3	–	–	–	–
				MNW	49	2	19	17	3	5	2	1	–	–
				FNW	41	1	17	15	5	2	1	–	–	–

Table I A (continued)

Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, and by Sex and Race of Child
Louisiana, by Parish, 1980

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
RICHLAND	264	445	20.1			3	103	185	106	28	13	7	–	–
				MW	114	–	23	42	35	8	4	2	–	–
				FW	114	–	17	53	30	11	3	–	–	–
				MNW	103	2	27	48	19	3	3	1	–	–
				FNW	114	1	36	42	22	6	3	4	–	–
SABINE	61	381	15.1			2	102	133	93	34	15	2	–	–
				MW	152	–	41	52	37	16	5	1	–	–
				FW	136	–	27	46	44	14	5	–	–	–
				MNW	46	1	16	16	7	3	2	1	–	–
				FNW	47	1	18	19	5	1	3	–	–	–
ST. BERNARD	5	1102	17.2			–	196	401	346	127	26	6	–	–
				MW	523	–	75	194	180	59	13	2	–	–
				FW	505	–	97	186	144	64	10	4	–	–
				MNW	37	–	14	9	10	2	2	–	–	–
				FNW	37	–	10	12	12	2	1	–	–	–
ST. CHARLES	124	718	19.3			6	139	254	206	93	14	5	1	–
				MW	226	–	29	88	75	30	3	–	1	–
				FW	230	–	32	93	67	35	2	1	–	–
				MNW	145	2	46	41	35	15	4	2	–	–
				FNW	117	4	32	32	29	13	5	2	–	–
ST. HELENA	–	152	15.5			–	38	58	31	18	4	2	1	–
				MW	25	–	7	10	4	4	–	–	–	–
				FW	34	–	4	15	9	5	–	1	–	–
				MNW	42	–	15	15	10	1	–	–	1	–
				FNW	51	–	12	18	8	8	4	1	–	–
ST. JAMES	80	444	20.7			–	76	161	131	55	21	–	–	–
				MW	109	–	8	52	34	13	2	–	–	–
				FW	85	–	8	25	32	13	4	–	–	–
				MNW	113	–	28	33	31	13	8	–	–	–
				FNW	137	–	32	48	34	16	7	–	–	–
ST. JOHN	2	767	24.0			2	125	261	235	105	32	7	–	–
				MW	203	–	32	68	71	25	6	1	–	–
				FW	200	2	16	68	70	37	5	2	–	–
				MNW	185	–	38	64	50	18	12	3	–	–
				FNW	179	–	39	61	44	25	9	1	–	–
ST. LANDRY	1519	1809	21.5			6	391	670	455	193	76	18	–	–
				MW	510	1	100	208	137	51	10	3	–	–
				FW	513	–	91	199	142	57	20	4	–	–
				MNW	428	2	109	140	100	47	24	6	–	–
				FNW	358	3	91	123	76	38	22	5	–	–
ST.MARTIN	254	913	22.7			6	166	349	240	115	26	10	1	–
				MW	288	–	41	122	88	32	5	–	–	–
				FW	258	2	43	107	60	35	9	2	–	–
				MNW	187	3	40	64	45	21	8	5	1	–
				FNW	180	1	42	56	47	27	4	3	–	–
ST. MARY	1070	1396	21.7			7	319	531	343	148	42	5	1	–
				MW	446	1	96	167	115	48	17	2	–	–
				FW	458	1	96	183	120	44	14	–	–	–
				MNW	257	2	65	90	61	32	4	2	1	–
				FNW	235	3	62	91	47	24	7	1	–	–
ST. TAMMANY	1551	2055	18.6			5	314	657	655	322	89	11	2	–
				MW	868	2	111	272	307	141	32	3	–	–
				FW	826	–	108	268	262	140	44	4	–	–
				MNW	183	1	53	67	36	18	7	1	–	–
				FNW	178	2	42	50	50	23	6	3	2	–
TANGIPAHOA	1722	1706	21.1			6	374	624	439	176	60	6	1	–
				MW	507	–	75	191	174	50	15	1	1	–
				FW	452	1	72	177	126	61	15	–	–	–
				MNW	370	3	116	121	75	37	17	1	–	–
				FNW	377	2	111	135	84	28	13	4	–	–
TENSAS	55	165	19.4			1	44	51	43	16	5	4	1	–
				MW	34	–	5	12	12	3	1	1	–	–
				FW	27	–	8	7	8	3	1	–	–	–
				MNW	54	1	16	13	14	6	2	1	1	–
				FNW	50	–	15	19	9	4	1	2	–	–
TERREBONNE	3195	2422	25.7			7	453	930	616	304	92	20	–	–
				MW	917	1	175	344	247	116	27	7	–	–
				FW	887	–	140	358	234	112	39	4	–	–
				MNW	331	2	75	120	70	41	17	6	–	–
				FNW	287	4	63	108	65	35	9	3	–	–

Table I A (continued)

Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, and by Sex and Race of Child Louisiana, by Parish, 1980

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	AGE									
					TOTAL (By Sex and Race)	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
UNION	156	351	16.6			3	85	138	88	29	7	1	–	–
				MW	109	–	17	47	31	10	4	–	–	–
				FW	98	–	15	45	26	11	1	–	–	–
				MNW	76	1	30	24	16	2	2	1	–	–
				FNW	68	2	23	22	15	6	–	–	–	–
VERMILION	709	1015	20.9			5	212	401	261	97	32	7	–	–
				MW	422	2	87	175	102	41	11	4	–	–
				FW	391	1	78	160	98	38	15	1	–	–
				MNW	106	–	27	31	35	10	2	1	–	–
				FNW	96	2	20	35	26	8	4	1	–	–
VERNON	1011	1364	25.5			4	305	627	295	99	26	8	–	–
				MW	484	1	116	215	103	35	10	4	–	–
				FW	487	1	106	232	100	35	11	2	–	–
				MNW	212	–	53	97	46	11	5	–	–	–
				FNW	181	2	30	83	46	18	–	2	–	–
WASHINGTON	832	826	18.7			4	191	292	218	94	22	5	–	–
				MW	275	–	50	118	65	34	6	2	–	–
				FW	230	2	53	77	71	24	3	–	–	–
				MNW	149	1	34	49	37	18	8	?	–	–
				FNW	172	1	54	48	45	18	5	1	–	–
WEBSTER	453	763	17.5			12	180	266	196	83	18	8	–	–
				MW	234	1	38	85	81	22	7	–	–	–
				FW	219	–	39	81	63	30	5	1	–	–
				MNW	160	4	56	53	26	13	4	4	–	–
				FNW	150	7	47	47	26	18	2	3	–	–
WEST BATON ROUGE	6	419	22.0			2	87	144	115	58	11	1	1	–
				MW	127	–	22	48	33	22	2	–	–	–
				FW	127	–	28	47	39	9	3	1	–	–
				MNW	83	–	18	29	23	9	3	–	1	–
				FNW	82	2	19	20	20	18	3	–	–	–
WEST CARROLL	19	254	19.7			2	59	103	56	23	9	2	–	–
				MW	101	2	18	46	22	12	1	–	–	–
				FW	99	–	22	40	25	9	3	–	–	–
				MNW	28	–	11	7	5	2	2	1	–	–
				FNW	26	–	8	10	4	–	3	1	–	–
WEST FELICIANA	26	147	12.1			2	29	51	43	16	6	–	–	–
				MW	38	–	11	8	15	3	1	–	–	–
				FW	38	–	6	12	13	5	2	–	–	–
				MNW	33	1	4	16	7	4	1	–	–	–
				FNW	38	1	8	15	8	4	2	–	–	–
WINN	9	302	17.5			2	73	103	78	37	9	–	–	–
				MW	109	–	25	32	33	17	2	–	–	–
				FW	81	–	13	37	20	10	1	–	–	–
				MNW	54	–	13	16	14	7	4	–	–	–
				FNW	58	2	22	18	11	3	2	–	–	–
OUT OF STATE*	915	1009	– –			1	186	365	289	120	44	4	–	–
				MW	448	–	68	184	118	57	18	3	–	–
				FW	399	1	80	132	125	42	19	–	–	–
				MNW	91	–	17	31	25	12	6	–	–	–
				FNW	71	–	21	18	21	9	1	1	–	–

* Not included in state totals.

Table I B

Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, and by Sex and Race of Child Louisiana, by State Planning Districts and Health Service Areas, 1980

STATE PLANNING DISTRICTS (SPD) OR HEALTH SERVICE AREAS (HSA)	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE IN YEARS								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	not Stated
TOTAL	82208	82114	19.5			365	16127	29304	22861	10146	2699	576	36	–
				MW	25824	39	4114	9402	7936	3393	804	127	9	–
				FW	24344	43	3765	8947	7469	3268	735	115	2	–
				MNW	16211	136	4245	5503	3759	1773	596	183	16	–
				FNW	15735	147	4003	5452	3697	1712	564	151	9	–
SPD 1	24408	22358	18.4			84	3975	7364	6660	3249	852	162	12	–
				MW	6322	14	775	2000	2207	1041	250	34	1	–
				FW	6028	10	774	1938	2017	1010	242	35	2	–
				MNW	4957	21	1199	1681	1204	602	193	53	4	–
				FNW	5051	39	1227	1745	1232	596	167	40	5	–
SPD 2	13866	14050	19.6			45	2516	4904	4267	1776	448	87	7	–
				MW	4425	2	638	1547	1498	598	121	19	2	–
				FW	4088	5	559	1485	1360	556	108	15	–	–
				MNW	2821	24	679	968	687	319	111	29	4	–
				FNW	2716	14	640	904	722	303	108	24	1	–
SPD 3	4994	6541	22.6			25	1216	2439	1765	795	253	47	1	–
				MW	2300	2	391	866	673	276	78	13	1	–
				FW	2200	2	318	874	621	298	73	14	–	–
				MNW	1061	8	263	355	251	115	57	12	–	–
				FNW	980	13	244	344	220	106	45	8	–	–
SPD 4	11357	11499	21.3			46	2283	4188	3110	1388	389	92	3	–
				MW	3985	7	705	1497	1154	484	118	20	–	–
				FW	3803	8	651	1422	1121	461	121	19	–	–
				MNW	1923	16	469	662	437	232	77	27	3	–
				FNW	1788	15	458	607	398	211	73	26	–	–
SPD 5	5236	5186	20.0			14	982	1986	1427	599	143	32	3	–
				MW	1998	2	362	785	561	229	51	6	2	–
				FW	1894	5	343	734	534	220	44	14	–	–
				MNW	661	1	142	235	177	76	23	6	1	–
				FNW	633	6	135	232	155	74	25	6	–	–
SPD 6	5656	6134	19.4			29	1377	2453	1458	631	155	29	2	–
				MW	2077	2	424	880	490	214	56	9	2	–
				FW	2041	7	409	846	529	203	41	6	–	–
				MNW	1033	7	300	356	230	107	26	7	–	–
				FNW	983	13	244	371	209	107	32	7	–	–
SPD 7	10460	10218	18.5			78	2277	3636	2687	1162	296	78	4	–
				MW	3004	3	520	1125	888	366	85	16	1	–
				FW	2719	6	429	1009	831	369	66	9	–	–
				MNW	2303	38	705	750	479	219	80	31	1	–
				FNW	2192	31	623	752	489	208	65	22	2	–
SPD 8	6231	6128	19.3			44	1501	2334	1487	546	163	49	4	–
				MW	1713	7	299	702	465	185	45	10	–	–
				FW	1571	–	282	639	456	151	40	3	–	–
				MNW	1452	21	488	496	294	103	29	18	3	–
				FNW	1392	16	432	497	272	107	49	18	1	–
TOTAL	82208	82114	19.5			365	16127	29304	22861	10146	2699	576	36	–
				MW	25824	39	4114	9402	7936	3393	804	127	9	–
				FW	24344	43	3765	8947	7469	3268	735	115	2	–
				MNW	16211	136	4245	5503	3759	1773	596	183	16	–
				FNW	15735	147	4003	5452	3697	1712	564	151	9	–
HSA 1	29402	28899	19.2			109	5191	9803	8425	4044	1105	209	13	–
				MW	8622	16	1166	2866	2880	1317	328	47	2	–
				FW	8228	12	1092	2812	2638	1308	315	49	2	–
				MNW	6018	29	1462	2036	1455	717	250	65	4	–
				FNW	6031	52	1471	2089	1452	702	212	48	5	–
HSA 2	30459	30735	20.3			105	5781	11078	8804	3763	980	211	13	–
				MW	10408	11	1705	3829	3213	1311	290	45	4	–
				FW	9785	18	1553	3641	3015	1237	273	48	–	–
				MNW	5405	41	1290	1865	1301	627	211	62	8	–
				FNW	5137	35	1233	1743	1275	588	206	56	1	–
HSA 3	22347	22480	19.0			151	5155	8423	5632	2339	614	156	10	–
				MW	6794	12	1243	2707	1843	765	186	35	3	–
				FW	6331	13	1120	2494	1816	723	147	18	–	–
				MNW	4788	66	1493	1602	1003	429	135	56	4	–
				FNW	4567	60	1299	1620	970	422	146	47	3	–

Table II
Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Sex of Child, Race, and Attendant
Louisiana, 1980

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	WHITE				NONWHITE				SEX	
				Total	Attended By			Total	Attended By			Male	Female
					Physician	Midwife	Other		Physician	Midwife	Other		
TOTAL	82208	82114	19.5	50168	49683	365	120	31946	31765	113	68	42035	40079
ACADIA	949	1169	20.7	886	885	–	1	283	283	–	–	588	581
Crowley*	555	338	21.1	222	222	–	–	116	116	–	–	170	168
ALLEN	298	390	18.2	287	286	1	–	103	103	–	–	195	195
ASCENSION	33	1023	20.4	722	719	3	–	301	294	–	7	542	481
ASSUMPTION	1	482	21.8	276	276	–	–	206	203	–	3	257	225
AVOYELLES	286	739	17.9	487	486	1	–	252	251	–	1	379	360
BEAUREGARD	498	536	18.1	457	456	–	1	79	79	–	–	286	250
BIENVILLE	1	311	19.0	153	152	1	–	158	157	1	–	155	156
BOSSIER	1623	1548	19.2	1162	993	158	11	386	346	39	1	818	730
Bossier City*	1608	1044	20.9	814	668	138	8	230	190	39	1	549	495
CADDO	7243	4991	19.8	2514	2477	35	2	2477	2451	25	1	2577	2414
Shreveport*	7240	4222	20.5	1967	1934	31	2	2255	2232	22	1	2166	2056
CALCASIEU	3994	3397	20.3	2469	2466	–	3	928	927	–	1	1742	1655
Lake Charles*	3283	1501	20.0	772	771	–	1	729	728	–	1	764	737
Sulphur*	707	428	21.7	406	406	–	–	22	22	–	–	215	213
CALDWELL	95	155	14.4	123	122	–	1	32	32	–	–	79	76
CAMERON	–	184	19.7	170	170	–	–	14	14	–	–	78	106
CATAHOULA	4	240	19.5	168	166	–	2	72	72	–	–	124	116
CLAIBORNE	95	300	17.5	126	125	1	–	174	173	1	–	145	155
CONCORDIA	254	452	19.7	253	251	–	2	199	198	–	1	234	218
DESOTO	1	478	18.6	254	254	–	–	224	223	1	–	254	224
EAST BATON ROUGE	10919	7035	19.2	4119	4035	80	4	2916	2903	3	10	3621	3414
Baton Rouge*	10470	4934	22.5	2329	2267	60	2	2605	2593	3	9	2537	2397
EAST CARROLL	184	268	22.8	65	64	1	–	203	203	–	–	132	136
EAST FELICIANA	5	395	20.8	192	190	2	–	203	200	–	3	209	186
EVANGELINE	330	635	19.0	431	430	–	1	204	204	–	–	335	300
FRANKLIN	224	449	18.6	264	263	–	1	185	185	–	–	230	219
GRANT	–	268	16.0	207	206	–	1	61	61	–	–	133	135
IBERIA	1300	1461	22.9	937	931	1	5	524	519	–	5	730	731
New Iberia*	1294	777	23.7	484	480	1	3	293	291	–	2	375	402
IBERVILLE	7	685	21.3	312	312	–	–	373	367	–	6	363	322
JACKSON	292	308	17.8	191	191	–	–	117	116	1	–	166	142
JEFFERSON	7155	8272	18.2	6342	6324	11	7	1930	1927	1	2	4255	4017
Kenner*	3	1208	18.2	943	941	2	–	265	265	–	–	602	606
Gretna*	6	821	39.8	597	592	3	2	224	223	1	–	425	396
Harahan*	–	125	11.0	125	125	–	–	–	–	–	–	65	60
Westwego*	–	367	29.0	242	241	1	–	125	125	–	–	188	179
JEFFERSON DAVIS	446	679	21.1	509	509	–	–	170	170	–	–	358	321
Jennings*	366	271	21.9	197	197	–	–	74	74	–	–	141	130
LAFAYETTE	5226	3101	20.7	2248	2219	1	28	853	850	–	3	1611	1490
Lafayette*	5216	1703	20.8	1037	1014	1	22	666	664	–	2	883	820
LAFOURCHE	1592	1708	20.7	1367	1356	1	10	341	338	–	3	875	833
Thibodaux*	1051	336	21.3	193	193	–	–	143	141	–	2	168	168
LASALLE	148	271	15.9	235	234	–	1	36	36	–	–	112	159
LINCOLN	367	551	13.9	278	277	1	–	273	272	1	–	280	271
Ruston*	366	263	12.8	119	119	–	–	144	144	–	–	137	126
LIVINGSTON	123	1187	20.2	1080	1058	20	2	107	107	–	–	610	577
MADISON	164	352	23.9	108	98	10	–	244	218	26	–	177	175
MOREHOUSE	615	722	20.7	315	315	–	–	407	407	–	–	390	332
Bastrop*	615	337	21.7	115	115	–	–	222	222	–	–	180	157
NATCHITOCHES	563	696	17.5	386	385	1	–	310	309	–	1	380	316
Natchitoches*	563	318	19.1	126	126	–	–	192	191	–	1	166	152
ORLEANS	15660	10351	18.6	2873	2857	9	7	7478	7476	–	2	5132	5219
OUACHITA	4163	2659	19.1	1522	1520	2	–	1137	1136	–	1	1372	1287
Monroe*	3230	1212	21.0	415	413	2	–	797	797	–	–	643	569
West Monroe*	931	293	19.5	235	235	–	–	58	58	–	–	158	135
PLAQUEMINES	37	578	22.2	413	413	–	–	165	163	–	2	281	297
POINTE COUPEE	193	475	19.8	235	235	–	–	240	239	–	1	252	223
RAPIDES	3944	2498	18.5	1607	1606	–	1	891	889	2	–	1269	1229
Alexandria*	2392	1091	21.2	448	448	–	–	643	641	2	–	563	528
RED RIVER	53	199	19.1	109	108	1	–	90	90	–	–	106	93
RICHLAND	264	445	20.1	228	228	–	–	217	217	–	–	217	228
SABINE	61	381	15.1	288	287	–	1	93	93	–	–	198	183
ST. BERNARD	5	1102	17.2	1028	1028	–	–	74	74	–	–	560	542
ST. CHARLES	124	718	19.3	456	455	1	–	262	261	–	1	371	347
ST. HELENA	–	152	15.5	59	59	–	–	93	93	–	–	67	85
ST. JAMES	80	444	20.7	194	194	–	–	250	247	–	3	222	222
ST JOHN	2	767	24.0	403	400	2	1	364	364	–	–	388	379
ST. LANDRY	1519	1809	21.5	1023	1021	–	2	786	786	–	–	938	871
Opelousas*	1032	470	24.9	171	171	–	–	299	299	–	–	239	231
Eunice*	484	286	22.9	219	218	–	1	67	67	–	–	151	135
ST. MARTIN	254	913	22.7	546	543	–	3	367	366	–	1	475	438
ST. MARY	1070	1396	21.7	904	899	–	5	492	492	–	–	703	693
Morgan City*	623	360	22.3	266	265	–	1	94	94	–	–	176	184
ST. TAMMANY	1551	2055	18.6	1694	1683	8	3	361	359	1	1	1051	1004
Slidell*	709	460	17.2	399	398	–	1	61	61	–	–	240	220
TANGIPAHOA	1722	1706	21.1	959	952	5	2	747	746	–	1	877	829
Hammond*	8	273	18.1	99	99	–	–	174	174	–	–	143	130
TENSAS	55	165	19.4	61	61	–	–	104	101	3	–	88	77
TERREBONNE	3195	2422	25.7	1804	1802	–	2	618	618	–	–	1248	1174
Houma*	1618	877	26.9	589	589	–	–	288	288	–	–	435	442
UNION	156	351	16.6	207	207	–	–	144	144	–	–	185	166
VERMILION	709	1015	20.9	813	808	1	4	202	202	–	–	528	487
Abbeville*	420	326	26.3	184	182	1	1	142	142	–	–	163	163
VERNON	1011	1364	25.5	971	963	4	4	393	388	4	1	696	668
WASHINGTON	832	826	18.7	505	504	1	–	321	321	–	–	424	402
Bogalusa*	690	295	17.4	170	170	–	–	125	125	–	–	154	141
WEBSTER	453	763	17.5	453	451	2	–	310	305	4	1	394	369
Minden*	391	304	20.2	140	139	1	–	164	164	–	–	161	143
WEST BATON ROUGE	6	419	22.0	254	253	–	1	165	161	–	4	210	209
WEST CARROLL	19	254	19.7	200	200	–	–	54	54	–	–	129	125
WEST FELICIANA	26	147	12.1	76	75	–	1	71	70	–	1	71	76
WINN	9	302	17.5	190	190	–	–	112	112	–	–	163	139
OUT OF STATE**	915	1009	– –	847	837	6	4	162	161	–	1	539	470

* Cities are included in parish totals.
** Not included in state totals.

Table III

Live Births Showing Hospital in Which Birth Occurred by Sex and Race

Louisiana, 1980

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		Male	Female	Male	Female
TOTAL OCCURRING IN LOUISIANA	82208	25897	24383	16221	15707
IN HOSPITAL	81885	25800	24291	16158	15636
OUT OF HOSPITAL	323	97	92	63	71
ACADIA	949	391	376	85	97
Acadia - St. Landry Hospital	146	44	56	25	21
American Legion Hospital	552	254	238	25	35
Rayne Branch Hospital	246	92	79	34	41
Out of Hospital	5	1	3	1	–
ALLEN	298	107	112	37	42
Allen Parish Hospital	197	77	80	18	22
Oakdale General Hospital	100	30	31	19	20
Out of Hospital	1	–	1	–	–
ASCENSION	33	13	13	4	3
Prevost Memorial Hospital	29	13	13	2	1
Out of Hospital	4	–	–	2	2
ASSUMPTION	1	–	–	1	–
Out of Hospital	1	–	–	1	–
AVOYELLES	286	78	72	75	61
Bunkie General Hospital	152	48	49	30	25
Marksville General Hospital	129	29	23	44	33
Out of Hospital	5	1	–	1	3
BEAUREGARD	498	214	207	48	29
Beauregard Memorial Hospital	497	214	206	48	29
Out of Hospirtal	1	–	1	–	–
BIENVILLE	1	–	–	1	–
Out of Hospital	1	–	–	1	–
BOSSIER	1623	713	634	156	120
Barksdale Air Force Base Hospital	604	232	208	93	71
Bossier City Medical Hospital	1016	480	424	63	49
Out of Hospital	3	1	2	–	–
CADDO	7243	1834	1695	1901	1813
Louisiana State University Medical Center	3714	426	390	1496	1402
Highland Hospital	510	233	198	42	37
North Caddo Memorial Hospital	1	–	–	–	1
Doctor's Hospital and Research Center	129	30	14	40	45
Physicians' and Surgeons' Hospital	404	130	126	71	77
T.E. Schumpert Hospital	1166	508	494	77	87
Willis - Knighton Memorial Hospital	1314	507	470	175	162
Out of Hospital	5	–	3	–	2
CALCASIEU	3994	1523	1450	512	509
Dr. Walter Olin Moss Regional Hospital	884	262	220	195	207
Lake Charles Memorial Hospital	1502	566	552	196	188
St. Patrick's Hospital	892	374	347	87	84
West Calcasieu - Cameron Hospital	709	318	329	32	30
Out of Hospital	7	3	2	2	–
CALDWELL	95	43	30	11	11
Caldwell Hospital	71	24	27	9	11
Citizen's Medical Hospital	22	17	3	2	–
Out of Hospital	2	2	–	–	–
CATAHOULA	4	2	–	2	–
Catahoula Parish Hospital	1	–	–	1	–
Out of Hospital	3	2	–	1	–
CLAIBORNE	95	21	23	22	29
Homer Memorial Hospital	90	20	20	22	28
North Claiborne Hospital	5	1	3	–	1
Out of Hospital	–	–	–	–	–
CONCORDIA	254	43	43	85	83
Concordia Parish Hospital	250	43	41	83	83
Out of Hospital	4	–	2	2	–
DESOTO	1	1	–	–	–
Out of Hospital	1	1	–	–	–
EAST BATON ROUGE	10919	3463	3273	2161	2022
Baton Rouge General Hospital	2	1	–	–	1
Earl K. Long Memorial Hospital	3086	376	342	1224	1144
Lane Memorial Hospital	445	168	168	55	54
Woman's Hospital	7356	2912	2761	873	810
Out of Hospital	30	6	2	9	13
EAST CARROLL	184	16	16	74	78
East Carroll Parish Hospital	183	16	16	73	78
Out of Hospital	1	–	–	1	–

Table III (continued)

Live Births Showing Hospital in Which Birth Occurred by Sex and Race

Louisiana , 1980

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		Male	Female	Male	Female
EAST FELICIANA	5	–	–	1	4
Clinton Infirmary, Inc.	1	–	–	–	1
Out of Hospital	4	–	–	1	3
EVANGELINE	330	89	83	75	83
Ville Platte General Hospital	185	50	36	55	44
Savoy Memorial Hospital	141	39	45	20	37
Out of Hospital	4	–	2	–	2
FRANKLIN	224	25	43	87	69
Franklin Parish Hospital	223	25	42	87	69
Out of Hospital	1	–	1	–	–
IBERIA	1300	448	438	208	206
Dauterive Hospital, Inc.	587	223	253	64	47
Iberia Parish Hospital	703	222	183	142	156
Out of Hospital	10	3	2	2	3
IBERVILLE	7	1	1	1	4
Rhodes J. Spedale General Hospital	1	–	–	–	1
Out of Hospital	6	1	1	1	3
JACKSON	292	48	56	101	87
Jackson Parish Hospital	291	48	56	101	86
Out of Hospital	1	–	–	–	1
JEFFERSON	7155	3106	3005	534	510
East Jefferson General Hospital	745	373	327	22	23
Ochsner Foundation Hospital	742	323	282	65	72
Lakeside Hospital	4218	1863	1830	259	266
West Jefferson General Hospital	1426	539	554	186	147
Out of Hospital	24	8	12	2	2
JEFFERSON DAVIS	446	180	162	56	48
Jennings American Legion Hospital	364	145	135	44	40
Welsh General Hospital	82	35	27	12	8
Out of Hospital	–	–	–	–	–
LAFAYETTE	5226	1693	1567	1023	943
Lafayette Charity Hospital	1890	261	245	743	641
Lafayette General Hospital	3298	1419	1308	276	295
Out of Hospital	38	13	14	4	7
LAFOURCHE	1592	696	670	128	98
Lady Of The Sea Hospital	132	63	65	2	2
St. Anne General Hospital	402	189	186	15	12
Thibodaux General Hospital	1045	440	415	109	81
Out of Hospital	13	4	4	2	3
LASALLE	148	69	57	9	13
Hardtner Memorial Clinic	147	69	56	9	13
Out of Hospital	1	–	1	–	–
LINCOLN	367	116	118	59	74
Lincoln General Hospital	366	116	118	58	74
Out of Hospital	1	–	–	1	–
LIVINGSTON	123	67	53	1	2
Dixon Memorial Hospital	121	65	53	1	2
Out of Hospital	2	2	–	–	–
MADISON	164	8	8	77	71
Madison Parish Hospital	163	8	7	77	71
Out of Hospital	1	–	1	–	–
MOREHOUSE	615	209	183	118	105
Morehouse General Hospital	613	208	183	118	104
Out of Hospital	2	1	–	–	1
NATCHITOCHES	563	207	191	89	76
Natchitoches Parish Hospital	562	207	191	89	75
Out of Hospital	1	–	–	–	1
ORLEANS	15660	3170	2961	4733	4796
Jo Ellen Smith Memorial Hospital	1589	465	481	326	317
Baptist Hospital	2249	1024	957	121	147
Charity Hospital of Louisiana	5682	426	396	2453	2407
The New St. Claude General Hospital	809	7	14	364	424
Flint Goodridge Hospital	238	–	2	107	129
Hotel Dieu Hospital	925	198	181	267	279
Pendelton Memorial Methodist Hospital	1921	647	597	340	337
Montelepre Memorial Hospital	4	2	2	–	–
Touro Infirmary	1559	240	221	548	550
Tulane Medical Center Hospital	112	33	18	26	35
United States Public Health Service Hospital	543	115	82	176	170
Out of Hospital	29	13	10	5	1

Table III (continued)

Live Births Showing Hospital in Which Birth Occurred by Sex and Race

Louisiana, 1980

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		Male	Female	Male	Female
OUACHITA	4163	1242	1090	924	907
E.A. Conway Memorial Hospital	1807	208	147	736	716
Glenwood Hospital	930	421	414	38	57
St. Francis Hospitol	1411	613	529	141	128
Out of Hospital	15	–	–	9	6
PLAQUEMINES	37	11	21	3	2
Plaquemines Parish General Hospital	36	11	21	3	1
Out of Hospital	1	–	–	–	1
POINTE COUPEE	193	37	27	67	62
Pointe Coupee General Hospital	192	37	27	66	62
Out of Hospital	1	–	–	1	–
RAPIDES	3944	1330	1303	667	644
Rapides General Hospital	1181	469	474	119	119
Doctor's Hospital	31	10	13	6	2
Huey P. Long Charity Hospital	1521	302	316	459	444
St. Frances Cabrini Hospital	1207	547	500	83	77
Out of Hospital	4	2	–	–	2
RED RIVER	53	24	19	7	3
L.S. Huckabay Memorial Hospital	52	24	18	7	3
Hanna Clinic and Hospital	1	–	1	–	–
Out of Hospital	–	–	–	–	–
RICHLAND	264	118	104	19	23
Richland Parish Hospital (Delhi)	235	109	94	15	17
Richland Parish Hospital (Rayville)	29	9	10	4	6
Out of Hospital	–	–	–	–	–
SABINE	61	24	13	11	13
Pleasant Hill General Hospital	60	24	12	11	13
Out of Hospital	1	–	1	–	–
ST. BERNARD	5	1	4	–	–
St. Bernard General Hospital	1	–	1	–	–
Chalmette General Hospital	4	1	3	–	–
Out of Hospital	–	–	–	–	–
ST. CHARLES	124	30	23	29	42
St. Charles Parish Hospital	119	29	22	28	40
Out of Hospital	5	1	1	1	2
ST. JAMES	80	27	21	14	18
St. James Parish Hospital	77	27	21	14	15
West St. James Parish Hospital	2	–	–	–	2
Out of Hospital	1	–	–	–	1
ST. JOHN	2	2	–	–	–
Out of Hospital	2	2	–	–	–
ST. LANDRY	1519	611	558	195	155
Moosa Memorial Hospital	476	223	179	42	32
Opelousas General Hospital	1034	386	376	150	122
Doctor's Hospital	2	–	2	–	–
Out of Hospital	7	2	1	3	1
ST. MARTIN	254	78	67	59	50
Gary Memorial Hospital	160	50	36	41	33
St. Martin Infirmary	88	27	27	18	16
Out of Hospital	6	1	4	–	1
ST. MARY	1070	371	370	175	154
Franklin Foundation Hospital	443	115	129	109	90
Lakewood Hospital	621	255	236	66	64
Out of Hospital	6	1	5	–	–
ST. TAMMANY	1551	688	637	126	120
Highland Park Hospital	239	116	95	28	30
St. Tammany Parish Hospital	589	225	237	66	61
Slidell Memorial Hospital	711	351	300	32	27
Out of Hospital	12	5	5	–	2
TANGIPAHOA	1722	468	410	414	430
Hood Memorial Hospital	1	1	–	–	–
Lallie Kemp Charity Hospital	820	136	105	284	295
Seventh Ward General Hospital	897	330	303	129	135
Out of Hospital	4	1	2	1	–
TENSAS	55	5	5	26	19
St. Charles Hospital of Tensas Parish	55	5	5	26	19
Out of Hospital	–	–	–	–	–

Table III

Live Births Showing Hospital in Which Birth Occurred by Sex and Race
Louisiana, 1980

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		Male	Female	Male	Female
TERREBONNE	3195	1092	1063	538	502
South Louisiana Medical Center	1603	385	394	419	405
Terrebonne Parish General Hospital	1585	703	669	118	95
Out of Hospital	7	4	–	1	2
UNION	156	42	38	36	40
Tri-Ward General Hospital	15	–	2	7	6
Union General Hospital	141	42	36	29	34
Out of Hospital	–	–	–	–	–
VERMILION	709	296	291	61	61
Abrom Kaplan Memorial Hospital	241	124	99	8	10
Abbeville General Hospital	419	156	175	48	40
Erath Memorial Hospital	40	12	12	5	11
Gueydan Memorial Hospital	1	–	1	–	–
Out of Hospital	8	4	4	–	–
VERNON	1011	321	334	187	169
Leesville General Hospital	30	13	8	3	6
United States Army Hospital (Fort Polk)	942	292	312	178	160
Byrd Memorial Hospital	24	9	12	2	1
Out of Hospital	15	7	2	4	2
WASHINGTON	832	290	252	134	156
Bogalusa Community Medical Center	340	154	122	33	31
Riverside Medical Center	140	51	58	18	21
Washington - St. Tammany Charity Hospital	350	85	80	83	102
Out of Hospital	2	–	–	–	2
WEBSTER	453	192	170	47	44
Minden Medical Center	391	161	149	42	39
Community Hospital	58	29	21	3	5
Out of Hospital	4	2	–	2	–
West Baton Rouge	6	–	2	2	2
Out of Hospital	6	–	2	2	2
WEST CARROLL	19	8	10	1	–
West Carroll Parish Hospital	19	8	10	1	–
Out of Hospital	–	–	–	–	–
WEST FELICIANA	26	14	10	1	1
West Feliciana Parish Hospital	22	11	9	1	1
Out of Hospital	4	3	1	–	–
WINN	9	1	1	3	4
Winnfield General Hospital	8	1	1	3	3
Out of Hospital	1	–	–	–	1

Table IV
Congenital Anomalies Specified on Birth Certificates*
Shown by Type of Anomaly and Age of Mother
Louisiana, 1980
(By Residence)

CAUSE	TOTAL	AGE								
		10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 and Over	Not Stated
TOTAL	594	-	99	195	177	81	33	9	-	-	-
Congenital syphilis-(090)	1	-	-	1	-	-	-	-	-	-	-
Haemangioma and lymphangioma, any site-(228)	8	-	1	3	3	1	-	-	-	-	-
Neoplasm of uncertain behaviour of digestive and respiratory systems-(235)	1	-	-	-	1	-	-	-	-	-	-
Neoplasm of uncertain behaviour of other and unspecified sites and tissues-(238)	1	-	-	-	-	-	1	-	-	-	-
Disorders of adrenal glands-(255)	1	-	-	1	-	-	-	-	-	-	-
Coagulation defects-(286)	1	-	-	-	-	1	-	-	-	-	-
Infantile cerebral palsy-(343)	1	-	-	-	-	-	1	-	-	-	-
Cardiomyopathy-(425)	1	-	-	-	1	-	-	-	-	-	-
Dentofacial anomalies,including malocclusion-(524)	6	-	2	2	1	-	1	-	-	-	-
Other hernia of abdominal cavity without mention of obstruction or gangrene-(553)	8	-	2	3	3	-	-	-	-	-	-
Pilonidal cyst-(685)	3	-	-	3	-	-	-	-	-	-	-
Anencephalus and similar anomalies-(740)	17	-	1	8	5	1	2	-	-	-	-
Spina bifida-(741)	28	-	5	8	9	5	1	-	-	-	-
Other congenital anomalies of nervous system-(742)	25	-	6	7	4	3	4	1	-	-	-
Congenital anomalies of eye-(743)	14	-	1	4	3	3	2	1	-	-	-
Congenital anomalies of ear, face and neck-(744)	20	-	1	8	8	2	-	1	-	-	-
Bulbus cordis anomalies and anomalies of cardiac septal closure-(745)	5	-	-	3	2	-	-	-	-	-	-
Other congenital anomalies of heart-(746)	17	-	3	2	9	3	-	-	-	-	-
Other congenital anomalies of circulatory system-(747)	4	-	-	1	3	-	-	-	-	-	-
Congenital anomalies of respiratory system-(748)	10	-	3	4	3	-	-	-	-	-	-
Cleft palate and cleft lip-(749)	48	-	10	18	11	4	3	2	-	-	-
Other congenital anomalies of upper alimentary tract-(750)	9	-	-	4	3	2	-	-	-	-	-
Other congenital anomalies of digestive system-(751)	10	-	1	4	4	1	-	-	-	-	-
Congenital anomalies of genital organs-(752)	53	-	12	21	13	7	-	-	-	-	-
Congenital anomalies of urinary system-(753)	7	-	-	3	2	2	-	-	-	-	-
Certain congenital musculoskeletal deformities-(754)	61	-	11	22	21	6	1	-	-	-	-
Other congenital anomalies of limbs-(755)	111	-	16	26	45	14	9	1	-	-	-
Other congenital musculoskeletal anomalies-(756)	32	-	8	11	7	6	-	-	-	-	-
Congenital anomalies of the integument-(757)	23	-	5	9	4	4	1	-	-	-	-
Chromosomal anomalies-(758)	26	-	-	4	5	8	6	3	-	-	-
Other and unspecified congenital anomalies-(759)	27	-	6	9	6	5	1	-	-	-	-
Other respiratory conditions of fetus and newborn-(770)	1	-	-	1	-	-	-	-	-	-	-
Infections specific to the perinatal period-(771)	2	-	-	2	-	-	-	-	-	-	-
Conditions involving the integument and temperature regulations of fetus and newborn-(778)	12	-	5	3	1	3	-	-	-	-	-

* This is not an unduplicated count; more than 1 congenital anomaly was specified on some birth certificates.

Table V

Immature Births Showing Hospital in Which Birth Occurred
Louisiana, 1980

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT		
		Male	Female	Male	Female	3½ Lbs. and Under	Over 3½ Through 4½ Lbs.	Over 4½ Through 5½ Lbs.
TOTAL	7224	1522	1607	1872	2223	1376	1471	4377
ACADIA	58	18	17	8	15	11	13	34
Acadia - St. Landry Hospital	9	-	2	3	4	1	2	6
American Legion Hospital	32	16	9	1	6	3	10	19
Rayne - Branch Hospital	16	2	6	3	5	7	1	8
Out of Hospital	1	-	-	1	-	-	-	1
ALLEN	19	5	10	1	3	6	1	12
Allen Parish Hospital	15	5	7	1	2	5	1	9
Oakdale General Hospital	4	-	3	-	1	1	-	3
Out of Hospital	-	-	-	-	-	-	-	-
ASCENSION	3	1	-	1	1	-	2	1
Prevost Memorial Hospital	1	1	-	-	-	-	-	1
Out of Hospital	2	-	-	1	1	-	2	-
AVOYELLES	26	2	6	7	11	1	5	20
Bunkie General Hospital	10	-	3	2	5	1	1	8
Marksville General Hospital	15	2	3	5	5	-	4	11
Out of Hospital	1	-	-	-	1	-	-	1
BEAUREGARD	32	15	5	6	6	9	6	17
Beauregard Memorial Hospital	32	15	5	6	6	9	6	17
Out of Hospital	-	-	-	-	-	-	-	-
BOSSIER	101	33	46	11	11	8	23	70
Barksdale Air Force Base Hospital	27	7	12	6	2	1	8	18
Bossier City General Hospital	74	26	34	5	9	7	15	52
Out of Hospital	-	-	-	-	-	-	-	-
CADDO	847	144	160	249	294	208	206	433
La. State University Medical Center	583	61	64	214	244	141	152	290
Highland Hospital	26	10	9	1	6	2	4	20
Doctor's Hospital and Research Cntr.	12	2	1	4	5	2	1	9
Physicians' and Surgeons' Hospital	30	5	9	6	10	8	9	13
T. E. Shumpert Hospital	104	44	38	7	15	35	26	43
Willis Knighton Memorial Hospital	91	22	38	17	14	20	14	57
Out of Hospital	1	-	1	-	-	-	-	1
CALCASIEU	364	101	116	73	74	62	76	226
Dr. Walter O. Moss Regional Hosp.	105	23	25	24	33	19	17	69
Lake Charles Memorial Hospital	130	32	37	33	28	21	31	78
St. Patrick's Hospital	59	17	24	10	8	12	10	37
West Calcasieu - Cameron Hospital	69	28	30	6	5	10	17	42
Out of Hospital	1	1	-	-	-	-	1	-
CALDWELL	8	5	3	-	-	1	2	5
Caldwell Hospital	5	2	3	-	-	1	2	2
Citizen's Medical Hospital	2	2	-	-	-	-	-	2
Out of Hospital	1	1	-	-	-	-	-	1
CLAIBORNE	8	1	1	2	4	-	3	5
Homer Memorial Hospital	8	1	1	2	4	-	3	5
Out of Hospital	-	-	-	-	-	-	-	-
CONCORDIA	24	3	3	8	10	5	3	16
Concordia Parish Hospital	23	3	2	8	10	5	3	15
Out of Hospital	1	-	1	-	-	-	-	1
EAST BATON ROUGE	944	196	197	266	285	175	201	568
Baton Rouge General Hospital	1	-	-	-	1	-	-	1
Earl K. Long Memorial Hospital	394	36	33	157	168	78	92	224
Lane Memorial Hospital	22	7	10	3	2	2	5	15
Woman's Hospital	522	153	153	105	111	93	103	326
Out of Hospital	5	-	1	1	3	2	1	2

Table V (continued)
Immature Births Showing Hospital in Which Birth Occurred
Louisiana, 1980

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT		
		Male	Female	Male	Female	3½ Lbs. and Under	Over 3½ Through 4½ Lbs.	Over 4½ Through 5½ Lbs.
EAST CARROLL	15	1	-	7	7	2	5	8
East Carrol Parish Hospital	15	1	-	7	7	2	5	8
Out of Hospital	-	-	-	-	-	-	-	-
EAST FELICIANA	1	-	-	-	1	-	1	-
Out of Hospital	1	-	-	-	1	-	1	-
EVANGELINE	43	8	9	9	17	5	10	28
Ville Platte General Hospital	20	1	5	7	7	3	7	10
Savoy Memorial Hospital	23	7	4	2	10	2	3	18
Out of Hospital	-	-	-	-	-	-	-	-
FRANKLIN	26	1	1	12	12	3	6	17
Franklin Parish Hospital	26	1	1	12	12	3	6	17
Out of Hospital	-	-	-	-	-	-	-	-
IBERIA	86	19	26	18	23	7	15	64
Dauterive Hospital, Inc.	34	10	15	7	2	3	5	26
Iberia Parish Hospital	50	8	11	10	21	3	9	38
Out of Hospital	2	1	-	1	-	1	1	-
IBERVILLE	1	-	-	-	1	-	-	1
Out of Hospital	1	-	-	-	1	-	-	1
JACKSON	38	5	8	10	15	5	8	25
Jackson Parish Hospital	37	5	8	10	14	5	7	25
Out of Hospital	1	-	-	-	1	-	1	-
JEFFERSON	490	180	195	46	69	111	85	294
East Jefferson General Hospital	33	19	12	1	1	3	5	25
Ochsner Foundation Hospital	119	42	35	15	27	52	30	37
Lakeside Hospital	244	88	115	18	23	42	30	172
West Jefferson General Hospital	93	31	32	12	18	13	20	60
Out of Hospital	1	-	1	-	-	1	-	-
JEFFERSON DAVIS	24	6	6	6	6	6	1	17
Jennings American Legion Hospital	20	4	6	6	4	6	-	14
Welsh General Hospital	4	2	-	-	2	-	1	3
Out of Hospital	-	-	-	-	-	-	-	-
LAFAYETTE	463	97	96	134	136	120	88	255
Lafayette Charity Hospital	261	25	20	110	106	65	51	145
Lafayette General Hospital	200	72	76	22	30	55	37	108
Out of Hospital	2	-	-	2	-	-	-	2
LAFOURCHE	103	40	38	14	11	11	23	69
Lady of the Sea Hospital	13	6	7	-	-	-	1	12
St. Anne General Hospital	24	12	8	2	2	2	3	19
Thibodaux General Hospital	66	22	23	12	9	9	19	38
Out of Hospital	-	-	-	-	-	-	-	-
LASALLE	15	7	5	1	2	-	-	15
Hardtner Medical Center	15	7	5	1	2	-	-	15
Out of Hospital	-	-	-	-	-	-	-	-
LINCOLN	10	3	2	2	3	-	-	10
Lincoln General Hospital	10	3	2	2	3	-	-	10
Out of Hospital	-	-	-	-	-	-	-	-
LIVINGSTON	4	1	2	-	1	-	2	2
Dixon Memorial Hospital	4	1	2	-	1	-	2	2
Out of Hospital	-	-	-	-	-	-	-	-

Table V (continued)
Immature Births Showing Hospital in Which Birth Occurred
Louisiana, 1980

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT		
		Male	Female	Male	Female	3½ Lbs. and Under	Over 3½ Through 4½ Lbs.	Over 4½ Through 5½ Lbs.
MADISON	13	-	-	6	7	-	-	13
Madison Parish Hospital	13	-	-	6	7	-	-	13
Out of Hospital	-	-	-	-	-	-	-	-
MOREHOUSE	42	14	7	9	12	8	8	26
Morehouse General Hospital	42	14	7	9	12	8	8	26
Out of Hospital	-	-	-	-	-	-	-	-
NATCHITOCHES	27	4	10	10	3	-	5	22
Natchitoches Parish Hospital	27	4	10	10	3	-	5	22
Out of Hospital	-	-	-	-	-	-	-	-
ORLEANS	1760	223	213	582	742	365	364	1031
Jo Ellen Smith Memorial Hospital	120	22	32	30	36	14	26	80
Baptist Hospital	130	53	45	13	19	27	20	83
Charity Hospital of New Orleans	905	73	62	344	426	222	201	482
The New St. Claude General Hospital	103	-	1	41	61	20	21	62
Flint Goodridge Hosp. of Dillard U.	25	-	-	9	16	5	4	16
Hotel Dieu Hospital	94	15	11	24	44	13	15	66
Pendleton Memorial Methodist Hosp.	154	39	43	36	36	21	30	103
Touro Infirmary	178	10	15	72	81	32	36	110
Tulane Medical Center Hospital	26	5	2	8	11	9	5	12
U. S. Public Health Service Hosp.	21	4	2	4	11	1	6	14
Veterans Administration Hospital	1	-	-	-	1	-	-	1
Out of Hospital	3	2	-	1	-	1	-	2
OUACHITA	345	61	72	96	116	55	61	229
E.A. Conway Memorial Hospital	194	10	16	83	85	24	31	139
Glenwood Hospital	48	21	19	1	7	9	6	33
St. Francis Hospital	98	30	37	9	22	21	22	55
Out of Hospital	5	-	-	3	2	1	2	2
PLAQUEMINES	2	1	1	-	-	-	-	2
Plaquemines Parish General Hospital	2	1	1	-	-	-	-	2
Out of Hospital	-	-	-	-	-	-	-	-
POINT COUPEE	22	3	1	7	11	5	2	15
Point Coupee General Hospital	22	3	1	7	11	5	2	15
Out of Hospital	-	-	-	-	-	-	-	-
RAPIDES	296	81	73	57	85	48	59	189
Rapides General Hospital	73	27	21	11	14	14	13	46
Huey P. Long Charity Hospital	136	23	22	35	56	17	30	89
St. Francis Cabrini Hospital	87	31	30	11	15	17	16	54
Out of Hospital	-	-	-	-	-	-	-	-
RED RIVER	2	1	1	-	-	-	-	2
L.S. Huckabay Memorial Hospital	1	1	-	-	-	-	-	1
Hanna Clinic and Hospital	1	-	1	-	-	-	-	1
Out of Hospital	-	-	-	-	-	-	-	-
RICHLAND	12	6	2	1	3	-	1	11
Richland Parish Hospital (Delhi)	8	5	1	1	1	-	-	8
Richland Parish Hospital (Rayville)	4	1	1	-	2	-	1	3
Out of Hospital	-	-	-	-	-	-	-	-
SABINE	5	2	-	-	3	1	1	3
Pleasant Hill General Hospital	5	2	-	-	3	1	1	3
Out of Hospital	-	-	-	-	-	-	-	-
ST. CHARLES	11	3	1	1	6	1	-	10
St. Charles Parish Hospital	10	3	1	1	5	1	-	9
Out of Hospital	1	-	-	-	1	-	-	1
ST. JAMES	7	2	2	-	3	-	-	7
St. James Parish Hospital	7	2	2	-	3	-	-	7
Out of Hospital	-	-	-	-	-	-	-	-

Table V
Immature Births Showing Hospital in Which Birth Occurred
Louisiana, 1980

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT		
		Male	Female	Male	Female	3½ Lbs. and Under	Over 3½ Through 4½ Lbs.	Over 4½ Through 5½ Lbs.
ST. JOHN	1	1	-	-	-	1	-	-
Out of Hospital	1	1	-	-	-	1	-	-
ST. LANDRY	103	37	26	19	21	11	22	70
Moosa Memorial Hospital	37	19	9	2	7	4	8	25
Opelousas General Hospital	64	18	15	17	14	7	13	44
Doctor's Hospital	2	-	2	-	-	-	1	1
Out of Hospital	-	-	-	-	-	-	-	-
ST. MARTIN	21	5	4	7	5	7	4	10
Gary Memorial Hospital	16	3	2	7	4	6	3	7
St. Martin Infirmary	5	2	2	-	1	1	1	3
Out of Hospital	-	-	-	-	-	-	-	-
ST. MARY	75	19	21	15	20	11	14	50
Franklin Foundation Hospital	38	6	9	10	13	7	8	23
Lakewood Hospital	37	13	12	5	7	4	6	27
Out of Hospital	-	-	-	-	-	-	-	-
ST. TAMMANY	83	26	31	18	8	11	11	61
Highland Park Hospital	17	1	8	6	2	2	2	13
St. Tammany Parish Hospital	37	16	10	9	2	5	7	25
Slidell Memorial Hospital	28	8	13	3	4	4	1	23
Out of Hospital	1	1	-	-	-	-	1	-
TANGIPAHOA	126	25	22	38	41	17	25	84
Lallie Kemp Charity Hospital	47	8	1	18	20	6	12	29
Seventh Ward General Hospital	79	17	21	20	21	11	13	55
Out of Hospital	-	-	-	-	-	-	-	-
TENSAS	3	1	-	1	1	1	-	2
St. Charles Hospital of Tensas Par..	3	1	-	1	1	1	-	2
Out of Hospital	-	-	-	-	-	-	-	-
TERREBONNE	292	69	87	69	67	46	58	188
South Louisiana Medical Center	177	31	32	56	58	25	36	116
Terrebonne Parish General Hospital..	114	37	55	13	9	21	21	72
Out of Hospital	1	1	-	-	-	-	1	-
UNION	7	1	1	3	2	2	2	3
Tri Ward General Hospital	2	-	-	1	1	1	-	1
Union General Hospital	5	1	1	2	1	1	2	2
Out of Hospital	-	-	-	-	-	-	-	-
VERMILION	44	5	24	8	7	7	8	29
Abrom Kaplan Memorial Hospital	8	1	7	-	-	2	-	6
Abbeville General Hospital	31	3	14	7	7	4	7	20
Erath Memorial Hospital	2	-	1	1	-	1	-	1
Out of Hospital	3	1	2	-	-	-	1	2
VERNON	71	16	25	12	18	9	20	42
Leesville General Hospital	3	-	1	1	1	-	-	3
U.S. Army Hospital	62	14	22	9	17	9	16	37
Byrd Memorial Hospital	3	2	1	-	-	-	2	1
Out of Hospital	3	-	1	2	-	-	2	1
WASHINGTON	59	11	19	13	16	6	13	40
Bogalusa Community Medical Center	16	3	11	2	-	4	2	10
Riverside Medical Center	6	1	1	2	2	1	-	5
Washington-St. Tammany Charity Hosp.	37	7	7	9	14	1	11	25
Out of Hospital	-	-	-	-	-	-	-	-

Table V (continued)
Immature Births Showing Hospital in Which Birth Occurred
Louisiana, 1980

HOSPITAL OR INSTITUTION		WHITE		NONWHITE		WEIGHT		
		Male	Female	Male	Female	3½ Lbs. and Under	Over 3½ Through 4½ Lbs.	Over 4½ Through 5½ Lbs.
WEBSTER	36	13	9	7	7	8	7	21
Minden Medical Center	32	10	9	7	6	6	7	19
Community Hospital	3	2	-	-	1	2	-	1
Out of Hospital	1	1	-	-	-	-	-	1
WEST BATON ROUGE	4	-	2	2	-	-	1	3
Out of Hospital	4	-	2	2	-	-	1	3
WEST FELICIANA	1	-	1	-	-	-	-	1
West Feliciana Parish Hospital	1	-	1	-	-	-	-	1
Out of Hospital	-	-	-	-	-	-	-	-
WINN	1	-	-	-	1	-	-	1
Out of Hospital	1	-	-	-	1	-	-	1

Table VI

Live Births by Birth Order by Weight of Child
Louisiana, 1980

(By Residence)

BIRTH ORDER	TOTAL	WEIGHT IN POUNDS									IMMATURE BIRTHS	PERCENT OF TOTAL LIVE BIRTHS
		Through 2½	Over 2½ Through 4½	Over 4½ Through 5½	Over 5½ Through 6½	Over 6½ Through 7½	Over 7½ Through 8½	Over 8½ Through 9½	Over 9½	Not Stated		
TOTAL	82114	659	2109	4290	13868	27133	22612	8918	2420	105	7058	8.6
1	32793	299	837	1745	5801	11400	8857	3101	717	36	2881	8.8
2	25638	177	556	1193	4162	8419	7357	2975	770	29	1926	7.5
3	13187	89	350	689	2078	4176	3681	1606	497	21	1128	8.6
4	5149	42	165	328	821	1536	1406	626	219	6	535	10.4
5	2247	22	88	140	393	691	548	265	96	4	250	11.1
6	1048	12	36	78	198	291	258	125	49	1	126	12.0
7	533	1	25	20	96	182	120	60	26	3	46	8.6
8	310	6	11	24	62	71	80	45	10	1	41	13.2
9	168	2	5	8	34	50	44	18	7	-	15	8.9
10	97	1	1	8	15	33	20	11	8	-	10	10.3
11	64	1	3	4	13	17	10	10	6	-	8	12.5
12	31	-	-	2	3	12	7	5	2	-	2	6.5
13	14	-	-	3	2	3	3	3	-	-	3	21.4
14	11	-	2	-	2	1	4	2	-	-	2	18.2
15	4	-	-	-	1	-	1	2	-	-	-	- -
16	5	-	-	-	1	1	1	1	1	-	-	- -
17	2	-	-	1	-	-	1	-	-	-	1	50.0
18	1	-	-	-	-	1	-	-	-	-	-	- -
19	-	-	-	-	-	-	-	-	-	-	-	- -
20	1	-	-	-	-	1	-	-	-	-	-	- -
Unk	811	7	30	47	186	248	214	63	12	4	84	10.4

Table VII

Live Births by Weight of Child Shown by Sex and Race
Louisiana, 1980

(By Residence)

WEIGHT	TOTAL	PERCENT	WHITE				NONWHITE			
			Male	Percent	Female	Percent	Male	Percent	Female	Percent
0.5 lbs or less	7	0.0	2	0.0	-	- -	2	0.0	3	0.0
Over 0.5 through 1.5 lbs.	245	0.3	34	0.1	45	0.2	88	0.5	78	0.5
Over 1.5 through 2.5 lbs.	407	0.5	92	0.4	64	0.3	128	0.8	123	0.8
Over 2.5 through 3.5 lbs.	663	0.8	132	0.5	128	0.5	204	1.3	199	1.3
Over 3.5 through 4.5 lbs.	1446	1.8	311	1.2	302	1.2	390	2.4	443	2.8
Over 4.5 through 5.5 lbs.	4290	5.2	904	3.5	1015	4.2	1023	6.3	1348	8.6
Over 5.5 through 6.5 lbs.	13868	16.9	2927	11.3	3829	15.7	3205	19.8	3907	24.9
Over 6.5 through 7.5 lbs.	27133	33.1	7596	29.4	8302	34.1	5642	34.9	5593	35.6
Over 7.5 through 8.5 lbs.	22612	27.6	8363	32.4	7281	29.9	3887	24.0	3081	19.6
Over 8.5 through 9.5 lbs.	8918	10.9	4130	16.0	2727	11.2	1293	8.0	768	4.9
Over 9.5 lbs.	2420	3.0	1303	5.1	631	2.6	315	1.9	171	1.1
Total (with weight stated)	82009	100.0	25794	100.0	24324	100.0	16177	100.0	15714	100.0
Weight not stated	105	- -	30	- -	20	- -	34	- -	21	- -
TOTAL	82114	- -	25824	- -	24344	- -	16211	- -	15735	- -

Table VIII
Live Births by Birth Weight, Age of Mother, and Race of Child
Louisiana, 1980
(By Residence)

AGE OF MOTHER AND RACE OF CHILD	TOTAL	BIRTH WEIGHT											
		499 Grams or Less	500-999 Grams	1000-1499 Grams	1500-1999 Grams	2000-2499 Grams	2500-2999 Grams	3000-3499 Grams	3500-3999 Grams	4000-4499 Grams	4500-4999 Grams	5000 Grams and Over	Not Stated
TOTAL ALL RACES	82114	106	412	585	1426	4529	15214	30736	21783	5994	1079	146	104
Under 15 Years	365	3	5	7	12	26	111	127	60	12	1	–	1
15 - 19 Years	16127	22	125	172	384	1151	3647	6278	3492	724	97	11	24
20 - 24 Years	29304	36	145	187	475	1680	5525	11205	7714	1950	316	31	40
25 - 29 Years	22861	26	87	139	339	1051	3782	8471	6589	1933	369	49	26
30 - 34 Years	10146	12	40	54	139	450	1609	3508	3062	1012	211	40	9
35 - 39 Years	2699	5	5	22	60	135	442	935	711	299	67	14	4
40 - 44 Years	576	2	5	3	17	33	92	199	147	59	18	1	–
45 - 49 Years	36	–	–	1	–	3	6	13	8	5	–	–	–
50 Years and Over	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Stated	–	–	–	–	–	–	–	–	–	–	–	–	–
WHITE	50168	35	143	240	591	2020	7472	18472	15446	4718	868	113	50
Under 15 Years	82	–	1	–	2	4	18	27	21	8	1	–	–
15 - 19 Years	7879	6	38	63	119	431	1337	3045	2215	528	77	9	11
20 - 24 Years	18349	13	51	76	196	778	2860	6873	5624	1571	263	25	19
25 - 29 Years	15405	10	36	67	176	512	2112	5679	4879	1570	305	42	17
30 - 34 Years	6661	4	14	21	59	224	901	2273	2182	789	164	28	2
35 - 39 Years	1539	2	1	11	33	57	211	496	447	223	48	9	1
40 - 44 Years	242	–	2	2	6	14	31	76	74	27	10	–	–
45 - 49 Years	11	–	–	–	–	–	2	3	4	2	–	–	–
50 Years and Over	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Stated	–	–	–	–	–	–	–	–	–	–	–	–	–
NONWHITE	31946	71	269	345	835	2509	7742	12264	6337	1276	211	33	54
Under 15 Years	283	3	4	7	10	22	93	100	39	4	–	–	1
15 - 19 Years	8248	16	87	109	265	720	2310	3233	1277	196	20	2	13
20 - 24 Years	10955	23	94	111	279	902	2665	4332	2090	379	53	6	21
25 - 29 Years	7456	16	51	72	163	539	1670	2792	1710	363	64	7	9
30 - 34 Years	3485	8	26	33	80	226	708	1235	880	223	47	12	7
35 - 39 Years	1160	3	4	11	27	78	231	439	264	76	19	5	3
40 - 44 Years	334	2	3	1	11	19	61	123	73	32	8	1	–
45 - 49 Years	25	–	–	1	–	3	4	10	4	3	–	–	–
50 Years and Over	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Stated	–	–	–	–	–	–	–	–	–	–	–	–	–

Table IX

Live Births By Birth Order, Shown By Age Of Mother And Race Of Child

Louisiana, 1980

(By Residence)

BIRTH ORDER	RACE	TOTAL	MOTHER'S AGE IN YEARS									PERCENT OF ALL LIVE BIRTHS	MEAN* AGE OF MOTHER
			Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Unk.		
TOTAL		82114	365	16127	29304	22861	10146	2699	576	36	-	100.0	24.2
	WHITE	50168	82	7879	18349	15405	6661	1539	242	11	-	61.1	24.6
	NONWHITE	31946	283	8248	10955	7456	3485	1160	334	25	-	38.9	23.7
1		32793	346	11997	12947	5865	1411	213	14	-	-	39.9	21.5
	WHITE	21580	77	6292	9281	4682	1050	149	9	-	-	26.3	22.2
	NONWHITE	11213	269	5705	3666	1183	321	64	5	-	-	13.7	20.1
2		25638	14	3155	10497	8528	2992	401	49	2	-	31.2	24.5
	WHITE	16721	3	1333	6662	6161	2243	286	32	1	-	20.4	25.1
	NONWHITE	8917	11	1822	3835	2367	749	115	17	1	-	10.9	23.4
3		13187	-	602	3997	5134	2762	618	70	4	-	16.1	26.6
	WHITE	7602	-	150	1883	3223	1908	395	40	3	-	9.3	27.4
	NONWHITE	5585	-	452	2114	1911	854	223	30	1	-	6.8	25.5
4		5149	-	96	1132	1900	1462	487	70	2	-	6.3	28.3
	WHITE	2503	-	13	356	910	869	314	41	-	-	3.0	29.5
	NONWHITE	2646	-	83	776	990	593	173	29	2	-	3.2	27.2
5		2247	-	15	343	787	667	345	87	3	-	2.7	29.8
	WHITE	837	-	1	67	254	298	174	40	3	-	1.0	31.2
	NONWHITE	1410	-	14	276	533	369	171	47	-	-	1.7	28.9
6		1048	-	-	92	287	380	215	72	2	-	1.3	31.5
	WHITE	336	-	-	10	58	140	97	30	1	-	0.4	33.2
	NONWHITE	712	-	-	82	229	240	118	42	1	-	0.9	30.7
7		533	-	-	23	111	194	148	51	6	-	0.6	33.0
	WHITE	145	-	-	2	20	49	56	18	-	-	0.2	34.3
	NONWHITE	388	-	-	21	91	145	92	33	6	-	0.5	32.6
8		310	-	-	7	50	97	106	48	2	-	0.4	34.3
	WHITE	73	-	-	2	8	18	31	14	-	-	0.1	35.2
	NONWHITE	237	-	-	5	42	79	75	34	2	-	0.3	34.0
9		168	-	-	1	15	48	66	37	1	-	0.2	35.8
	WHITE	38	-	-	-	2	12	17	6	1	-	0.0	35.9
	NONWHITE	130	-	-	1	13	36	49	31	-	-	0.2	35.7
10		97	-	-	-	3	28	38	26	2	-	0.1	36.8
	WHITE	17	-	-	-	-	4	7	5	1	-	0.0	37.9
	NONWHITE	80	-	-	-	3	24	31	21	1	-	0.1	36.6
11		64	-	-	-	2	21	22	16	3	-	0.1	36.8
	WHITE	7	-	-	-	-	-	5	2	-	-	0.0	38.4
	NONWHITE	57	-	-	-	2	21	17	14	3	-	0.1	36.6
12		31	-	-	-	1	3	14	11	2	-	0.0	38.6
	WHITE	6	-	-	-	1	-	2	3	-	-	0.0	37.8
	NONWHITE	25	-	-	-	-	3	12	8	2	-	0.0	38.8
13		13	-	-	-	1	-	2	7	3	-	0.0	39.9
	WHITE	2	-	-	-	1	-	-	1	-	-	0.0	41.2
	NONWHITE	11	-	-	-	-	-	2	6	3	-	0.0	34.5
14		11	-	-	-	-	2	3	6	-	-	0.0	38.8
	WHITE	1	-	-	-	-	-	1	-	-	-	0.0	37.0
	NONWHITE	10	-	-	-	-	2	2	6	-	-	0.0	39.0
15		4	-	-	-	-	-	1	2	1	-	0.0	42.0
	WHITE	-	-	-	-	-	-	-	-	-	-	- -	- -
	NONWHITE	4	-	-	-	-	-	1	2	1	-	0.0	42.0
16		5	-	-	-	-	1	1	2	1	-	0.0	40.0
	WHITE	1	-	-	-	-	-	-	-	1	-	0.0	47.0
	NONWHITE	4	-	-	-	-	1	1	2	-	-	0.0	38.3
17		2	-	-	-	-	-	-	2	-	-	0.0	42.0
	WHITE	-	-	-	-	-	-	-	-	-	-	- -	- -
	NONWHITE	2	-	-	-	-	-	-	2	-	-	0.0	42.0
18		1	-	-	-	-	-	-	-	1	-	0.0	47.0
	WHITE	-	-	-	-	-	-	-	-	-	-	- -	- -
	NONWHITE	1	-	-	-	-	-	-	-	1	-	0.0	47.0
20		1	-	-	-	-	-	-	-	1	-	0.0	47.0
	WHITE	-	-	-	-	-	-	-	-	-	-	- -	- -
	NONWHITE	1	-	-	-	-	-	-	-	1	-	0.0	47.0
Unk.		812	5	262	265	177	78	19	6	-	-	1.0	22.8
	WHITE	299	2	90	86	85	30	5	1	-	-	0.4	23.2
	NONWHITE	513	3	172	179	92	48	14	5	-	-	-0.6	22.7

* Mean age calculated from grouped data at midpoint of group.

Table X A

Illegitimate Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother and Race of Child

Louisiana, 1980

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATIO	RACE	TOTAL (By Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
TOTAL	19209	19174	233.5			319	8085	6538	2778	1035	315	102	2	–
				W	3555	44	1633	1233	435	147	48	15	–	–
				NW	15619	275	6452	5305	2343	888	267	87	2	–
ACADIA	183	236	201.9			2	108	85	21	13	4	3	–	–
				W	91	–	44	29	6	7	3	2	–	–
				NW	145	2	64	56	15	6	1	1	–	–
ALLEN	64	72	184.6			–	34	27	6	2	2	1	–	–
				W	33	–	17	13	2	–	–	1	–	–
				NW	39	–	17	14	4	2	2	–	–	–
ASCENSION	4	176	172.0			–	72	68	22	8	6	–	–	–
				W	35	–	21	13	1	–	–	–	–	–
				NW	141	–	51	55	21	8	6	–	–	–
ASSUMPTION	1	121	251.0			2	50	41	14	7	7	–	–	–
				W	16	–	11	2	1	1	1	–	–	–
				NW	105	2	39	39	13	6	6	–	–	–
AVOYELLES	106	155	209.7			6	64	61	15	7	2	–	–	–
				W	26	1	13	9	2	1	–	–	–	–
				NW	129	5	51	52	13	6	2	–	–	–
BEAUREGARD	71	58	108.2			2	24	22	5	4	1	–	–	–
				W	36	2	16	13	2	2	1	–	–	–
				MW	22	–	8	9	3	2	–	–	–	–
BIENVILLE	–	82	263.7			1	40	29	8	3	1	–	–	–
				W	10	–	5	5	–	–	–	–	–	–
				NW	72	1	35	24	8	3	1	–	–	–
BOSSIER	109	254	164.1			3	119	89	30	8	3	2	–	–
				W	90	–	45	35	4	4	2	–	–	–
				NW	164	3	74	54	26	4	1	2	–	–
CADDO	2362	1522	304.9			38	700	484	219	51	22	8	–	–
				W	196	2	89	71	25	7	1	1	–	–
				NW	1326	36	611	413	194	44	21	7	–	–
CALCASIEU	631	556	163.7			6	224	204	80	29	11	2	–	–
				W	189	1	87	67	25	6	2	1	–	–
				NW	367	5	137	137	55	23	9	1	–	–
CALDWELL	20	27	174.2			–	18	6	3	–	–	–	–	–
				W	9	–	5	3	1	–	–	–	–	–
				NW	18	–	13	3	2	–	–	–	–	–
CAMERON	–	24	130.4			–	11	8	5	–	–	–	–	–
				W	18	–	8	7	3	–	–	–	–	–
				NW	6	–	3	1	2	–	–	–	–	–
CATAHOULA	–	48	200.0			2	20	18	5	3	–	–	–	–
				W	7	–	3	3	1	–	–	–	–	–
				NW	41	2	17	15	4	3	–	–	–	–
CLAIBORNE	37	91	303.3			1	48	19	10	8	1	4	–	–
				W	3	–	1	2	–	–	–	–	–	–
				NW	88	1	47	17	10	8	1	4	–	–
CONCORDIA	154	163	360.6			2	73	55	24	9	–	–	–	–
				W	28	–	16	6	6	–	–	–	–	–
				NW	135	2	57	49	18	9	–	–	–	–
DESOTO	–	141	295.0			7	68	43	18	3	2	–	–	–
				W	11	1	5	4	1	–	–	–	–	–
				NW	130	6	63	39	17	3	2	–	–	–
EAST BATON ROUGE	2297	1506	214.1			21	564	547	246	90	25	13	–	–
				W	226	1	86	94	31	11	–	3	–	–
				NW	1280	20	478	453	215	79	25	10	–	–

Table X A (continued)

Illegitimate Births By Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother and Race of Child

Louisiana, 1980

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATIO	RACE	TOTAL (By Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
EAST CARROLL	126	149	556.0			2	74	42	19	7	4	1	–	–
				W	4	–	1	2	1	–	–	–	–	–
				NW	145	2	73	40	18	7	4	1	–	–
EAST FELICIANA	4	113	286.1			2	50	39	18	1	2	1	–	–
				W	9	–	4	2	3	–	–	–	–	–
				NW	104	2	46	37	15	1	2	1	–	–
EVANGELINE	107	122	192.1			5	45	43	18	6	1	4	–	–
				W	31	–	9	13	8	–	–	1	–	–
				NW	91	5	36	30	10	6	1	3	–	–
FRANKLIN	130	142	316.3			3	75	45	13	4	1	–	1	–
				W	19	–	11	6	2	–	–	–	–	–
				NW	123	3	64	39	11	4	1	–	1	–
GRANT	–	51	190.3			1	25	15	6	2	2	–	–	–
				W	19	1	7	9	–	1	1	–	–	–
				NW	32	–	18	6	6	1	1	–	–	–
IBERIA	228	316	216.3			5	135	97	51	20	6	2	–	–
				W	86	–	44	24	12	4	2	–	–	–
				NW	230	5	91	73	39	16	4	2	–	–
IBERVILLE	4	240	350.4			3	102	78	37	18	2	–	–	–
				W	32	–	18	11	3	–	–	–	–	–
				NW	208	3	84	67	34	18	2	–	–	–
JACKSON	139	84	272.7			–	52	25	4	2	–	1	–	–
				W	8	–	5	2	–	1	–	–	–	–
				NW	76	–	47	23	4	1	–	1	–	–
JEFFERSON	558	1224	148.0			20	531	420	164	72	14	3	–	–
				W	409	9	179	145	51	17	8	–	–	–
				NW	815	11	352	275	113	55	6	3	–	–
JEFFERSON DAVIS	84	131	192.9			3	55	51	17	4	1	–	–	–
				W	46	1	24	15	5	1	–	–	–	–
				NW	85	2	31	36	12	3	1	–	–	–
LAFAYETTE	1070	526	169.6			4	229	175	71	29	15	3	–	–
				W	157	3	79	47	19	6	3	–	–	–
				NW	369	1	150	128	52	23	12	3	–	–
LAFOURCHE	60	258	151.1			7	117	92	27	8	5	2	–	–
				W	88	–	40	36	6	2	2	2	–	–
				NW	170	7	77	56	21	6	3	–	–	–
LASALLE	30	41	151.3			1	21	12	6	1	–	–	–	–
				W	22	–	10	6	6	–	–	–	–	–
				NW	19	1	11	6	–	1	–	–	–	–
LINCOLN	69	149	270.4			2	60	56	20	9	1	1	–	–
				W	13	–	4	8	1	–	–	–	–	–
				NW	136	2	56	48	19	9	1	1	–	–
LIVINGSTON	2	122	102.8			3	62	42	10	3	1	1	–	–
				W	72	2	37	25	6	1	–	1	–	–
				NW	50	1	25	17	4	2	1	–	–	–
MADISON	130	175	497.2			6	76	58	26	7	–	2	–	–
				W	4	–	3	–	–	1	–	–	–	–
				NW	171	6	73	58	26	6	–	2	–	–
MOREHOUSE	172	293	405.8			10	144	94	30	9	5	1	–	–
				W	18	2	11	4	1	–	–	–	–	–
				NW	275	8	133	90	29	9	5	1	–	–
NATCHITOCHES	89	180	258.6			2	81	55	27	11	4	–	–	–
				W	30	–	17	6	5	2	–	–	–	–
				NW	150	2	64	49	22	9	4	–	–	–

Table X A (continued)
Illegitimate Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother and Race of Child
Louisiana, 1980

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATIO	RACE	TOTAL (By Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
ORLEANS	5656	4251	410.7			48	1586	1495	718	305	78	21	–	–
				W	311	4	95	107	64	30	8	3	–	–
				NW	3940	44	1491	1388	654	275	70	18	–	–
OUACHITA	1163	750	282.1			11	304	279	105	35	12	4	–	–
				W	95	–	37	33	17	5	3	–	–	–
				NW	655	11	267	246	88	30	9	4	–	–
PLAQUEMINES	5	101	174.7			2	40	39	11	5	4	–	–	–
				W	38	–	18	14	2	3	1	–	–	–
				NW	63	2	22	25	9	2	3	–	–	–
POINTE COUPEE	80	125	263.2			–	41	47	26	9	2	–	–	–
				W	7	–	3	4	–	–	–	–	–	–
				NW	118	–	38	43	26	9	2	–	–	–
RAPIDES	774	536	214.6			6	245	177	71	28	8	1	–	–
				W	119	1	66	37	11	3	1	–	–	–
				NW	417	5	179	140	60	25	7	1	–	–
RED RIVER	5	61	306.5			4	33	17	2	3	2	–	–	–
				W	8	1	3	2	1	1	–	–	–	–
				NW	53	3	30	15	1	2	2	–	–	–
RICHLAND	48	160	359.6			3	64	63	23	5	1	1	–	–
				W	15	–	7	5	2	1	–	–	–	–
				NW	145	3	57	58	21	4	1	1	–	–
SABINE	19	76	199.5			2	46	19	6	2	1	–	–	–
				W	28	–	14	10	3	1	–	–	–	–
				NW	48	2	32	9	3	1	1	–	–	–
ST. BERNARD	–	83	75.3			–	40	26	13	3	1	–	–	–
				W	53	–	26	18	7	2	–	–	–	–
				NW	30	–	14	8	6	1	1	–	–	–
ST. CHARLES	51	150	208.9			6	74	37	21	8	3	1	–	–
				W	29	–	16	7	3	3	–	–	–	–
				NW	121	6	58	30	18	5	3	1	–	–
ST. HELENA	–	50	328.9			–	23	18	5	2	1	1	–	–
				W	2	–	–	2	–	–	–	–	–	–
				NW	48	–	23	16	5	2	1	1	–	–
ST. JAMES	13	111	250.0			–	43	37	23	7	1	–	–	–
				W	8	–	4	2	1	1	–	–	–	–
				NW	103	–	39	35	22	6	1	–	–	–
ST. JOHN	–	151	196.9			2	61	48	24	13	3	–	–	–
				W	15	2	10	2	–	1	–	–	–	–
				NW	136	–	51	46	24	12	3	–	–	–
ST. LANDRY	220	386	213.4			5	168	133	57	14	6	3	–	–
				W	73	1	30	34	7	1	–	–	–	–
				NW	313	4	138	99	50	13	6	3	–	–
ST. MARTIN	62	201	220.2			6	80	69	31	10	2	2	1	–
				W	48	2	18	20	4	3	1	–	–	–
				NW	153	4	62	49	27	7	1	2	1	–
ST. MARY	191	304	217.8			5	139	107	39	11	2	1	–	–
				W	76	–	46	19	9	1	1	–	–	–
				NW	228	5	93	88	30	10	1	1	–	–
ST. TAMMANY	200	258	125.5			4	115	81	41	14	2	1	–	–
				W	97	1	50	30	13	3	–	–	–	–
				NW	161	3	65	51	28	11	2	1	–	–
TANGIPAHOA	521	483	283.1			5	206	165	70	25	10	2	–	–
				W	69	–	28	25	12	2	2	–	–	–
				NW	414	5	178	140	58	23	8	2	–	–

Table X A (continued)

Illegitimate Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother and Race of Child

Louisiana, 1980

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATIO	RACE	TOTAL (By Race)	AGE							
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
TENSAS	30	67	406.1			1	28	22	10	5	1	–	–	–
				W	1	–	1	–	–	–	–	–	–	–
				NW	66	1	27	22	10	5	1	–	–	–
TERREBONNE	691	328	135.4			5	134	110	49	22	7	1	–	–
				W	137	–	69	45	16	5	2	–	–	–
				NW	191	5	65	65	33	17	5	1	–	–
UNION	52	78	222.2			3	43	18	10	2	1	1	–	–
				W	9	–	6	2	–	1	–	–	–	–
				NW	69	3	37	16	10	1	1	1	–	–
VERMILION	128	183	180.3			4	71	66	29	9	4	–	–	–
				W	80	2	34	32	8	2	2	–	–	–
				NW	103	2	37	34	21	7	2	–	–	–
VERNON	60	106	77.7			3	50	30	20	2	1	–	–	–
				W	50	1	27	14	6	1	1	–	–	–
				NW	56	2	23	16	14	1	–	–	–	–
WASHINGTON	168	182	220.3			2	86	54	26	9	3	2	–	–
				W	32	–	17	12	3	–	–	–	–	–
				NW	150	2	69	42	23	9	3	2	–	–
WEBSTER	19	180	235.9			12	86	54	16	7	1	4	–	–
				W	21	1	10	7	3	–	–	–	–	–
				NW	159	11	76	47	13	7	1	4	–	–
WEST BATON ROUGE	4	105	250.6			2	39	32	20	11	1	–	–	–
				W	14	–	10	4	–	–	–	–	–	–
				NW	91	2	29	28	20	11	1	–	–	–
WEST CARROLL	2	51	200.8			2	25	15	4	2	2	1	–	–
				W	20	2	9	7	1	1	–	–	–	–
				NW	31	–	16	8	3	1	2	1	–	–
WEST FELICIANA	1	42	285.7			2	14	18	4	3	1	–	–	–
				W	4	–	4	–	–	–	–	–	–	–
				NW	38	2	10	18	4	3	1	–	–	–
WINN	5	67	221.9			2	30	17	9	6	3	–	–	–
				W	5	–	–	2	2	1	–	–	–	–
				NW	62	2	30	15	7	5	3	–	–	–
OUT OF STATE*	112	147	– –			1	70	55	13	3	4	1	–	–
				W	92	1	50	33	4	1	3	–	–	–
				NW	55	–	20	22	9	2	1	1	–	–

* Not included in state totals.

Table X B

Illegitimate Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother and Race of Child

Louisiana, by State Planning Districts and Health Service Areas, 1980

STATE PLANNING DISTRICT (SPD) OR HEALTH SERVICE AREA (HSA)	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATIO	RACE	TOTAL (By Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
TOTAL	19209	19174	233.5			319	8085	6538	2778	1035	315	102	2	–
				W	3555	44	1633	1233	435	147	48	15	–	–
				NW	15619	275	6452	5305	2343	888	267	87	2	–
SPD 1	6419	5917	264.6			74	2312	2061	947	399	99	25	–	–
				W	908	14	368	314	137	55	17	3	–	–
				NW	5009	60	1944	1747	810	344	82	22	–	–
SPD 2	3085	3144	223.8			40	1259	1108	484	179	54	20	–	–
				W	502	3	228	192	59	14	2	4	–	–
				NW	2642	37	1031	916	425	165	52	16	–	–
SPD 3	816	1119	171.1			22	479	365	158	65	26	4	–	–
				W	293	2	150	94	27	13	5	2	–	–
				NW	826	20	329	271	131	52	21	2	–	–
SPD 4	2189	2274	197.8			36	975	775	317	112	40	18	1	–
				W	642	8	304	218	73	24	12	3	–	–
				NW	1632	28	671	557	244	88	28	15	1	–
SPD 5	850	841	162.2			11	348	312	113	39	15	3	–	–
				W	322	4	152	115	37	9	3	2	–	–
				NW	519	7	196	197	76	30	12	1	–	–
SPD 6	1129	1167	190.3			23	528	385	156	58	16	1	–	–
				W	276	4	142	86	34	7	3	–	–	–
				NW	891	19	386	299	122	51	13	1	–	–
SPD 7	2709	2736	267.8			72	1281	865	356	105	38	19	–	–
				W	410	5	193	150	43	15	3	1	–	–
				NW	2326	67	1088	715	313	90	35	18	–	–
SPD 8	2012	1976	322.5			41	903	667	247	78	27	12	1	–
				W	202	4	96	64	25	10	3	–	–	–
				NW	1774	37	807	603	222	68	24	12	1	–
TOTAL	19209	19174	233.5			319	8085	6538	2778	1035	315	102	2	–
				W	3555	44	1633	1233	435	147	48	15	–	–
				NW	15619	275	6452	5305	2343	888	267	87	2	–
HSA 1	7235	7036	243.5			96	2791	2426	1105	464	125	29	–	–
				W	1201	16	518	408	164	68	22	5	–	–
				NW	5835	80	2273	2018	941	396	103	24	–	–
HSA 2	6124	6259	203.6			87	2582	2195	914	330	109	41	1	–
				W	1466	15	684	525	169	47	17	9	–	–
				NW	4793	72	1898	1670	745	283	92	32	1	–
HSA 3	5850	5879	261.5			136	2712	1917	759	241	81	32	1	–
				W	888	13	431	300	102	32	9	1	–	–
				NW	4991	123	2281	1617	657	209	72	31	1	–

FETAL MORTALITY

Table XI A
Stillbirths by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, by Race
Louisiana, by Parish, 1980

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATIO (Per 1,000 Live Births)	RACE	TOTAL (By Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
TOTAL	858	841	10.2			7	204	252	207	90	59	15	2	5
				W	398	–	84	121	107	48	29	7	1	1
				NW	443	7	120	131	100	42	30	8	1	4
ACADIA	11	15	12.8			–	5	4	2	1	3	–	–	–
				W	8	–	3	2	2	–	1	–	–	–
				NW	7	–	2	2	–	1	2	–	–	–
ALLEN	1	6	15.4			–	3	3	–	–	–	–	–	–
				W	4	–	1	3	–	–	–	–	–	–
				NW	2	–	2	–	–	–	–	–	–	–
ASCENSION	–	7	6.8			–	2	2	1	1	–	1	–	–
				W	5	–	1	2	–	1	–	1	–	–
				NW	2	–	1	–	1	–	–	–	–	–
ASSUMPTION	1	2	4.1			–	–	1	–	–	–	1	–	–
				W	1	–	–	1	–	–	–	–	–	–
				NW	1	–	–	–	–	–	–	1	–	–
AVOYELLES	6	15	20.3			1	2	4	7	–	1	–	–	–
				W	4	–	1	1	2	–	–	–	–	–
				NW	11	1	1	3	5	–	1	–	–	–
BEAUREGARD	4	5	9.3			–	1	1	2	1	–	–	–	–
				W	3	–	–	1	1	1	–	–	–	–
				NW	2	–	1	–	1	–	–	–	–	–
BIENVILLE	–	4	12.9			–	–	2	1	–	–	–	1	–
				W	1	–	–	1	–	–	–	–	–	–
				NW	3	–	–	1	1	–	–	–	1	–
BOSSIER	12	17	11.0			–	2	9	3	2	1	–	–	–
				W	11	–	1	6	3	1	–	–	–	–
				NW	6	–	1	3	–	1	1	–	–	–
CADDO	96	60	12.0			1	21	22	9	4	1	2	–	–
				W	18	–	8	5	2	2	1	–	–	–
				NW	42	1	13	17	7	2	–	2	–	–
CALCASIEU	43	38	11.2			–	7	9	15	3	3	1	–	–
				W	18	–	3	4	5	2	3	1	–	–
				NW	20	–	4	5	10	1	–	–	–	–
CALDWELL	–	2	12.9			–	–	1	–	1	–	–	–	–
				W	2	–	–	1	–	1	–	–	–	–
				NW	–	–	–	–	–	–	–	–	–	–
CAMERON	1	1	5.4			–	–	1	–	–	–	–	–	–
				W	1	–	–	1	–	–	–	–	–	–
				NW	–	–	–	–	–	–	–	–	–	–
CATAHOULA	–	1	4.2			–	1	–	–	–	–	–	–	–
				W	1	–	1	–	–	–	–	–	–	–
				NW	–	–	–	–	–	–	–	–	–	–
CLAIBORNE	–	3	10.0			–	–	1	1	–	1	–	–	–
				W	3	–	–	1	1	–	1	–	–	–
				NW	–	–	–	–	–	–	–	–	–	–
CONCORDIA	1	1	2.2			1	–	–	–	–	–	–	–	–
				W	–	–	–	–	–	–	–	–	–	–
				NW	1	1	–	–	–	–	–	–	–	–
DE SOTO	1	5	10.5			–	1	2	1	1	–	–	–	–
				W	1	–	–	1	–	–	–	–	–	–
				NW	4	–	1	1	1	1	–	–	–	–
EAST BATON ROUGE	91	59	8.4			–	12	11	23	5	8	–	–	–
				W	32	–	6	5	14	3	4	–	–	–
				NW	27	–	6	6	9	2	4	–	–	–

Table XI A (continued)

Stillbirths by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, by Race Louisiana, by Parish, 1980

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATIO (Per 1,000 Live Births)	RACE	TOTAL (By Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
EAST CARROLL	2	5	18.7			–	3	1	1	–	–	–	–	–
				W	1	–	1	–	–	–	–	–	–	–
				NW	4	–	2	1	1	–	–	–	–	–
EAST FELICIANA	–	1	2.5			–	1	–	–	–	–	–	–	–
				W	–	–	–	–	–	–	–	–	–	–
				NW	1	–	1	–	–	–	–	–	–	–
EVANGELINE	7	10	15.7			–	4	2	3	–	1	–	–	–
				W	4	–	–	2	2	–	–	–	–	–
				NW	6	–	4	–	1	–	1	–	–	–
FRANKLIN	4	5	11.1			–	2	1	–	1	–	1	–	–
				W	2	–	1	–	–	–	–	1	–	–
				NW	3	–	1	1	–	1	–	–	–	–
GRANT	–	2	7.5			–	–	1	1	–	–	–	–	–
				W	2	–	–	1	1	–	–	–	–	–
				NW	–	–	–	–	–	–	–	–	–	–
IBERIA	14	17	11.6			–	–	7	5	4	–	–	1	–
				W	8	–	–	2	2	3	–	–	1	–
				NW	9	–	–	5	3	1	–	–	–	–
IBERVILLE	–	7	10.2			–	1	2	1	3	–	–	–	–
				W	4	–	1	2	1	–	–	–	–	–
				NW	3	–	–	–	–	3	–	–	–	–
JACKSON	4	3	9.7			–	–	1	1	1	–	–	–	–
				W	1	–	–	–	1	–	–	–	–	–
				NW	2	–	–	1	–	1	–	–	–	–
JEFFERSON	65	75	9.1			–	19	18	25	9	3	–	–	1
				W	50	–	10	11	18	8	2	–	–	1
				NW	25	–	9	7	7	1	1	–	–	–
JEFFERSON DAVIS	3	5	7.4			–	1	1	1	1	1	–	–	–
				W	4	–	1	1	1	–	1	–	–	–
				NW	1	–	–	–	–	1	–	–	–	–
LAFAYETTE	61	33	10.6			–	4	7	13	5	2	2	–	1
				W	20	–	1	4	8	3	2	2	–	–
				NW	13	–	3	3	5	2	–	–	–	–
LAFOURCHE	13	16	9.4			1	2	4	4	3	2	–	–	–
				W	11	–	2	2	3	3	1	–	–	–
				NW	5	1	–	2	1	–	1	–	–	–
LASALLE	1	3	11.1			–	–	2	1	–	–	–	–	–
				W	3	–	–	2	1	–	–	–	–	–
				NW	–	–	–	–	–	–	–	–	–	–
LINCOLN	4	7	12.7			–	1	5	–	1	–	–	–	–
				W	1	–	–	1	–	–	–	–	–	–
				NW	6	–	1	4	–	1	–	–	–	–
LIVINGSTON	–	9	7.6			–	2	2	2	1	2	–	–	–
				W	9	–	2	2	2	1	2	–	–	–
				NW	–	–	–	–	–	–	–	–	–	–
MADISON	3	2	5.7			–	1	–	–	1	–	–	–	–
				W	–	–	–	–	–	–	–	–	–	–
				NW	2	–	1	–	–	1	–	–	–	–
MOREHOUSE	3	5	6.9			–	3	–	1	–	1	–	–	–
				W	–	–	–	–	–	–	–	–	–	–
				NW	5	–	3	–	1	–	1	–	–	–
NATCHITOCHES	1	4	5.7			–	2	2	–	–	–	–	–	–
				W	1	–	1	–	–	–	–	–	–	–
				NW	3	–	1	2	–	–	–	–	–	–

Table XI A (continued)

Stillbirths by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, by Race
Louisiana, by Parish, 1980

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATIO (Per 1,000 Live Births)	RACE	TOTAL (By Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
ORLEANS	194	128	12.4			–	24	41	30	14	10	5	–	4
				W	24	–	2	6	8	4	4	–	–	–
				NW	104	–	22	35	22	10	6	5	–	4
OUACHITA	40	22	8.3			1	4	5	8	4	–	–	–	–
				W	14	–	3	5	3	3	–	–	–	–
				NW	8	1	1	–	5	1	–	–	–	–
PLAQUEMINES	–	5	8.7			–	3	1	1	–	–	–	–	–
				W	2	–	1	–	1	–	–	–	–	–
				NW	3	–	2	1	–	–	–	–	–	–
POINTE COUPEE	–	3	6.3			–	1	1	1	–	–	–	–	–
				W	1	–	–	–	1	–	–	–	–	–
				NW	2	–	1	1	–	–	–	–	–	–
RAPIDES	45	23	9.2			–	9	6	3	3	1	1	–	–
				W	13	–	4	6	1	1	–	1	–	–
				NW	10	–	5	–	2	2	1	–	–	–
RED RIVER	2	3	15.1			–	–	1	2	–	–	–	–	–
				W	–	–	–	–	–	–	–	–	–	–
				NW	3	–	–	1	2	–	–	–	–	–
RICHLAND	1	5	11.2			–	3	1	1	–	–	–	–	–
				W	2	–	2	–	–	–	–	–	–	–
				NW	3	–	1	1	1	–	–	–	–	–
SABINE	2	6	15.7			–	2	3	1	–	–	–	–	–
				W	1	–	–	1	–	–	–	–	–	–
				NW	5	–	2	2	1	–	–	–	–	–
ST. BERNARD	1	15	13.6			–	4	6	4	1	–	–	–	–
				W	14	–	4	6	3	1	–	–	–	–
				NW	1	–	–	–	1	–	–	–	–	–
ST. CHARLES	–	6	8.4			–	1	4	1	–	–	–	–	–
				W	3	–	–	3	–	–	–	–	–	–
				NW	3	–	1	1	1	–	–	–	–	–
ST. HELENA	–	1	6.6			–	1	–	–	–	–	–	–	–
				W	–	–	–	–	–	–	–	–	–	–
				NW	1	–	1	–	–	–	–	–	–	–
ST. JAMES	1	7	15.8			–	–	2	1	2	2	–	–	–
				W	3	–	–	1	–	2	–	–	–	–
				NW	4	–	–	1	1	–	2	–	–	–
ST. JOHN	–	5	6.5			–	2	1	1	1	–	–	–	–
				W	4	–	1	1	1	1	–	–	–	–
				NW	1	–	1	–	–	–	–	–	–	–
ST. LANDRY	21	23	12.7			–	9	7	5	–	2	–	–	–
				W	10	–	4	4	2	–	–	–	–	–
				NW	13	–	5	3	3	–	2	–	–	–
ST. MARTIN	5	12	13.1			–	5	5	–	1	1	–	–	–
				W	4	–	2	1	–	1	–	–	–	–
				NW	8	–	3	4	–	–	1	–	–	–
ST. MARY	12	17	12.2			–	5	7	–	2	2	1	–	–
				W	10	–	4	2	–	1	2	1	–	–
				NW	7	–	1	5	–	1	–	–	–	–
ST. TAMMANY	6	8	3.9			–	1	3	3	–	1	–	–	–
				W	5	–	–	1	3	–	1	–	–	–
				NW	3	–	1	2	–	–	–	–	–	–
TANGIPAHOA	15	19	11.1			1	5	4	3	5	1	–	–	–
				W	11	–	2	3	3	2	1	–	–	–
				NW	8	1	3	1	–	3	–	–	–	–

Table XI A
Stillbirths by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, by Race
Louisiana, by Parish, 1980

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATIO (Per 1,000 Live Births)	RACE	TOTAL (By Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
TENSAS	1	1	6.1			–	–	–	–	–	1	–	–	–
				W	–	–	–	–	–	–	–	–	–	–
				NW	1	–	–	–	–	–	1	–	–	–
TERREBONNE	30	22	9.1			1	5	7	4	4	1	–	–	–
				W	13	–	2	5	4	2	–	–	–	–
				NW	9	1	3	2	–	2	1	–	–	–
UNION	6	9	25.6			–	4	2	2	1	–	–	–	–
				W	2	–	–	1	1	–	–	–	–	–
				NW	7	–	4	1	1	1	–	–	–	–
VERMILION	7	13	12.8			–	2	6	3	–	2	–	–	–
				W	10	–	2	5	2	–	1	–	–	–
				NW	3	–	–	1	1	–	1	–	–	–
VERNON	7	14	10.3			–	4	4	3	–	3	–	–	–
				W	9	–	3	3	1	–	2	–	–	–
				NW	5	–	1	1	2	–	1	–	–	–
WASHINGTON	5	8	9.7			–	3	1	2	2	–	–	–	–
				W	2	–	1	–	1	–	–	–	–	–
				NW	6	–	2	1	1	2	–	–	–	–
WEBSTER	4	9	11.8			–	3	2	2	1	1	–	–	–
				W	4	–	1	1	1	1	–	–	–	–
				NW	5	–	2	1	1	–	1	–	–	–
WEST BATON ROUGE	–	5	11.9			–	1	2	1	–	1	–	–	–
				W	2	–	1	1	–	–	–	–	–	–
				NW	3	–	–	1	1	–	1	–	–	–
WEST CARROLL	–	–	– –		–	–	–	–	–	–	–	–	–	–
				W	–	–	–	–	–	–	–	–	–	–
				NW	–	–	–	–	–	–	–	–	–	–
WEST FELICIANA	–	–	– –			–	–	–	–	–	–	–	–	–
				W	–	–	–	–	–	–	–	–	–	–
				NW	–	–	–	–	–	–	–	–	–	–
WINN	–	2	6.6			–	–	1	1	–	–	–	–	–
				W	1	–	–	–	1	–	–	–	–	–
				NW	1	–	–	1	–	–	–	–	–	–
OUT OF STATE*	–	17	– –			–	5	3	3	3	3	–	–	–
				W	14	–	5	2	3	1	3	–	–	–
				NW	3	–	–	1	–	2	–	–	–	–

* Not included in state totals.

Table XI B

Stillbirths by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, by Race
Louisiana, by State Planning Districts and Health Service Areas, 1980

STATE PLANNING DISTRICTS (SPD) OR (HSA) HEALTH SERVICE AREA	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATIO (Per 1,000 Live Births)	RACE	TOTAL (By Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
TOTAL	858	841	10.2			7	204	252	207	90	59	15	2	5
				W	398	–	84	121	107	48	29	7	1	1
				NW	443	7	120	131	100	42	30	8	1	4
SPD 1	266	231	10.3			–	51	69	63	24	14	5	–	5
				W	95	–	17	24	33	13	7	–	–	1
				NW	136	–	34	45	30	11	7	5	–	4
SPD 2	111	119	8.5			1	29	25	34	17	12	1	–	–
				W	66	–	14	15	22	7	7	1	–	–
				NW	53	1	15	10	12	10	5	–	–	–
SPD 3	45	58	8.9			2	10	19	11	10	5	1	–	–
				W	35	–	5	13	8	8	1	–	–	–
				NW	23	2	5	6	3	2	4	1	–	–
SPD 4	138	140	12.2			–	34	45	31	13	13	3	1	–
				W	74	–	16	22	18	8	6	3	1	–
				NW	66	–	18	23	13	5	7	–	–	–
SPD 5	52	55	10.6			–	12	15	18	5	4	1	–	–
				W	30	–	5	10	7	3	4	1	–	–
				NW	25	–	7	5	11	2	–	–	–	–
SPD 6	60	61	9.9			2	16	18	16	3	5	1	–	–
				W	33	–	9	13	7	1	2	1	–	–
				NW	28	2	7	5	9	2	3	–	–	–
SPD 7	122	118	11.5			1	32	49	20	9	4	2	1	–
				W	41	–	11	17	7	4	2	–	–	–
				NW	77	1	21	32	13	5	2	2	1	–
SPD 8	64	59	9.6			1	20	12	14	9	2	1	–	–
				W	24	–	7	7	5	4	–	1	–	–
				NW	35	1	13	5	9	5	2	–	–	–
TOTAL	858	841	10.2			7	204	252	207	90	59	15	2	5
				W	398	–	84	121	107	48	29	7	1	1
				NW	443	7	120	131	100	42	30	8	1	4
HSA 1	311	289	10.0			2	61	88	74	34	19	6	–	5
				W	130	–	22	37	41	21	8	–	–	1
				NW	159	2	39	51	33	13	11	6	–	4
HSA 2	301	314	10.2			1	75	85	83	35	29	5	1	–
				W	170	–	35	47	47	18	17	5	1	–
				NW	144	1	40	38	36	17	12	–	–	–
HSA 3	246	238	10.6			4	68	79	50	21	11	4	1	–
				W	98	–	27	37	19	9	4	2	–	–
				NW	140	4	41	42	31	12	7	2	1	–

Table XII
Stillbirths Shown by Selected Causes, Age of Mother, and Race of Child
Louisiana, 1980
(By Residence)

CAUSE OF STILLBIRTH)	TOTAL	RATIO (Per 100,000 Live Births)	RACE	TOTAL (By Race)	AGE OF MOTHER								
					Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
TOTAL	841	1024.2	W	398	-	84	121	107	48	29	7	1	1
			NW	443	7	120	131	100	42	30	8	1	4
Congenital anomalies - (740-759)	48	58.5	W	35	-	8	14	9	2	1	1	-	-
			NW	13	-	1	4	6	1	-	1	-	-
Anencephalus and similar anomalies - (740)	22	26.8	W	17	-	5	5	5	1	1	-	-	-
			NW	5	-	1	2	2	-	-	-	-	-
Spina bifida - (741)	-	- -	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
Other congenital anomalies of nervous system - (742)	6	7.3	W	2	-	-	1	1	-	-	-	-	-
			NW	4	-	-	2	1	1	-	-	-	-
Congenital anomalies of heart - (745-746)	1	1.2	W	-	-	-	-	-	-	-	-	-	-
			NW	1	-	-	-	1	-	-	-	-	-
Congenital anomalies of respiratory system - (748)	-	- -	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
Multiple congenital anomalies - (759.7)	11	13.4	W	9	-	2	4	2	1	-	-	-	-
			NW	2	-	-	-	2	-	-	-	-	-
All other congenital anomalies - (Remainder of 740-759)	8	9.7	W	7	-	1	4	1	-	-	1	-	-
			NW	1	-	-	-	-	-	-	1	-	-
Fetus affected by maternal conditions which may be unrelated to present pregnancy - (760)	49	59.7	W	15	-	1	6	4	3	-	1	-	-
			NW	34	-	12	9	4	2	6	1	-	-
Maternal hypertensive disorders - (760.0)	34	41.4	W	10	-	-	4	2	3	-	1	-	-
			NW	24	-	8	8	2	1	4	1	-	-
Maternal injury - (760.5)	2	2.4	W	2	-	-	1	1	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
Fetus affected by other maternal conditions which may be unrelated to pregnancy - (Remainder of 760).	13	15.8	W	3	-	1	1	1	-	-	-	-	-
			NW	10	-	4	1	2	1	2	-	-	-
Fetus affected by maternal complications of pregnancy - (761)	60	73.1	W	31	-	11	10	6	1	3	-	-	-
			NW	29	-	8	7	9	3	1	-	-	1
Premature rupture of membranes - (761.1)	30	36.5	W	14	-	4	7	2	-	1	-	-	-
			NW	16	-	3	3	6	2	1	-	-	1
Multiple pregnancy - (761.5)	12	14.6	W	7	-	2	2	1	1	1	-	-	-
			NW	5	-	-	3	2	-	-	-	-	-
Fetus affected by other maternal complications of pregnancy - (Remainder of 761)	18	21.9	W	10	-	5	1	3	-	1	-	-	-
			NW	8	-	5	1	1	1	-	-	-	-
Fetus affected by complications of placenta, cord, and membranes - (762)	311	378.7	W	173	-	36	47	50	25	10	3	1	1
			NW	138	4	35	43	36	13	4	2	1	-
Placenta praevia - (762.0)	16	19.5	W	7	-	1	1	4	1	-	-	-	-
			NW	9	-	2	2	4	1	-	-	-	-
Other forms of placental separation and haemorrhage - (762.1)	115	140.0	W	57	-	17	15	12	6	4	1	1	1
			NW	58	3	17	15	12	8	2	-	1	-
Other and unspecified morphological and functional abnormalities of placenta - (762.2)	57	69.4	W	33	-	3	14	7	7	2	-	-	-
			NW	24	-	4	9	8	2	-	1	-	-
Placental transfusion syndrome - (762.3)	-	- -	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-

Table XII
Stillbirths Shown by Selected Causes, Age of Mother, and Race of Child
Louisiana, 1980
(By Residence)

CAUSE OF STILLBIRTH	TOTAL	RATIO (Per 100,000 Live Births)	RACE	TOTAL (By Race)	AGE OF MOTHER								
					Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
Prolasped cord - (762.4).....	11	13.4	W	3	-	2	-	1	-	-	-	-	-
			NW	8	-	3	3	2	-	-	-	-	-
Other compression of umbilical cord - (762.5).....	77	93.8	W	51	-	9	10	18	10	2	2	-	-
			NW	26	1	6	6	8	2	2	1	-	-
Other and unspecified conditions of umbilical cord - (762.6).....	28	34.1	W	18	-	4	4	7	1	2	-	-	-
			NW	10	-	2	6	2	-	-	-	-	-
Abnormalities of chorion and amnion - (762.7-762.9).....	7	8.5	W	4	-	-	3	1	-	-	-	-	-
			NW	3	-	1	2	-	-	-	-	-	-
Fetus affected by other complications of labour and delivery - (763).....	9	11.0	W	3	-	1	1	-	-	1	-	-	-
			NW	6	-	2	1	-	1	2	-	-	-
Slow fetal growth and fetal malnutrition - (764).....	-	- -	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight - (765).....	84	102.3	W	24	-	3	9	8	2	2	-	-	-
			NW	60	2	19	19	12	5	2	-	-	1
Birth trauma - (767).....	1	1.2	W	1	-	-	-	-	1	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia - (768).....	56	68.2	W	28	-	6	10	8	3	1	-	-	-
			NW	28	-	6	7	7	4	3	1	-	-
Haemolytic disease of fetus due to isoimmunization and other perinatal jaundice - (773-774)	5	6.1	W	4	-	1	-	1	1	1	-	-	-
			NW	1	-	-	1	-	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus - (775.0-775.1).....	18	2.9	W	5	-	-	1	1	1	-	2	-	-
			NW	13	-	-	1	5	2	5	-	-	-
Unspecified cause - (779.9-799.9)....	165	200.9	W	59	-	13	15	16	6	9	-	-	-
			NW	106	1	34	32	16	11	7	3	-	2
All other causes - (Residual).....	35	42.6	W	20	-	4	8	4	3	1	-	-	-
			NW	15	-	3	7	5	-	-	-	-	-

Table XIII

REPORTED INDUCED TERMINATIONS OF PREGNANCY OCCURRING IN LOUISIANA IN 1980

(By Parish of Residence and Parish of Occurrence)

PARISH	BY PARISH OF RESIDENCE	BY PARISH OF OCCURRENCE
TOTAL *	16525	16525
ACADIA	58	-
ALLEN	8	-
ASCENSION	99	-
ASSUMPTION	24	-
AVOYELLES	28	-
BEAUREGARD	4	-
BIENVILLE	20	-
BOSSIER	236	1581
CADDO	769	362
CALCASIEU	40	-
CALDWELL	9	-
CAMERON	1	-
CATAHOULA	10	-
CLAIBORNE	14	-
CONCORDIA	26	-
DESOTO	30	-
EAST BATON ROUGE	2034	3830
EAST CARROLL	15	-
EAST FELICIANA	38	-
EVANGELINE	18	-
FRANKLIN	23	-
GRANT	10	-
IBERIA	91	-
IBERVILLE	70	-
JACKSON	13	-
JEFFERSON	2545	4178
JEFFERSON DAVIS	8	-
LAFAYETTE	467	-
LAFOURCHE	162	-
LASALLE	17	-
LINCOLN	135	-
LIVINGSTON	95	-
MADISON	37	-
MOREHOUSE	30	-
NATCHITOCHES	80	-
ORLEANS	5109	6247
OUACHITA	364	-
PLAQUEMINES	85	-
POINTE COUPEE	29	-
RAPIDES	268	-
RED RIVER	7	-
RICHLAND	24	-
SABINE	18	-
ST. BERNARD	226	-
ST CHARLES	111	-
ST. HELENA	9	-
ST. JAMES	37	-
ST. JOHN	117	-
ST. LANDRY	90	-
ST. MARTIN	37	-
ST. MARY	158	-
ST. TAMMANY	339	-
TANGIPAHOA	233	-
TENSAS	6	-
TERREBONNE	215	-
UNION	18	-
VERMILION	41	-
VERNON	25	-
WASHINGTON	53	-
WEBSTER	60	-
WEST BATON ROUGE	50	-
WEST CARROLL	10	-
WEST FELICIANA	11	-
WINN	11	-
UNKNOWN	442	-
OUT OF STATE	1058	327

* Total includes Out of State and Unknown.

Table XIV

REPORTED INDUCED TERMINATIONS OF PREGNANCY OCCURRING IN LOUISIANA IN 1980

(By Woman's State of Residence)

STATE	ABORTIONS
TOTAL	16525
ALABAMA	26
ALASKA	-
ARIZONA	-
ARKANSAS	68
CALIFORNIA	5
COLORADO	-
CONNECTICUT	1
DELAWARE	1
DISTRICT OF COLUMBIA	-
FLORIDA	11
GEORGIA	3
HAWAII	-
IDAHO	-
ILLINOIS	-
INDIANA	2
IOWA	-
KANSAS	-
KENTUCKY	-
LOUISIANA	15025
MAINE	1
MARYLAND	1
MASSACHUSETTS	-
MICHIGAN	-
MINNESOTA	-
MISSISSIPPI	571
MISSOURI	1
MONTANA	-
NEBRASKA	1
NEVADA	-
NEW HAMPSHIRE	-
NEW JERSEY	-
NEW MEXICO	-
NEW YORK	4
NORTH CAROLINA	1
NORTH DAKOTA	-
OHIO	1
OKLAHOMA	3
OREGON	-
PENNSYLVANIA	1
RHODE ISLAND	-
SOUTH CAROLINA	-
SOUTH DAKOTA	-
TENNESSEE	10
TEXAS	336
UTAH	-
VERMONT	-
VIRGINIA	1
WASHINGTON	-
WEST VIRGINIA	-
WISCONSIN	1
WYOMING	-
CANADA	-
MEXICO	-
OTHER	8
UNKNOWN	442

Table XV

REPORTED INDUCED TERMINATIONS OF PREGNANCY BY WEEKS OF GESTATION AND WOMAN'S AGE LOUISIANA, 1980

(By Occurrence)

WEEKS OF GESTATION	WOMAN'S AGE								TOTAL
	Under 15	15-19	20-24	25-29	30-34	35-39	40 and Over	Unknown	
8 AND UNDER	77	2288	3411	2301	1081	437	119	152	9866
9	15	345	455	238	130	66	20	14	1283
10	28	568	687	382	197	86	27	26	2001
11	10	216	232	125	50	30	10	4	677
12	14	330	379	171	69	39	16	10	1028
13	6	132	109	45	22	11	2	4	331
14	6	140	119	45	30	17	3	4	364
15	4	39	39	16	3	3	3	2	109
16	4	65	55	24	9	8	2	-	167
17	1	34	29	8	3	2	-	-	77
18	1	35	33	11	3	1	-	-	84
19	2	24	8	4	1	-	-	-	39
20	1	11	17	4	2	1	1	-	37
21 AND OVER	-	1	2	1	-	-	-	-	4
UNKNOWN	5	102	128	84	56	17	10	56	458
TOTAL	174	4330	5703	3459	1656	718	213	272	16525

Table XVI

REPORTED INDUCED TERMINATIONS OF PREGNANCY BY WEEKS OF GESTATION AND RACE LOUISIANA, 1980

(By Occurrence)

WEEKS OF GESTATION	RACE			TOTAL
	White	Nonwhite	Unknown	
8 AND UNDER	4059	3015	2792	9866
9	459	362	462	1283
10	630	726	645	2001
11	241	236	200	677
12	246	440	342	1028
13	153	111	67	331
14	128	165	71	364
15	39	52	18	109
16	71	75	21	167
17	37	39	1	77
18	34	49	1	84
19	19	20	-	39
20	21	16	-	37
21 AND OVER	3	-	1	4
UNKNOWN	111	264	83	458
TOTAL	6251	5570	4704	16525

Table XVII
REPORTED INDUCED TERMINATIONS OF PREGNANCY BY TYPE OF PROCEDURE AND WEEKS OF GESTATION
LOUISIANA 1980
(By Occurrence)

WEEKS OF GESTATION	TYPE OF PROCEDURE									TOTAL
	SUCTION CURETTAGE	SHARP CURETTAGE	INTRAUTERINE SALINE INSTILLATION	INTRAUTERINE PROSTAGLANDIN INSTILLATION	HYSTER-OTOMY	HYSTER-ECTOMY	OTHER		UNKNOWN	
							D AND E	OTHER		
8 AND UNDER	9723	16	-	-	-	2	-	2	123	9866
9	1264	4	-	-	-	-	1	-	14	1283
10	1973	3	-	-	-	-	1	-	24	2001
11	654	3	-	-	-	-	5	-	15	677
12	998	-	-	-	-	-	21	-	9	1028
13	230	-	-	-	-	-	79	9	13	331
14	261	2	-	-	-	-	83	4	14	364
15	92	-	-	-	-	-	14	1	2	109
16	135	-	-	-	-	1	25	2	4	167
17	76	-	-	-	-	-	1	-	-	77
18	79	-	-	-	-	-	5	-	-	84
19	38	-	-	-	-	-	1	-	-	39
20	34	1	-	-	-	-	2	-	-	37
21 AND OVER	2	-	-	1	-	-	1	-	-	4
UNKNOWN	448	-	-	-	1	1	1	-	7	458
TOTAL	16007	29	-	1	1	4	240	18	225	16525

Table XVIII
REPORTED INDUCED TERMINATIONS OF PREGNANCY BY WOMAN'S AGE AND RACE LOUISIANA, 1980
(By Occurrence)

WOMAN'S AGE	RACE			TOTAL
	White	Nonwhite	Unknown	
UNDER 15	47	97	30	174
15	107	138	66	311
16	216	213	161	590
17	354	210	216	780
18	564	376	407	1347
19	567	358	377	1302
(15 -19)	1808	1295	1227	4330
20 - 24	2294	1823	1586	5703
25 - 29	1202	1230	1027	3459
30 - 34	563	662	431	1656
35 - 39	216	308	194	718
40 AND OVER	52	109	52	213
UNKNOWN	69	46	157	272
TOTAL	6251	5570	4704	16525

Table XIX
REPORTED INDUCED TERMINATIONS OF PREGNANCY BY WOMAN'S MARITAL STATUS AND RACE LOUISIANA, 1980
(By Occurrence)

WOMAN'S MARITAL STATUS	RACE			TOTAL
	White	Nonwhite	Unknown	
MARRIED	986	927	712	2625
UNMARRIED	4254	4288	3393	11935
UNKNOWN	1011	355	599	1965
TOTAL	6251	5570	4704	16525



MORTALITY

Table XX A
Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Usual Residence of the Deceased and Shown by Sex, Race, and Age Louisiana, by Parish, 1980

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE IN YEARS										
						Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
TOTAL	36095	35544	8.5			1175	210	122	171	1235	1226	1345	2740	5636	21668	16
				M'V	13246	306	69	42	67	635	512	506	1123	2468	7510	8
				FW	10493	219	41	29	32	186	190	273	539	1265	7719	–
				MNW	6419	357	54	31	45	317	372	367	637	1110	3123	6
				FNW	5386	293	46	20	27	97	152	199	441	793	3316	2
ACADIA	424	540	9.6			15	6	2	1	17	16	17	41	95	330	–
				MW	242	7	3	1	–	12	8	6	19	49	137	–
				FW	206	7	2	1	–	3	7	6	12	29	139	–
				MNW	55	1	–	–	1	2	1	1	8	12	29	–
				FNW	37	–	1	–	–	–	–	4	2	5	25	–
Crowley*	197	177	11.0			7	1	2	1	9	4	4	16	23	110	–
				MW	67	2	1	1	–	7	3	1	8	10	34	–
				FW	74	5	–	1	–	–	1	3	4	9	51	–
				MNW	19	–	–	–	1	2	–	–	3	3	10	–
				FNW	17	–	–	–	–	–	–	–	1	1	15	–
ALLEN	211	235	11.0			9	1	–	1	13	7	11	16	29	148	–
				MW	102	4	–	–	–	7	7	6	7	12	59	–
				FW	71	3	1	–	1	2	–	2	5	10	47	–
				MNW	41	2	–	–	–	2	–	3	4	4	26	–
				FNW	21	–	–	–	–	2	–	–	–	3	16	–
ASCENSION	236	323	6.5			13	1	–	2	11	13	13	29	46	195	–
				MW	134	4	1	–	1	8	6	4	12	22	76	–
				FW	92	4	–	–	–	1	2	4	9	5	67	–
				MNW	51	1	–	–	–	2	2	3	2	12	29	–
				FNW	46	4	–	–	1	–	3	2	6	7	23	–
ASSUMPTION	83	175	7.9			8	1	1	–	6	8	8	11	26	106	–
				MW	55	2	–	1	–	3	3	1	3	7	35	–
				FW	46	3	1	–	–	–	2	3	1	5	31	–
				MNW	37	2	–	–	–	2	2	1	3	7	20	–
				FNW	37	1	–	–	–	1	1	3	4	7	20	–
AVOYELLES	334	417	10.1			11	2	1	2	19	11	12	22	61	276	–
				MW	173	3	1	–	2	12	5	5	6	27	112	–
				FW	125	1	–	–	–	3	–	3	5	14	99	–
				MNW	64	2	1	–	–	4	2	2	6	12	35	–
				FNW	55	5	–	1	–	–	4	2	5	8	30	–
BEAUREGARD	203	246	8.3			13	1	–	1	11	13	6	23	33	145	–
				MW	120	8	–	–	–	3	9	6	11	16	67	–
				FW	74	5	–	–	1	3	2	–	4	8	51	–
				MNW	28	–	1	–	–	3	–	–	4	5	15	–
				FNW	24	–	–	–	–	2	2	–	4	4	12	–
BIENVILLE	80	180	11.0			5	2	1	1	7	5	7	8	15	129	–
				MW	58	1	2	–	–	4	2	3	–	8	38	–
				FW	51	–	–	–	–	2	–	1	2	5	41	–
				MNW	37	4	–	–	1	1	1	3	3	1	23	–
				FNW	34	–	–	1	–	–	2	–	3	1	27	–
BOSSIER	366	555	6.9			24	7	3	1	18	14	27	51	93	317	–
				MW	230	10	3	3	–	13	8	9	28	49	107	–
				FW	175	5	–	–	1	3	–	10	19	25	112	–
				MNW	89	8	3	–	–	2	5	5	4	10	52	–
				FNW	61	1	1	–	–	–	1	3	–	9	46	–
Bossier City*	262	321	6.4			11	5	–	1	12	8	12	35	60	177	–
				MW	147	6	2	–	–	10	6	3	19	35	66	–
				FW	118	1	–	–	1	2	–	6	15	17	76	–
				MNW	34	3	3	–	–	–	2	3	1	3	19	–
				FNW	22	1	–	–	–	–	–	–	–	5	16	–
CADDO	3527	2470	9.8			73	12	8	14	59	68	74	185	365	1612	–
				MW	753	20	2	4	3	24	25	21	50	144	460	–
				FW	702	15	1	2	3	4	5	10	38	77	547	–
				MNW	558	21	5	1	4	22	33	29	60	85	298	–
				FNW	457	17	4	1	4	9	5	14	37	59	307	–
Shreveport*	3347	2127	10.3			65	12	8	14	47	60	59	160	324	1378	–
				MW	631	18	2	4	3	18	22	15	37	121	391	–
				FW	598	11	1	2	3	2	4	9	36	69	461	–
				MNW	483	19	5	1	4	19	29	24	53	78	251	–
				FNW	415	17	4	1	4	8	5	11	34	56	275	–
CALCASIEU	1352	1297	7.8			38	5	5	4	58	49	38	108	220	772	–
				MW	580	14	2	3	3	36	22	18	53	108	321	–
				FW	414	6	2	1	–	11	12	8	23	56	295	–
				MNW	178	11	–	1	1	7	12	7	20	37	82	–
				FNW	125	7	1	–	–	4	3	5	12	19	74	–

Table XX A (continued)

Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Usual Residence of the Deceased and Shown by Sex, Race, and Age Louisiana, by Parish, 1980

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE IN YEARS										
						Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
Lake Charles*	940	689	9.2			19	2	3	1	29	25	13	59	115	423	–
				MW	256	2	2	1	–	16	9	4	24	48	150	–
				FW	206	3	–	1	–	3	5	2	10	26	156	–
				MNW	131	7	–	1	1	6	8	4	15	28	61	–
				FNW	96	7	–	–	–	4	3	3	10	13	56	–
Sulphur*	234	157	8.0			4	–	1	–	7	6	4	13	24	98	–
				MW	84	2	–	1	–	5	4	1	7	12	52	–
				FW	69	2	–	–	–	2	2	3	5	11	44	–
				MNW	2	–	–	–	–	–	–	–	1	–	1	–
				FNW	2	–	–	–	–	–	–	–	–	1	1	–
CALDWELL	97	106	9.9			1	1	1	–	4	4	2	6	17	70	–
				MW	48	–	–	1	–	2	2	2	2	10	29	–
				FW	33	–	–	–	–	1	–	–	2	3	27	–
				MNW	15	–	1	–	–	1	1	–	1	3	8	–
				FNW	10	1	–	–	–	–	1	–	1	1	6	–
CAMERON	49	59	6.3			3	1	–	1	2	5	1	5	9	32	–
				MW	37	2	1	–	–	1	3	–	3	7	20	–
				FW	19	–	–	–	1	1	2	1	2	1	11	–
				MNW	2	–	–	–	–	–	–	–	–	1	1	–
				FNW	1	1	–	–	–	–	–	–	–	–	–	–
CATAHOULA	93	130	10.6			3	–	2	–	5	2	5	10	23	80	–
				MW	62	1	–	–	–	4	2	2	6	9	38	–
				FW	35	–	–	1	–	–	–	2	2	7	23	–
				MNW	14	2	–	–	–	1	–	1	1	4	5	–
				FNW	19	–	–	1	–	–	–	–	1	3	14	–
CLAIBORNE	137	187	10.9			3	1	1	3	5	4	6	9	25	130	–
				MW	51	–	–	–	–	–	2	–	2	7	40	–
				FW	44	–	1	–	–	1	–	1	2	6	33	–
				MNW	47	1	–	1	1	3	2	5	3	6	25	–
				FNW	45	2	–	–	2	1	–	–	2	6	32	–
CONCORDIA	165	225	9.8			7	–	–	3	5	8	7	14	31	150	–
				MW	67	2	–	–	2	2	–	1	9	10	41	–
				FW	48	1	–	–	1	–	3	3	2	6	32	–
				MNW	51	3	–	–	–	3	2	2	1	8	32	–
				FNW	59	1	–	–	–	–	3	1	2	7	45	–
DESOTO	199	310	12.1			8	2	1	–	8	11	6	23	34	217	–
				MW	98	3	1	–	–	2	3	3	9	10	67	–
				FW	62	2	–	–	–	3	2	2	1	8	44	–
				MNW	81	2	1	–	–	1	4	–	7	10	56	–
				FNW	69	1	–	1	–	2	2	1	6	6	50	–
EAST BATON ROUGE	2808	2381	6.5			87	10	10	15	98	108	113	182	427	1331	–
				MW	774	17	3	2	5	51	37	34	61	166	398	–
				FW	653	18	1	1	5	16	11	17	40	100	444	–
				MNW	499	31	2	3	4	26	41	36	40	95	221	–
				FNW	455	21	4	4	1	5	19	26	41	66	268	–
Baton Rouge*	2534	1941	8.8			73	5	8	8	62	85	83	143	354	1120	–
				MW	586	12	–	2	2	29	27	18	42	128	326	–
				FW	525	12	–	–	3	9	7	12	31	81	370	–
				MNW	439	29	2	3	2	20	35	34	35	86	193	–
				FNW	391	20	3	3	1	4	16	19	35	59	231	–
EAST CARROLL	117	129	11.0			7	1	–	–	4	1	3	5	18	90	–
				MW	21	2	–	–	–	1	–	–	1	6	11	–
				FW	18	1	–	–	–	1	–	1	2	1	12	–
				MNW	45	–	1	–	–	2	1	2	2	6	31	–
				FNW	45	4	–	–	–	–	–	–	–	5	36	–
EAST FELICIANA	265	184	9.7			6	–	2	2	3	5	5	16	36	109	–
				MW	54	2	–	–	1	–	–	3	4	12	32	–
				FW	54	1	–	–	–	1	1	–	6	9	36	–
				MNW	34	1	–	2	–	–	3	2	3	7	16	–
				FNW	42	2	–	–	1	2	1	–	3	8	25	–
EVANGELINE	292	333	10.0			6	2	1	1	15	13	14	21	44	216	–
				MW	186	3	–	–	–	11	10	8	14	25	115	–
				FW	90	–	–	–	–	2	2	2	2	11	71	–
				MNW	30	1	–	–	–	2	1	3	2	5	16	–
				FNW	27	2	2	1	1	–	–	1	3	3	14	–
FRANKLIN	190	252	10.4			7	2	–	2	2	4	11	11	35	178	–
				MW	104	2	–	–	1	–	2	3	6	17	73	–
				FW	77	2	1	–	–	1	–	4	2	9	58	–
				MNW	37	3	1	–	1	1	1	2	2	5	21	–
				FNW	34	–	–	–	–	–	1	2	1	4	26	–

Table XX A (continued)
Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Usual Residence of the Deceased and Shown by Sex, Race, and Age Louisiana, by Parish, 1980

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE IN YEARS										
						Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
GRANT	55	154	9.2			2	1	–	1	3	4	4	9	22	108	–
				MW	73	1	–	–	1	2	–	3	7	10	49	–
				FW	53	1	1	–	–	1	2	1	1	8	38	–
				MNW	15	–	–	–	–	–	1	–	1	1	12	–
				FNW	13	–	–	–	–	–	1	–	–	3	9	–
IBERIA	491	524	8.2			12	11	2	4	24	23	18	38	63	329	–
				MW	200	4	4	1	–	16	10	6	16	24	119	–
				FW	154	2	3	–	2	4	2	6	9	17	109	–
				MNW	82	3	2	1	2	3	6	2	8	11	44	–
				FNW	88	3	2	–	–	1	5	4	5	11	57	–
New Iberia*	397	285	8.7			8	5	–	–	9	9	10	20	33	191	–
				MW	104	3	2	–	–	7	3	3	10	16	60	–
				FW	93	1	2	–	–	–	–	4	6	9	71	–
				MNW	47	3	1	–	–	2	3	2	3	5	28	–
				FNW	41	1	–	–	–	–	3	1	1	3	32	–
IBERVILLE	224	321	10.0			10	1	3	2	15	6	14	37	49	184	–
				MW	97	2	1	2	1	6	5	5	8	12	55	–
				FW	60	1	–	–	1	–	–	2	1	11	44	–
				MNW	98	2	–	–	–	9	1	6	22	14	44	–
				FNW	66	5	–	1	–	–	–	1	6	12	41	–
JACKSON	148	200	11.5			6	–	–	1	4	3	7	7	21	151	–
				MW	63	1	–	–	–	1	–	3	3	5	50	–
				FW	78	1	–	–	–	1	–	1	–	7	68	–
				MNW	22	2	–	–	1	2	2	1	1	3	10	–
				FNW	37	2	–	–	–	–	1	2	3	6	23	–
JEFFERSON	2777	2972	6.5			136	14	10	12	98	107	108	250	554	1682	1
				MW	1427	42	4	3	4	64	61	60	146	329	713	1
				FW	1132	30	5	2	2	17	25	27	73	160	791	–
				MNW	230	35	3	4	5	8	17	16	18	29	95	–
				FNW	183	29	2	1	1	9	4	5	13	36	83	–
Kenner*	47	304	4.6			26	1	–	3	12	16	14	23	54	155	–
				MW	135	5	–	–	1	5	8	11	15	25	65	–
				FW	108	12	1	–	–	3	3	2	4	20	63	–
				MNW	37	4	–	–	2	2	4	–	1	4	20	–
				FNW	24	5	–	–	–	2	1	1	3	5	7	–
Gretna*	35	345	16.7			21	2	–	–	14	10	14	44	61	179	–
				MW	146	5	–	–	–	11	1	6	22	35	66	–
				FW	132	4	1	–	–	1	5	5	21	13	82	–
				MNW	36	7	–	–	–	1	3	2	1	8	14	–
				FNW	31	5	1	–	–	1	1	1	–	5	17	–
Harahan*	8	89	7.8			1	–	–	2	1	1	2	9	22	51	–
				MW	55	1	–	–	–	1	1	1	6	17	28	–
				FW	34	–	–	–	2	–	–	1	3	5	23	–
				MNW	–	–	–	–	–	–	–	–	–	–	–	–
				FNW	–	–	–	–	–	–	–	–	–	–	–	–
Westwego*	12	163	12.9			7	1	–	1	6	6	3	14	32	93	–
				MW	73	3	–	–	–	3	4	2	8	18	35	–
				FW	59	1	1	–	–	1	–	–	3	12	41	–
				MNW	15	–	–	–	1	–	1	1	2	1	9	–
				FNW	16	3	–	–	–	2	1	–	1	1	8	–
JEFFERSON DAVIS	265	285	8.9			9	2	–	1	5	6	10	21	53	178	–
				MW	116	3	2	–	–	1	3	3	9	23	72	–
				FW	112	4	–	–	–	–	2	3	4	18	81	–
				MNW	36	–	–	–	–	3	1	3	5	9	15	–
				FNW	21	2	–	–	1	1	–	1	3	3	10	–
Jennings*	185	125	10.1			5	1	–	–	4	3	7	7	21	77	–
				MW	45	2	1	–	–	–	1	3	2	10	26	–
				FW	48	2	–	–	–	–	1	1	2	7	35	–
				MNW	18	–	–	–	–	3	1	3	2	3	6	–
				FNW	14	1	–	–	–	1	–	–	1	1	10	–
LAFAYETTE	1312	884	5.9			42	9	4	1	47	33	38	69	132	509	–
				MW	394	11	5	–	–	31	19	21	31	62	214	–
				FW	270	15	2	1	1	3	7	8	10	31	192	–
				MNW	127	10	1	2	–	10	4	5	18	26	51	–
				FNW	93	6	1	1	–	3	3	4	10	13	52	–
Lafayette*	1212	595	7.3			28	6	2	1	27	23	19	52	84	353	–
				MW	248	6	3	–	–	15	10	12	22	38	142	–
				FW	182	10	2	–	1	1	7	2	8	20	131	–
				MNW	97	8	–	1	–	10	4	2	14	17	41	–
				FNW	68	4	1	1	–	1	2	3	8	9	39	–

Table XX A (continued)
Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Usual Residence of the Deceased and Shown by Sex, Race, and Age Louisiana, by Parish, 1980

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE IN YEARS										
						Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
LAFOURCHE	477	508	6.2			15	1	2	5	29	27	20	41	86	282	–
				MW	269	8	1	2	1	19	18	11	26	62	121	–
				FW	176	3	–	–	1	5	7	7	10	18	125	–
				MNW	31	2	–	–	1	4	1	–	5	3	15	–
				FNW	32	2	–	–	2	1	1	2	–	3	21	–
Thibodaux*	206	135	8.5			4	–	–	3	5	1	4	14	22	82	–
				MW	56	4	–	–	–	2	–	1	8	16	25	–
				FW	46	–	–	–	–	1	1	1	3	5	35	–
				MNW	17	–	–	–	1	2	–	–	3	1	10	–
				FNW	16	–	–	–	2	–	–	2	–	–	12	–
LASALLE	141	177	10.4			7	–	1	–	8	2	7	14	24	114	–
				MW	102	2	–	1	–	5	2	3	9	16	64	–
				FW	63	5	–	–	–	2	–	3	5	7	41	–
				MNW	6	–	–	–	–	1	–	1	–	1	3	–
				FNW	6	–	–	–	–	–	–	–	–	–	6	–
LINCOLN	335	301	7.6			8	1	2	2	7	3	11	18	43	206	–
				MW	96	1	1	–	1	5	–	4	7	17	60	–
				FW	93	–	–	–	–	–	–	1	4	10	78	–
				MNW	57	3	–	2	–	1	3	4	5	7	32	–
				FNW	55	4	–	–	1	1	–	2	2	9	36	–
Ruston*	285	156	7.6			4	–	–	1	3	–	5	9	21	113	–
				MW	52	1	–	–	1	2	–	1	5	7	35	–
				FW	52	–	–	–	–	–	–	–	1	5	46	–
				MNW	23	1	–	–	–	1	–	3	2	2	14	–
				FNW	29	2	–	–	–	–	–	1	1	7	18	–
LIVINGSTON	284	361	6.2			9	–	–	1	14	18	15	24	62	218	–
				MW	199	4	–	–	1	9	13	9	17	36	110	–
				FW	124	2	–	–	–	2	3	4	6	20	87	–
				MNW	22	2	–	–	–	3	2	2	1	2	10	–
				FNW	16	1	–	–	–	–	–	–	–	4	11	–
MADISON	125	185	12.6			3	1	1	–	5	4	5	10	23	133	–
				MW	31	–	–	–	–	1	–	2	4	6	18	–
				FW	32	1	–	1	–	–	–	1	1	1	27	–
				MNW	74	1	1	–	–	2	2	2	2	12	52	–
				FNW	48	1	–	–	–	2	2	–	3	4	36	–
MOREHOUSE	314	342	9.8			9	4	1	4	16	9	9	14	49	227	–
				MW	103	–	1	–	1	8	3	2	6	19	63	–
				FW	82	1	–	1	–	3	3	2	2	7	63	–
				MNW	81	3	2	–	1	4	2	3	3	11	52	–
				FNW	76	5	1	–	2	1	1	2	3	12	49	–
Bastrop*	241	171	11.0			5	3	–	1	6	5	3	7	28	113	–
				MW	44	–	1	–	–	3	2	–	2	10	26	–
				FW	47	–	–	–	–	2	2	1	1	5	36	–
				MNW	41	1	2	–	–	1	1	1	3	8	24	–
				FNW	39	4	–	–	1	–	–	1	1	5	27	–
NATCHITOCHES	338	431	10.8			4	3	2	1	14	20	11	26	69	281	–
				MW	142	–	1	1	–	7	4	4	6	33	86	–
				FW	106	–	1	–	–	3	4	1	6	9	82	–
				MNW	106	4	–	–	–	3	7	5	11	17	59	–
				FNW	77	–	1	1	1	1	5	1	3	10	54	–
Natchitoches*	240	189	11.3			4	–	–	–	5	7	6	11	31	125	–
				MW	48	–	–	–	–	2	–	1	2	13	30	–
				FW	42	–	–	–	–	1	1	–	–	4	35	–
				MNW	54	4	–	–	–	2	2	4	6	9	27	–
				FNW	45	–	–	–	–	–	4	–	3	5	33	–
ORLEANS	7678	6258	11.2			209	29	12	20	175	246	258	484	1017	3801	7
				MW	1697	15	3	3	5	50	64	65	121	304	1063	4
				FW	1585	19	2	1	–	17	19	35	46	177	1269	–
				MNW	1608	88	12	6	9	83	115	105	180	335	673	2
				FNW	1368	87	12	2	6	25	48	53	137	201	796	1
OUACHITA	1256	1108	8.0			37	9	4	7	22	30	41	75	179	704	–
				MW	387	12	1	2	3	10	17	12	32	77	221	–
				FW	347	3	1	1	2	3	3	14	16	32	272	–
				MNW	189	12	5	1	2	8	6	7	12	33	103	–
				FNW	185	10	2	–	–	1	4	8	15	37	108	–
Monroe*	885	589	10.2			20	9	–	5	11	15	23	33	89	384	–
				MW	146	3	1	–	2	4	7	4	7	26	92	–
				FW	163	–	1	–	1	2	–	7	5	11	136	–
				MNW	137	8	5	–	2	5	4	5	10	21	77	–
				FNW	143	9	2	–	–	–	4	7	11	31	79	–

Table XX A (continued)
Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Usual Residence of the Deceased and Shown by Sex, Race, and Age
Louisiana, by Parish, 1980

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE IN YEARS										
						Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
West Monroe*	256	238	15.9			9	–	–	–	4	5	7	21	38	154	–
				MW	110	4	–	–	–	1	4	3	16	20	62	–
				FW	94	1	–	–	–	–	1	4	4	9	75	–
				MNW	16	3	–	–	–	3	–	–	–	5	5	–
				FNW	18	1	–	–	–	–	–	–	1	4	12	–
PLAQUEMINES	98	204	7.8			6	1	2	–	14	13	11	22	28	107	–
				MW	96	1	–	1	–	8	8	3	10	16	49	–
				FW	51	2	–	1	–	1	2	3	5	4	33	–
				MNW	32	1	1	–	–	4	2	3	5	5	11	–
				FNW	25	2	–	–	–	1	1	2	2	3	14	–
POINTE COUPEE	142	221	9.2			6	–	–	1	7	10	8	23	28	138	–
				MW	65	4	–	–	–	3	3	2	7	9	37	–
				FW	53	1	–	–	–	–	3	1	4	6	38	–
				MNW	55	1	–	–	1	2	4	4	8	8	27	–
				FNW	48	–	–	–	–	2	–	1	4	5	36	–
RAPIDES	1745	1232	9.1			30	6	8	10	39	33	37	108	196	765	–
				MW	462	12	2	1	3	23	11	14	43	99	254	–
				FW	347	3	1	5	2	7	6	8	19	34	262	–
				MNW	209	9	2	1	3	5	10	8	25	27	119	–
				FNW	214	6	1	1	2	4	6	7	21	36	130	–
Alexandria*	1016	637	12.4			16	3	5	3	17	14	14	66	107	392	–
				MW	187	4	–	1	–	8	2	4	22	45	101	–
				FW	141	–	–	3	1	1	1	2	5	14	114	–
				MNW	156	7	2	1	2	5	8	6	23	22	80	–
				FNW	153	5	1	–	–	3	3	2	16	26	97	–
RED RIVER	112	113	10.8			4	–	–	1	5	5	4	13	16	64	1
				MW	50	1	–	–	1	2	2	2	7	9	26	–
				FW	22	–	–	–	–	1	1	–	3	3	14	–
				MNW	21	2	–	–	–	2	1	1	2	1	11	1
				FNW	20	1	–	–	–	–	1	1	1	3	13	–
RICHLAND	293	257	11.6			8	2	1	–	3	5	3	24	31	180	–
				MW	85	1	–	1	–	1	3	–	10	14	55	–
				FW	61	1	–	–	–	–	–	–	4	5	51	–
				MNW	56	3	1	–	–	1	1	2	7	7	34	–
				FNW	55	3	1	–	–	1	1	1	3	5	40	–
SABINE	180	231	9.1			6	–	1	–	5	7	7	18	31	156	–
				MW	107	2	–	1	–	4	4	4	10	18	64	–
				FW	85	1	–	–	–	–	–	3	3	5	73	–
				MNW	25	2	–	–	–	1	2	–	4	6	10	–
				FNW	14	1	–	–	–	–	1	–	1	2	9	–
ST. BERNARD	339	508	7.9			12	5	–	3	22	14	23	52	98	279	–
				MW	263	5	3	–	2	13	7	11	34	62	126	–
				FW	206	4	1	–	1	4	4	8	15	29	140	–
				MNW	25	1	1	–	–	5	2	3	1	5	7	–
				FNW	14	2	–	–	–	–	1	1	2	2	6	–
ST. CHARLES	136	217	5.8			11	1	–	3	9	3	15	24	33	118	–
				MW	85	2	1	–	3	7	2	7	11	15	37	–
				FW	74	3	–	–	–	–	1	4	3	13	50	–
				MNW	29	2	–	–	–	2	–	2	5	2	16	–
				FNW	29	4	–	–	–	–	–	2	5	3	15	–
ST. HELENA	44	65	6.6			2	–	1	–	1	4	2	3	10	42	–
				MW	19	2	–	–	–	1	2	–	1	3	10	–
				FW	12	–	–	–	–	–	–	1	–	2	9	–
				MNW	20	–	–	1	–	–	2	1	–	3	13	–
				FNW	14	–	–	–	–	–	–	–	2	2	10	–
ST. JAMES	132	169	7.9			4	1	–	1	5	9	2	6	26	115	–
				MW	40	–	–	–	1	1	1	2	3	6	26	–
				FW	47	–	–	–	–	1	–	–	1	2	43	–
				MNW	50	3	–	–	–	2	4	–	2	13	26	–
				FNW	32	1	1	–	–	1	4	–	–	5	20	–
ST. JOHN	116	214	6.7			2	2	1	–	10	5	11	18	38	127	–
				MW	64	–	1	–	–	4	2	3	5	10	39	–
				FW	52	–	1	–	–	2	–	1	6	11	31	–
				MNW	59	1	–	–	–	3	2	4	4	12	33	–
				FNW	39	1	–	1	–	1	1	3	3	5	24	–
ST. LANDRY	684	847	10.1			35	8	4	8	27	24	33	65	135	508	–
				MW	259	5	1	2	4	8	7	8	22	56	146	–
				FW	238	6	1	–	–	5	10	6	15	25	170	–
				MNW	206	15	3	2	4	11	5	15	16	33	102	–
				FNW	144	9	3	–	–	3	2	4	12	21	90	–

Table XX A (continued)
Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Usual Residence of the Deceased and Shown by Sex, Race, and Age
Louisiana, by Parish, 1980

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE IN YEARS										
						Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
Opelousas*	354	240	12.7			10	1	2	2	9	5	13	17	39	142	–
				MW	44	–	–	1	1	1	1	3	5	11	21	–
				FW	64	1	–	–	–	3	2	1	2	6	49	–
				MNW	72	7	–	1	1	4	1	7	5	12	34	–
				FNW	60	2	1	–	–	1	1	2	5	10	38	–
Eunice*	167	143	11.5			7	1	–	1	2	6	7	6	25	88	–
				MW	55	3	–	–	–	2	2	3	4	13	28	–
				FW	42	2	1	–	–	–	3	2	–	3	31	–
				MNW	29	2	–	–	1	–	–	2	2	5	17	–
				FNW	17	–	–	–	–	–	1	–	–	4	12	–
ST. MARTIN	180	307	7.6			28	4	1	1	6	7	14	31	48	167	–
				MW	116	8	2	–	–	3	3	7	9	25	59	–
				FW	95	1	1	–	1	2	1	1	4	13	71	–
				MNW	59	10	–	1	–	1	2	2	13	6	24	–
				FNW	37	9	1	–	–	–	1	4	5	4	13	–
ST. MARY	413	514	8.0			22	5	2	3	29	21	22	47	77	286	–
				MW	198	4	3	1	2	15	12	14	20	39	88	–
				FW	143	9	–	1	1	6	3	1	7	15	100	–
				MNW	88	4	1	–	–	6	6	4	14	14	39	–
				FNW	85	5	1	–	–	2	–	3	6	9	59	–
Morgan City*	168	156	9.7			4	–	–	–	6	5	8	15	23	95	–
				MW	64	–	–	–	–	3	2	6	10	14	29	–
				FW	60	3	–	–	–	2	2	1	3	5	44	–
				MNW	12	–	–	–	–	–	1	1	1	2	7	–
				FNW	20	1	–	–	–	1	–	–	1	2	15	–
ST. TAMMANY	636	705	6.4			18	6	4	4	34	24	31	61	126	397	–
				MW	361	6	3	1	3	24	13	13	33	68	197	–
				FW	228	5	3	3	–	5	5	11	17	40	139	–
				MNW	68	5	–	–	–	4	5	5	5	15	29	–
				FNW	48	2	–	–	1	1	1	2	6	3	32	–
Slidell*	213	160	6.0			5	–	1	–	7	4	12	24	26	81	–
				MW	91	2	–	–	–	4	1	6	13	14	51	–
				FW	52	3	–	1	–	2	1	6	8	8	23	–
				MNW	10	–	–	–	–	1	1	–	1	3	4	–
				FNW	7	–	–	–	–	–	1	–	2	1	3	–
TANGIPAHOA	702	726	9.0			22	9	1	3	23	25	35	57	105	446	–
				MW	267	7	5	–	1	8	9	13	28	38	158	–
				FW	216	2	2	1	1	5	3	7	10	25	160	–
				MNW	139	8	–	–	1	8	11	11	11	24	65	–
				FNW	104	5	2	–	–	2	2	4	8	18	63	–
Hammond*	54	134	8.9			3	–	–	1	3	9	5	9	23	81	–
				MW	26	1	–	–	–	1	3	–	2	4	15	–
				FW	39	–	–	–	1	–	1	–	1	7	29	–
				MNW	42	–	–	–	–	2	4	4	3	8	21	–
				FNW	27	2	–	–	–	–	1	1	3	4	16	–
TENSAS	81	111	13.0			1	–	1	2	1	2	2	7	18	77	–
				MW	30	1	–	1	–	–	1	–	3	7	17	–
				FW	19	–	–	–	1	–	–	–	2	5	11	–
				MNW	29	–	–	–	1	1	1	–	1	2	23	–
				FNW	33	–	–	–	–	–	–	2	1	4	26	–
TERREBONNE	601	598	6.3			79	9	4	10	38	25	24	58	93	308	–
				MW	262	10	3	2	8	19	12	11	24	51	122	–
				FW	178	4	4	–	1	10	7	5	16	20	111	–
				MNW	96	11	2	2	1	8	5	7	13	10	37	–
				FNW	62	4	–	–	–	1	1	1	5	12	38	–
Houma*	302	286	8.8			11	1	2	1	10	12	14	32	41	162	–
				MW	107	3	1	2	1	3	6	4	15	19	53	–
				FW	86	–	–	–	–	2	3	3	7	6	65	–
				MNW	52	6	–	–	–	5	3	6	6	7	19	–
				FNW	41	2	–	–	–	–	–	1	4	9	25	–
UNION	193	232	11.0			8	1	1	–	5	6	4	14	27	166	–
				MW	107	3	–	–	–	3	4	1	5	15	76	–
				FW	65	1	1	–	–	1	1	–	2	3	56	–
				MNW	32	3	–	–	–	1	1	1	4	4	18	–
				FNW	28	1	–	1	–	–	–	2	3	5	16	–
VERMILION	387	442	9.1			11	–	3	1	17	14	17	22	62	293	–
				MW	195	3	–	1	1	11	9	10	11	30	119	–
				FW	178	4	–	2	–	3	1	4	5	21	138	–
				MNW	45	3	–	–	–	2	3	2	4	8	23	–
				FNW	24	1	–	–	–	1	1	1	2	3	15	–

Table XX A (continued)

Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Usual Residence of the Deceased and Shown by Sex, Race, and Age Louisiana, by Parish, 1980

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE IN YEARS										
						Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
Abbeville*	181	163	13.2			7	–	–	–	4	4	7	8	27	106	–
				MW	58	2	–	–	–	1	2	3	3	14	33	–
				FW	59	2	–	–	–	1	–	1	2	7	46	–
				MNW	30	2	–	–	–	1	2	2	3	5	15	–
				FNW	16	1	–	–	–	1	–	1	–	1	12	–
VERNON	232	317	5.9			19	2	2	–	24	11	9	26	40	184	–
				MW	169	10	1	–	–	19	6	4	23	22	84	–
				FW	104	3	–	2	–	1	3	5	2	14	74	–
				MNW	26	3	–	–	–	4	2	–	–	4	13	–
				FNW	18	3	1	–	–	–	–	–	1	–	13	–
WASHINGTON	395	473	10.7			10	–	1	–	16	14	16	41	78	297	–
				MW	180	3	–	–	–	11	5	5	15	33	108	–
				FW	154	3	–	1	–	3	4	2	11	12	118	–
				MNW	70	2	–	–	–	1	2	6	10	16	33	–
				FNW	69	2	–	–	–	1	3	3	5	17	38	–
Bogalusa*	255	240	14.1			4	–	–	–	7	7	5	20	44	153	–
				MW	87	1	–	–	–	5	2	1	7	18	53	–
				FW	85	1	–	–	–	1	2	2	9	6	64	–
				MNW	31	1	–	–	–	1	1	1	2	8	17	–
				FNW	37	1	–	–	–	–	2	1	2	12	19	–
WEBSTER	415	489	11.2			5	1	1	3	17	9	21	24	78	330	–
				MW	188	1	–	–	2	8	1	11	12	36	117	–
				FW	154	1	–	–	1	6	2	1	4	16	123	–
				MNW	80	1	1	–	–	2	6	7	2	12	45	–
				FNW	67	2	–	1	–	1	–	2	2	14	45	–
Minden*	207	174	11.5			1	–	1	–	4	3	9	8	26	122	–
				MW	55	–	–	–	–	2	–	4	3	9	37	–
				FW	51	1	–	–	–	2	–	–	2	3	43	–
				MNW	33	–	–	–	–	–	3	3	3	7	17	–
				FNW	35	–	–	1	–	–	–	2	–	7	25	–
WEST BATON ROUGE	56	142	7.4			3	–	–	–	4	4	9	12	24	86	–
				MW	38	–	–	–	–	–	1	3	3	6	25	–
				FW	33	1	–	–	–	1	–	1	2	2	26	–
				MNW	40	1	–	–	–	3	3	4	3	12	14	–
				FNW	31	1	–	–	–	–	–	1	4	4	21	–
WEST CARROLL	65	124	9.6			4	2	–	1	3	4	5	8	11	86	–
				MW	71	1	1	–	–	2	2	4	6	7	48	–
				FW	36	2	1	–	1	1	1	1	1	3	25	–
				MNW	10	1	–	–	–	–	–	–	1	1	7	–
				FNW	7	–	–	–	–	–	1	–	–	–	6	–
WEST FELICIANA	75	64	5.3			–	–	–	–	5	5	4	6	9	35	–
				MW	15	–	–	–	–	1	1	1	4	1	7	–
				FW	7	–	–	–	–	–	–	–	–	–	7	–
				MNW	19	–	–	–	–	4	3	–	1	3	8	–
				FNW	23	–	–	–	–	–	1	3	1	5	13	–
WINN	195	251	14.5			3	1	–	–	4	12	14	16	36	165	–
				MW	99	1	–	–	–	2	6	5	9	15	61	–
				FW	77	–	–	–	–	1	3	3	3	9	58	–
				MNW	44	1	–	–	–	1	3	6	4	5	24	–
				FNW	31	1	1	–	–	–	–	–	–	7	22	–
UNKNOWN	–	26	– –			1	–	–	–	6	1	–	1	6	4	7
				MW	10	–	–	–	–	3	–	–	1	2	1	3
				FW	2	–	–	–	–	–	1	–	–	–	1	–
				MNW	10	1	–	–	–	2	–	–	–	3	1	3
				FNW	4	–	–	–	–	1	–	–	–	1	1	1
OUT OF STATE**	679	1230	– –			57	8	7	6	92	91	83	144	227	515	–
				MW	695	20	2	3	3	68	61	55	98	150	235	–
				FW	319	19	4	3	1	15	14	10	21	37	195	–
				MNW	159	15	2	1	1	5	13	16	15	31	60	–
				FNW	57	3	–	–	1	4	3	2	10	9	25	–

* Cities are included in Parish totals.
** Not included in State total.

Table XX B
Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Usual Residence of the Deceased and Shown by Sex, Race, and Age Louisiana, by State Planning Districts and Health Service Areas, 1980

STATE PLANNING DISTRICT (SPD) AND HEALTH SERVICE AREA (HSA)	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE IN YEARS										
						Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
TOTAL	36095	35544	8.5			1175	210	122	171	1235	1226	1345	2740	5636	21668	16
				MW	13246	306	69	42	67	635	512	506	1123	2468	7510	8
				FW	10493	219	41	29	32	186	190	273	539	1265	7719	–
				MNW	6419	357	54	31	45	317	372	367	637	1110	3123	6
				FNW	5386	293	46	20	27	97	152	199	441	783	3316	2
SPD 1	11528	10647	8.8			381	55	28	39	343	404	431	869	1823	6266	8
				MW	3844	69	13	8	14	159	153	152	344	779	2148	5
				FW	3202	60	11	7	3	44	55	84	156	410	2372	–
				MNW	1963	130	17	10	14	104	141	132	209	389	815	2
				FNW	1638	122	14	3	8	36	55	63	160	245	931	1
SPD 2	5231	5261	7.3			168	21	18	26	197	212	234	430	874	3081	–
				MW	1842	45	10	4	10	98	82	79	160	338	1016	–
				FW	1458	33	3	3	7	29	27	39	89	192	1036	–
				MNW	1047	49	2	6	6	58	74	75	101	196	480	–
				FNW	914	41	6	5	3	12	29	41	80	148	549	–
SPD 3	1545	1881	6.5			69	15	8	19	97	77	80	158	302	1056	–
				MW	775	22	6	5	13	53	38	35	72	151	380	–
				FW	573	13	6	–	2	18	17	20	37	69	391	–
				MNW	302	21	2	2	2	21	14	14	32	47	147	–
				FNW	231	13	1	1	2	5	8	11	17	35	138	–
SPD 4	4183	4391	8.1			171	45	19	20	182	151	173	334	656	2640	–
				MW	1790	45	18	6	7	107	78	80	142	310	997	–
				FW	1374	44	9	5	5	28	33	34	64	162	990	–
				MNW	692	47	7	6	7	37	28	34	83	115	328	–
				FNW	535	35	11	2	1	10	12	25	45	69	325	–
SPD 5	2082	2122	8.2			72	10	5	8	89	80	66	173	344	1275	–
				MW	955	31	5	3	3	48	44	33	83	166	539	–
				FW	690	18	3	1	3	17	18	14	38	93	485	–
				MNW	285	13	1	1	1	15	13	13	33	56	139	–
				FNW	192	10	1	–	1	9	5	6	19	29	112	–
SPD 6	2958	2903	9.2			82	12	14	16	107	83	95	219	433	1842	–
				MW	1207	32	4	2	8	69	32	37	112	208	703	–
				FW	852	14	2	8	3	15	17	28	39	99	627	–
				MNW	429	20	3	1	3	19	20	20	38	62	243	–
				FNW	415	16	3	3	2	4	14	10	30	64	269	–
SPD 7	5689	5267	9.6			140	29	20	26	145	146	174	375	769	3442	1
				MW	1773	39	10	9	7	69	51	61	131	331	1065	–
				FW	1494	24	3	2	5	23	14	30	82	164	1147	–
				MNW	1101	48	10	4	6	38	64	59	105	155	611	1
				FNW	899	29	6	5	8	15	17	24	57	119	619	–
SPD 8	2879	3046	9.6			91	23	10	17	69	72	92	181	429	2061	1
				MW	1050	23	3	5	5	29	34	29	78	183	661	–
				FW	848	13	4	3	4	12	8	24	34	76	670	–
				MNW	590	28	12	1	6	23	18	20	36	87	359	–
				FNW	558	27	4	1	2	5	12	19	33	83	371	1
UNKNOWN*	–	26	– –			1	–	–	–	6	1	–	1	6	4	7
				MW	10	–	–	–	–	3	–	–	1	2	1	3
				FW	2	–	–	–	–	–	1	–	–	–	1	–
				MNW	10	1	–	–	–	2	–	–	–	3	1	3
				FNW	4	–	–	–	–	1	–	–	–	1	1	1

TOTAL	36095	35544	8.5			1175	210	122	171	1235	1226	1345	2740	5636	21668	16
				MW	13246	306	69	42	67	635	512	506	1123	2468	7510	8
				FW	10493	219	41	29	32	186	190	273	539	1265	7719	–
				MNW	6419	357	54	31	45	317	372	367	637	1110	3123	6
				FNW	5386	293	46	20	27	97	152	199	441	793	3316	2
HSA 1	13073	12528	8.3			450	70	36	58	440	481	511	1027	2125	7322	8
				MW	4619	91	19	13	27	212	191	187	416	930	2528	5
				FW	3775	73	17	7	5	62	72	104	193	479	2763	–
				MNW	2265	151	19	12	16	125	155	146	241	436	962	2
				FNW	1869	135	15	4	10	41	63	74	177	280	1069	1
HSA 2	11494	11774	7.8			411	76	42	54	468	443	473	937	1874	6996	–
				MW	4587	121	33	13	20	253	204	192	385	814	2552	–
				FW	3522	95	15	9	15	74	78	87	191	447	2511	–
				MNW	2024	109	10	13	14	110	115	122	217	367	947	–
				FNW	1641	86	18	7	5	31	46	72	144	246	986	–
HSA 3	11528	11216	9.5			313	64	44	59	321	301	361	775	1631	7346	1
				MW	4030	94	17	16	20	167	117	127	321	722	2429	–
				FW	3194	51	9	13	12	50	39	82	155	339	2444	–
				MNW	2120	96	25	6	15	80	102	99	179	304	1213	1
				FNW	1872	72	13	9	12	24	43	53	120	266	1260	–
UNKNOWN*	–	26	– –			1	–	–	–	6	1	–	1	6	4	7
				MW	10	–	–	–	–	3	–	–	1	2	1	3
				FW	2	–	–	–	–	–	1	–	–	–	1	–
				MNW	10	1	–	–	–	2	–	–	–	3	1	3
				FNW	4	–	–	–	–	1	–	–	–	1	1	1

* Parish of residence unknown, assumed Louisiana residence.

Table XXI
Deaths Showing Hospital in Which Death Occurred, by Age
Louisiana, 1980

HOSPITAL	TOTAL	AGE											
		Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
TOTAL	36095	1217	214	124	167	526	749	1261	1380	2812	5750	21879	16
In Hospital	23685	1092	145	74	90	223	319	607	849	1927	4099	14254	6
Out of Hospital	12410	125	69	50	77	303	430	654	531	885	1651	7625	10
ACADIA	424	7	1	1	1	5	5	13	16	30	63	282	–
Acadia - St. Landry Hospital	31	–	–	–	–	–	–	1	1	1	1	27	–
American Legion Hospital	126	2	–	1	–	1	2	2	2	8	18	90	–
Rayne - Branch Hospital	106	2	1	–	–	–	1	2	5	10	15	70	–
Out of Hospital	161	3	–	–	1	4	2	8	8	11	29	95	–
ALLEN	211	8	–	–	–	4	6	6	6	16	20	145	–
Allen Parish Hospital	49	5	–	–	–	–	1	–	2	1	5	35	–
Oakdale General Hospital	74	1	–	–	–	–	2	–	1	4	8	58	–
Out of Hospital	88	2	–	–	–	4	3	6	3	11	7	52	–
ASCENSION	236	2	1	–	1	3	9	11	12	18	21	158	–
East Ascension General Hospital	58	–	–	–	–	1	2	2	3	3	3	44	–
Prevost Memorial Hospital	65	2	–	–	–	–	–	–	3	7	6	47	–
Out of Hospital	113	–	1	–	1	2	7	9	6	8	12	67	–
ASSUMPTION	83	1	1	2	–	5	4	7	5	6	13	39	–
Assumption General Hospital	36	1	–	–	–	1	1	1	3	4	7	18	–
Out of Hospital	47	–	1	2	–	4	3	6	2	2	6	21	–
AVOYELLES	334	4	2	1	1	9	4	11	3	16	48	235	–
Bunkie General Hospital	86	2	–	–	–	1	–	2	–	4	11	66	–
Marksville General Hospital	68	–	–	–	–	5	–	1	2	2	11	47	–
Out of Hospital	180	2	2	1	1	3	4	8	1	10	26	122	–
BEAUREGARD	203	4	–	–	–	6	5	6	3	22	28	129	–
Beauregard Memorial Hospital	118	2	–	–	–	2	1	1	2	15	13	82	–
Merryville General Hospital	21	1	–	–	–	–	–	–	–	2	4	14	–
Out of Hospital	64	1	–	–	–	4	4	5	1	5	11	33	–
BIENVILLE	80	–	1	1	–	2	–	2	3	3	7	61	–
Bienville General Hospital	22	–	–	–	–	–	–	–	2	1	1	18	–
Out of Hospital	58	–	1	1	–	2	–	2	1	2	6	43	–
BOSSIER	366	13	3	2	2	8	11	10	22	32	57	206	–
Barksdale Air Force Base Hospital	24	2	–	–	–	–	–	1	2	9	6	4	–
Bossier City General Hospital	117	6	–	1	–	4	3	2	5	11	19	66	–
Out of Hospital	225	5	3	1	2	4	8	7	15	12	32	136	–
CADDO	3527	168	29	12	17	34	46	96	116	278	608	2123	–
L.S.U. Medical Center (Charity)	822	96	21	2	6	15	20	33	42	82	138	367	–
Highland Hospital	133	–	–	–	–	–	–	2	5	12	24	90	–
North Caddo Memorial Hospital	57	–	–	–	–	–	1	1	5	4	6	40	–
Doctor's Hospital and Research Center	127	1	–	–	–	–	–	–	3	10	23	90	–
Physician's and Surgeon's Hospital	159	1	–	–	–	–	1	1	2	7	19	128	–
T.E. Schumpert Hospital	652	55	5	6	4	6	4	20	17	45	102	388	–
Shriner's Hospital for Crippled Children	1	–	–	–	1	–	–	–	–	–	–	–	–
Veterans Administration Hospital	390	–	–	–	–	–	1	5	9	52	161	162	–
Willis - Knighton Memorial Hospital	291	12	–	1	2	1	2	3	8	15	46	201	–
Out of Hospital	895	3	3	3	4	12	17	31	25	51	89	657	–
CALCASIEU	1352	41	6	6	5	21	23	54	44	111	222	819	–
DeQuincy General Hospital	20	1	–	–	–	–	1	–	–	2	2	14	–
Dr. Walter Olin Moss Regional Hospital	117	13	1	–	1	5	–	2	5	16	31	43	–
Lake Charles Memorial Hospital	274	11	3	1	2	4	4	16	9	23	55	146	–
St. Patrick's Hospital	355	7	2	1	–	–	5	11	11	30	62	226	–
West Calcasieu Cameron Hospital	171	5	–	1	–	1	1	1	6	14	26	116	–
Out of Hospital	415	4	–	3	2	11	12	24	13	26	46	274	–
CALDWELL	97	1	1	1	–	1	3	3	1	3	11	72	–
Caldwell Hospital	48	–	–	–	–	–	1	–	1	–	5	41	–
Citizen's Medical Hospital	20	–	–	–	–	–	–	–	–	1	3	16	–
Out of Hospital	29	1	1	1	–	1	2	3	–	2	3	15	–
CAMERON	49	–	–	–	–	3	3	8	3	5	10	17	–
South Cameron Memorial Hospital	12	–	–	–	–	–	1	–	–	–	2	9	–
Out of Hospital	37	–	–	–	–	3	2	8	3	5	8	8	–
CATAHOULA	93	–	–	1	–	–	3	–	4	9	17	59	–
Catahoula Parish Hospital	43	–	–	–	–	–	–	–	–	4	6	33	–
Out of Hospital	50	–	–	1	–	–	3	–	4	5	11	26	–
CLAIBORNE	137	3	1	–	2	2	4	3	6	6	12	98	–
Homer Memorial Hospital	56	2	1	–	2	–	–	–	1	1	6	43	–
North Claiborne Hospital	21	–	–	–	–	1	1	–	–	–	2	17	–
Out of Hospital	60	1	–	–	–	1	3	3	5	5	4	38	–
CONCORDIA	165	4	–	–	3	2	3	2	6	11	24	110	–
Concordia Parish Hospital	88	2	–	–	1	–	–	–	2	5	10	68	–
Out of Hospital	77	2	–	–	2	2	3	2	4	6	14	42	–

Table XXI (continued)
Deaths Showing Hospital in Which Death Occurred, by Age
Louisiana, 1980

HOSPITAL	TOTAL	AGE											
		Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
DESOTO	199	1	–	–	–	4	4	9	1	13	13	154	–
DeSoto General Hospital	101	–	–	–	–	–	1	3	1	6	5	85	–
Out of Hospital	98	1	–	–	–	4	3	6	–	7	8	69	–
EAST BATON ROUGE	2808	171	10	10	14	33	55	120	125	228	508	1594	–
Baton Rouge General Hospital	696	3	4	3	6	3	11	20	24	59	130	433	–
Doctor's Memorial Hospital	84	1	–	–	–	–	1	4	3	5	16	54	–
Earl K. Long Memorial Hospital	332	33	1	1	1	2	5	23	27	43	78	118	–
Lane Memorial Hospital	131	1	2	–	–	1	2	2	9	9	24	81	–
Our Lady of the Lake Medical Center	644	7	2	1	2	10	8	20	20	51	134	389	–
Woman's Hospital	55	53	–	–	–	–	–	–	1	–	–	1	–
Out of Hospital	866	13	1	5	5	17	28	51	41	61	126	518	–
EAST CARROLL	117	2	1	–	–	3	2	2	3	5	15	84	–
East Carroll Parish Hospital	53	–	–	–	–	1	–	1	1	3	7	40	–
Out of Hospital	64	2	1	–	–	2	2	1	2	2	8	44	–
EAST FELICIANA	265	1	–	2	1	3	2	5	4	15	39	193	–
Clinton Infirmary, Inc.	64	–	–	1	–	–	–	1	2	3	9	48	–
East Louisiana State Hospital	36	–	–	–	–	–	–	–	1	2	9	24	–
Jackson Special Hospital	2	–	–	–	–	–	–	–	–	1	1	–	–
Out of Hospital	163	1	–	1	1	3	2	4	1	9	20	121	–
EVANGELINE	292	3	1	–	1	7	5	9	13	14	37	202	–
Ville Platte General Hospital	112	1	–	–	–	2	1	1	5	8	14	80	–
Savoy Memorial Hospital	104	1	1	–	–	1	–	1	3	3	14	80	–
Out of Hospital	76	1	–	–	1	4	4	7	5	3	9	42	–
FRANKLIN	190	4	–	–	1	–	–	2	8	10	26	139	–
Franklin Parish Hospital	116	4	–	–	–	–	–	1	6	4	16	85	–
Out of Hospital	74	–	–	–	1	–	–	1	2	6	10	54	–
GRANT	55	2	1	–	–	2	1	3	3	3	5	35	–
Out of Hospital	55	2	1	–	–	2	1	3	3	3	5	35	–
IBERIA	491	9	7	1	2	18	11	18	12	31	56	326	–
Dauterive Hospital, Inc.	147	1	2	–	–	3	–	2	1	9	24	105	–
Iberia Parish Hospital	119	5	1	–	–	2	2	6	3	8	12	80	–
La Salette Memorial Hospital	2	–	–	–	–	–	–	–	–	–	1	1	–
Out of Hospital	223	3	4	1	2	13	9	10	8	14	19	140	–
IBERVILLE	224	–	–	2	1	4	9	11	8	26	24	139	–
Rhodes J. Spedale General Hospital	101	–	–	–	–	1	2	3	3	5	8	79	–
U.S. Public Health Service Hospital	6	–	–	–	–	–	–	–	–	–	1	5	–
Out of Hospital	117	–	–	2	1	3	7	8	5	21	15	55	–
JACKSON	148	4	–	–	1	3	1	4	3	3	12	117	–
Jackson Parish Hospital	87	1	–	–	–	1	–	2	–	1	6	76	–
Out of Hospital	61	3	–	–	1	2	1	2	3	2	6	41	–
JEFFERSON	2777	168	15	14	16	43	53	88	111	222	464	1582	1
East Jefferson General Hospital	817	10	1	2	4	8	18	29	38	50	151	506	–
Ochsner Foundation Hospital	567	95	10	7	5	7	3	9	19	53	116	243	–
Lakeside Hospital	66	42	–	–	–	–	–	1	–	–	3	20	–
Metairie General Hospital	115	–	–	–	–	–	–	–	–	1	7	107	–
South Jefferson General Hospital	7	–	–	–	–	–	–	–	–	–	2	5	–
West Jefferson General Hospital	712	18	4	3	3	10	16	20	28	81	121	407	1
Out of Hospital	493	3	–	2	4	18	16	29	26	37	64	294	–
JEFFERSON DAVIS	265	3	–	–	–	1	4	6	6	16	46	183	–
Jennings American Legion Hospital	136	3	–	–	–	–	1	1	4	10	27	90	–
Welsh General Hospital	34	–	–	–	–	–	–	–	1	2	7	24	–
Out of Hospital	95	–	–	–	–	1	3	5	1	4	12	69	–
LAFAYETTE	1312	83	16	8	5	28	34	48	66	119	213	692	–
Lafayette Charity Hospital	249	41	6	1	2	3	4	6	22	48	56	60	–
Lafayette General Hospital	382	36	3	3	–	9	5	13	17	28	59	209	–
Our Lady of Lourdes Hospital	381	1	3	3	2	7	10	10	12	23	70	240	–
Out of Hospital	300	5	4	1	1	9	15	19	15	20	28	183	–
LAFOURCHE	477	8	–	–	–	11	17	32	19	31	71	288	–
Lady of the Sea Hospital	60	–	–	–	–	–	3	2	5	3	12	35	–
St. Anne General Hospital	79	2	–	–	–	1	–	3	5	6	7	55	–
Thibodaux General Hospital	161	4	–	–	–	1	5	3	4	10	33	101	–
Out of Hospital	177	2	–	–	–	9	9	24	5	12	19	97	–
LASALLE	141	3	–	1	–	3	3	1	5	8	15	102	–
Hardtner Medical Center	31	–	–	–	–	–	2	–	–	3	3	23	–
LaSalle General Hospital	73	1	–	–	–	–	1	–	4	2	7	58	–
Out of Hospital	37	2	–	1	–	3	–	1	1	3	5	21	–

Table XXI (continued)

Deaths Showing Hospital in Which Death Occurred, by Age
Louisiana, 1980

HOSPITAL	TOTAL	AGE											
		Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
LINCOLN	335	5	–	3	1	4	2	6	8	12	43	251	–
Lincoln General Hospital	232	5	–	2	–	–	–	3	6	10	36	170	–
Out of Hospital	103	–	–	1	1	4	2	3	2	2	7	81	–
LIVINGSTON	284	2	3	–	1	8	9	9	10	12	34	196	–
Dixon Memorial Hospital	148	1	–	–	–	–	2	–	4	4	20	117	–
Out of Hospital	136	1	3	–	1	8	7	9	6	8	14	79	–
MADISON	125	1	1	–	–	–	5	3	1	5	15	94	–
Madison Parish Hospital	44	1	–	–	–	–	–	1	–	2	3	37	–
Out of Hospital	81	–	1	–	–	–	5	2	1	3	12	57	–
MOREHOUSE	314	4	1	1	3	5	8	11	8	9	43	221	–
Morehouse General Hospital	166	2	1	–	1	2	5	4	5	6	17	123	–
Out of Hospital	148	2	–	1	2	3	3	7	3	3	26	98	–
NATCHITOCHES	338	2	2	1	2	7	3	17	7	24	46	227	–
Natchitoches Parish Hospital	142	1	–	–	–	1	–	3	2	4	15	116	–
Out of Hospital	196	1	2	1	2	6	3	14	5	20	31	111	–
ORLEANS	7678	329	45	27	29	80	155	312	343	486	1395	4265	12
Jo Ellen Smith Memorial Hospital	273	6	2	3	1	3	6	2	11	28	37	174	–
Baptist Hospital	624	82	6	2	–	5	5	10	17	30	101	366	–
Charity Hospital of New Orleans	1473	153	14	9	8	28	43	115	106	174	301	518	4
Children's Hospital	15	3	7	1	1	1	–	–	–	–	–	2	–
De Paul Hospital and Community Mental Health Center	1	–	–	–	–	–	–	–	1	–	–	–	–
The New St. Claude General Hospital	109	5	–	–	–	1	1	3	4	6	13	76	–
Eye and Ear Institute of Louisiana	1	–	–	–	–	–	–	–	–	–	–	1	–
Flint Goodridge Hospital of Dillard University	98	4	–	–	–	–	1	5	3	6	5	74	–
Hotel Dieu Hospital	349	5	–	–	1	3	–	4	11	24	44	257	–
Pendleton Memorial Methodist Hospital	306	10	2	1	3	4	6	6	8	21	62	183	–
Mercy Hospital	337	–	–	–	–	–	1	4	11	16	52	253	–
Montelepre Memorial Hospital	50	–	–	–	–	–	–	–	1	3	11	35	–
St Charles General Hospital	156	1	–	–	–	–	–	1	6	8	15	125	–
Touro Infirmary	509	4	3	–	1	–	7	7	12	29	74	372	–
Tulane Medical Center Hospital	197	27	2	5	5	–	3	13	6	30	30	76	–
U.S. Public Health Service Hospital	129	2	–	–	–	–	2	–	6	28	40	51	–
Veterans Administration Hospital	510	–	–	–	–	–	1	5	9	83	216	196	–
Out of Hospital	2541	27	9	6	9	35	79	137	131	200	394	1506	8
OUACHITA	1256	47	10	6	9	7	18	32	45	94	201	787	–
E. A. Conway Memorial Hospital	186	5	2	–	–	–	4	5	13	21	44	92	–
Glenwood Hospital	177	1	–	–	–	–	1	4	4	18	27	122	–
St. Francis Hospital	430	35	4	4	4	2	5	8	9	32	60	267	–
Sterlington General Hospital	13	–	–	–	–	–	–	–	2	–	2	9	–
Out of Hospital	450	6	4	2	5	5	8	15	17	23	68	297	–
PLAQUEMINES	98	–	–	1	–	7	8	17	10	8	11	35	1
Plaquemines Parish General Hospital	45	–	–	–	–	4	6	6	4	6	5	10	–
Out of Hospital	53	–	–	1	–	3	2	11	2	2	6	25	1
POINTE COUPEE	142	2	–	–	1	3	5	6	5	19	13	88	–
Pointe Coupee General Hospital	74	1	–	–	–	–	2	1	2	9	5	54	–
Out of Hospital	68	1	–	–	1	3	3	5	3	10	8	34	–
RAPIDES	1745	37	15	8	14	25	28	43	57	163	314	1041	–
Rapides General Hospital	446	9	1	1	3	4	15	9	12	33	64	295	–
Hair, Carlton and Luke Clinic	1	–	–	–	–	–	–	–	–	1	–	–	–
Central Louisiana State Hospital	18	–	–	–	–	–	–	3	1	1	4	9	–
Doctor's Hospital	25	–	–	–	–	–	–	–	1	3	4	17	–
England Air Force Base Hospital	6	–	–	–	–	–	–	–	–	2	2	2	–
Huey P. Long Charity Hospital	160	13	4	–	2	1	–	8	12	26	30	64	–
St. Francis Cabrini Hospital	313	12	1	2	1	4	6	7	9	23	45	203	–
Pinecrest State Hospital	16	1	4	1	–	–	–	3	1	2	1	3	–
Veterans Administration Hospital	270	–	–	–	–	–	–	1	3	36	100	130	–
Out of Hospital	490	2	5	4	8	16	7	12	18	36	64	318	–
RED RIVER	112	1	–	–	1	1	5	5	3	8	16	71	1
L.S. Huckabay Memorial Hospital	52	1	–	–	–	1	1	1	–	4	7	36	1
Hanna Clinic and Hospital	10	–	–	–	–	–	1	–	–	1	4	4	–
Out of Hospital	50	–	–	–	1	–	3	4	3	3	5	31	–
RICHLAND	293	3	3	1	–	–	2	2	2	22	33	225	–
Richland Parish Hospital (Delhi)	52	–	1	1	–	–	1	–	–	3	5	41	–
Richland Parish Hospital (Rayville)	117	1	1	–	–	–	–	1	1	9	15	89	–
Out of Hospital	124	2	1	–	–	–	1	1	1	10	13	95	–
SABINE	180	3	–	2	–	3	2	8	4	15	22	121	–
Fraser Hospital, Inc.	74	1	–	–	–	1	–	2	1	6	5	58	–
Pleasant Hill General Hospital	22	–	–	–	–	–	–	–	–	1	3	18	–
Out of Hospital	84	2	–	2	–	2	2	6	3	8	14	45	–

Table XXI (continued)
Deaths Showing Hospital in Which Death Occurred, by Age
Louisiana, 1980

HOSPITAL	TOTAL	AGE											
		Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
ST. BERNARD	339	2	2	–	1	4	12	11	16	28	48	215	–
De La Ronde Hospital	6	–	–	–	–	–	1	1	–	1	1	2	–
Chalmette General Hospital	204	1	1	–	1	2	4	5	8	17	30	135	–
Out of Hospital	129	1	1	–	–	2	7	5	8	10	17	78	–
ST. CHARLES	136	2	–	–	4	6	4	9	5	16	20	69	1
St. Charles Parish Hospital	62	1	–	–	2	4	1	2	1	7	10	34	–
Out of Hospital	74	1	–	–	2	2	3	7	4	9	10	35	–
ST. HELENA	44	–	–	–	–	–	–	1	–	2	7	34	–
St. Helena Parish Hospital	30	–	–	–	–	–	–	1	–	1	5	23	–
Out of Hospital	14	–	–	–	–	–	–	–	–	1	2	11	–
ST. JAMES	132	1	–	–	1	4	1	5	1	4	19	96	–
St. James Parish Hospital	42	–	–	–	–	1	–	–	–	–	6	35	–
West St. James Parish Hospital	21	–	–	–	–	–	–	1	–	1	1	18	–
Out of Hospital	69	1	–	–	1	3	1	4	1	3	12	43	–
ST. JOHN	116	–	1	1	–	1	10	5	4	11	16	67	–
Out of Hospital	116	–	1	1	–	1	10	5	4	11	16	67	–
ST. LANDRY	684	15	4	1	3	11	22	14	23	38	98	455	–
Moosa Memorial Hospital	121	5	–	–	1	–	2	1	5	4	19	84	–
Opelousas General Hospital	245	7	3	1	2	3	4	7	6	14	35	163	–
Doctor's Hospital	10	1	–	–	–	–	–	–	1	1	4	3	–
St. Luke Hospital	40	–	–	–	–	–	1	1	–	2	5	31	–
Out of Hospital	268	2	1	–	–	8	15	5	11	17	35	174	–
ST. MARTIN	180	10	4	–	1	2	4	8	10	15	28	98	–
Gary Memorial Hospital	49	6	–	–	–	–	–	1	2	2	4	34	–
St. Martin Infirmary	22	2	–	–	–	–	–	–	–	2	6	12	–
Out of Hospital	109	2	4	–	1	2	4	7	8	11	18	52	–
ST. MARY	413	10	5	–	3	8	13	12	22	36	58	246	–
Fairview Hospital	16	–	–	–	–	–	–	–	1	1	–	14	–
Franklin Foundation Hospital	130	4	1	–	–	–	1	–	3	5	14	101	–
Lakewood Hospital	142	5	1	–	–	3	2	2	7	18	27	77	–
Out of Hospital	125	1	2	–	3	5	10	10	11	12	17	54	–
ST. TAMMANY	636	7	5	1	5	10	17	24	23	48	92	404	–
Highland Park Hospital	52	2	–	–	–	–	–	2	–	4	4	40	–
St. Tammany Parish Hospital	171	1	–	–	1	2	3	1	2	11	28	122	–
Slidell Memorial Hospital	167	2	2	–	1	2	–	1	5	10	26	118	–
Southeast Louisiana State Hospital	4	–	–	–	–	–	–	1	1	–	2	–	–
Out of Hospital	242	2	3	1	3	6	14	19	15	23	32	124	–
TANGIPAHOA	702	13	5	–	4	18	11	22	27	51	104	447	–
Hammond State Hospital	7	1	–	–	2	1	–	2	–	1	–	–	–
Hood Memorial Hospital	66	–	1	–	–	1	1	–	4	3	11	45	–
Lallie Kemp Charity Hospital	129	3	1	–	–	3	2	9	8	18	32	53	–
Pike Clinic	54	–	–	–	–	–	–	–	–	2	9	43	–
Seventh Ward General Hospital	207	7	2	–	–	4	–	3	6	9	24	152	–
Out of Hospital	239	2	1	–	2	9	8	8	9	18	28	154	–
TENSAS	81	1	–	–	–	1	1	–	–	3	11	64	–
St. Charles Hospital of Tensas Parish	48	1	–	–	–	–	–	–	–	2	5	40	–
Out of Hospital	33	–	–	–	–	1	1	–	–	1	6	24	–
TERREBONNE	601	28	8	2	9	17	22	27	23	53	95	317	–
South Louisiana Medical Center	136	12	1	1	3	2	–	4	10	16	34	53	–
Terrebonne Parish General Hospital	205	15	1	1	2	4	3	5	3	14	40	117	–
Out of Hospital	260	1	6	–	4	11	19	18	10	23	21	147	–
UNION	193	4	1	–	–	5	2	5	5	7	21	143	–
Tri-Ward General Hospital	46	2	–	–	–	–	–	–	2	1	4	37	–
Union General Hospital	63	1	1	–	–	–	–	–	1	3	8	49	–
Out of Hospital	84	1	–	–	–	5	2	5	2	3	9	57	–
VERMILION	387	2	–	1	1	9	8	9	19	19	47	272	–
Abrom Kaplan Memorial Hospital	54	–	–	–	–	–	–	1	1	3	5	44	–
Abbeville General Hospital	146	1	–	–	–	–	1	2	6	6	23	107	–
Erath General Hospital	45	–	–	–	–	–	–	–	–	1	3	41	–
Gueydan Memorial Hospital	12	–	–	–	–	1	–	–	1	–	2	8	–
Out of Hospital	130	1	–	1	1	8	7	6	11	9	14	72	–
VERNON	232	16	1	1	–	2	16	11	7	17	25	136	–
Leesville General Hospital	36	–	–	–	–	–	–	–	1	1	6	28	–
U.S. Army Community Hospital (Fort Polk)	37	13	–	–	–	–	4	3	2	4	8	3	–
Byrd Memorial Hospital	69	1	–	–	–	1	1	–	2	4	4	56	–
Out of Hospital	90	2	1	1	–	1	11	8	2	8	7	49	–
WASHINGTON	395	7	–	–	–	4	8	7	17	32	66	254	–
Bogalusa Community Medical Center	120	1	–	–	–	–	–	1	1	11	16	90	–
Riverside Medical Center	82	3	–	–	–	1	1	2	2	5	13	55	–
Washington - St. Tammany Charity Hospital	64	3	–	–	–	–	3	3	6	4	12	33	–
Out of Hospital	129	–	–	–	–	3	4	1	8	12	25	76	–

Table XXI (continued)
Deaths Showing Hospital in Which Death Occurred, by Age
Louisiana, 1980

HOSPITAL	TOTAL	AGE											
		Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
WEBSTER	415	3	1	1	–	2	10	8	15	18	51	306	–
Minden Medical Center	122	3	–	–	–	1	2	–	4	8	9	95	–
Community Hospital	93	–	–	–	–	–	–	–	2	3	10	78	–
Out of Hospital	200	–	1	1	–	1	8	8	9	7	32	133	–
WEST BATON ROUGE	56	–	–	–	–	2	3	7	4	5	11	24	–
Out of Hospital	56	–	–	–	–	2	3	7	4	5	11	24	–
WEST CARROLL	65	1	–	–	–	–	1	2	4	2	8	47	–
West Carroll Parish Hospital	32	–	–	–	–	–	–	–	1	1	1	29	–
Out of Hospital	33	1	–	–	–	–	1	2	3	1	7	18	–
WEST FELICIANA	75	–	–	–	–	–	4	5	6	7	10	43	–
Angola General Hospital	1	–	–	–	–	–	–	–	–	1	–	–	–
West Feliciana Parish Hospital	46	–	–	–	–	–	–	1	5	5	7	28	–
Out of Hospital	28	–	–	–	–	–	4	4	1	1	3	15	–
WINN	195	1	–	1	–	2	–	8	9	13	24	137	–
Winnfield General Hospital	135	–	–	–	–	1	–	2	3	6	15	108	–
Out of Hospital	60	1	–	1	–	1	–	6	6	7	9	29	–

Table XXII
Principal Causes of Death by Parish
Louisiana, 1980
(By Residence)

PARISH	TOTAL		Diseases of Heart (390-398, 402 (404-429)		Malignant Neoplasms (140-209)		Cerebrovascular Disease (430-438)		Accidents and Adverse Effects (E800-E949)		Diabetes Mellitus (250)	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
TOTAL	35544	845.5	12959	308.3	6892	163.9	3288	78.2	2522	60.0	758	17.8
ACADIA	540	957.0	168	297.7	125	221.5	62	109.9	31	54.9	16	28.4
ALLEN	235	1098.6	76	355.3	47	219.7	26	121.6	33	154.3	1	4.7
ASCENSION	323	645.1	103	205.7	57	113.8	20	39.9	24	47.9	14	28.0
ASSUMPTION	175	792.4	61	276.2	28	126.8	23	104.1	18	81.5	4	18.1
AVOYELLES	417	1007.4	157	379.3	83	200.5	39	94.2	34	82.1	6	14.5
BEAUREGARD	246	828.5	91	306.5	44	148.2	29	97.7	22	74.1	-	- -
BIENVILLE	180	1098.4	69	421.1	32	195.3	15	91.5	17	103.7	1	6.1
BOSSIER	555	687.6	196	242.8	122	151.1	31	38.4	46	57.0	13	16.1
CADDO	2470	979.0	947	375.4	485	192.2	211	83.6	130	51.5	70	27.7
CALCASIEU	1297	776.4	423	253.2	262	156.8	148	88.6	105	62.9	21	12.6
CALDWELL	106	985.0	45	418.2	13	120.8	12	111.5	9	83.6	2	18.6
CAMERON	59	632.0	19	203.5	11	117.8	4	42.8	9	96.4	1	10.7
CATAHOULA	130	1058.0	49	398.8	20	162.8	17	138.4	13	105.8	2	16.3
CLAIBORNE	187	1093.9	76	444.6	24	140.4	22	128.7	15	87.7	5	29.2
CONCORDIA	225	979.1	85	369.9	34	147.9	40	174.1	20	87.0	2	8.7
DESOTO	310	1207.9	108	420.8	51	198.7	51	198.7	14	54.6	7	27.3
EAST BATON ROUGE	2381	650.3	978	267.1	457	124.8	159	43.4	166	45.3	43	11.7
EAST CARROLL	129	1095.8	37	314.3	30	254.8	18	152.9	9	76.5	4	34.0
EAST FELICIANA	184	967.7	77	404.9	27	142.0	26	136.7	7	36.8	2	10.5
EVANGELINE	333	998.7	121	362.9	80	239.9	22	66.0	30	90.0	9	27.0
FRANKLIN	252	1043.9	105	434.9	47	194.7	35	145.0	12	49.7	6	24.9
GRANT	154	922.0	59	353.2	29	173.6	20	119.7	11	65.9	4	23.9
IBERIA	524	821.9	169	265.1	114	178.8	48	75.3	58	91.0	5	7.8
IBERVILLE	321	998.2	111	345.2	56	174.1	34	105.7	26	80.8	9	28.0
JACKSON	200	1154.7	69	398.4	34	196.3	32	184.7	12	69.3	5	28.9
JEFFERSON	2972	653.8	1115	245.3	648	142.5	225	49.5	173	38.1	58	12.8
JEFFERSON DAVIS	285	886.0	87	270.5	70	217.6	27	83.9	13	40.4	8	24.9
LAFAYETTE	884	589.3	247	164.6	204	136.0	76	50.7	68	45.3	16	10.7
LAFOURCHE	508	615.9	186	225.5	93	112.8	37	44.9	55	66.7	15	18.2
LASALLE	177	1040.9	67	394.0	37	217.6	22	129.4	15	88.2	1	5.9
LINCOLN	301	757.0	107	269.1	66	166.0	44	110.7	13	32.7	5	12.6
LIVINGSTON	361	615.5	112	190.9	59	100.6	32	54.6	33	56.3	4	6.8
MADISON	185	1255.7	78	529.4	28	190.0	21	142.5	15	101.8	1	6.8
MOREHOUSE	342	982.7	108	310.3	64	183.9	32	91.9	33	94.8	8	23.0
NATCHITOCHES	431	1081.2	182	456.6	58	145.5	54	135.5	37	92.8	6	15.1
ORLEANS	6258	1122.5	2183	391.6	1239	222.2	570	102.2	310	55.6	167	30.0
OUACHITA	1108	745.7	440	316.0	211	151.5	90	64.6	73	52.4	22	15.8
PLAQUEMINES	204	783.1	67	257.2	47	180.4	12	46.1	22	84.5	2	7.7
POINTE COUPEE	221	919.1	69	287.0	46	191.3	21	87.3	22	91.5	5	20.8
RAPIDES	1232	910.7	488	360.7	235	173.7	99	73.2	82	60.6	17	12.6
RED RIVER	113	1083.1	42	402.6	17	162.9	8	76.7	10	95.8	4	38.3
RICHLAND	257	1158.3	102	459.7	42	189.3	45	202.8	10	45.1	1	4.5
SABINE	231	913.8	93	367.9	39	154.3	23	91.0	15	59.3	4	15.8
ST. BERNARD	508	792.5	198	308.9	114	177.9	35	54.6	35	54.6	19	29.6
ST. CHARLES	217	582.4	75	201.3	51	136.9	13	34.9	23	61.7	6	16.1
ST. HELENA	65	661.4	28	284.9	10	101.8	3	30.5	3	30.5	5	50.9
ST. JAMES	169	786.2	78	362.9	28	130.3	16	74.4	11	51.2	3	14.0
ST. JOHN	214	670.3	66	206.7	53	166.0	27	84.6	16	50.1	9	28.2
ST. LANDRY	847	1006.8	342	406.5	138	164.0	86	102.2	54	64.2	19	22.6
ST. MARTIN	307	763.4	105	261.1	62	154.2	24	59.7	27	67.1	7	17.4
ST. MARY	514	798.2	187	290.4	76	118.0	40	62.1	80	124.2	10	15.5
ST. TAMMANY	705	637.7	241	218.0	149	134.8	60	54.3	65	58.8	13	11.8
TANGIPAHOA	726	899.7	254	314.8	116	143.7	80	99.1	54	66.9	9	11.2
TENSAS	111	1302.1	52	610.0	22	258.1	8	93.8	3	35.2	4	46.9
TERREBONNE	598	633.5	200	211.9	104	110.2	54	57.2	73	77.3	6	6.4
UNION	232	1096.0	96	453.5	49	231.5	21	99.2	18	85.0	4	18.9
VERMILION	442	912.1	177	365.3	76	156.8	34	70.2	39	80.5	4	8.3
VERNON	317	592.8	116	216.9	48	89.8	13	24.3	34	63.6	5	9.4
WASHINGTON	473	1070.0	162	366.5	87	196.8	58	131.2	31	70.1	7	15.8
WEBSTER	489	1120.8	194	444.6	99	226.9	65	149.0	25	57.3	11	25.2
WEST BATON ROUGE	142	744.0	57	298.6	21	110.0	11	57.6	11	57.6	5	26.2
WEST CARROLL	124	959.6	39	301.8	28	216.7	18	139.3	8	61.9	2	15.5
WEST FELICIANA	64	525.2	14	114.9	15	123.1	8	65.6	10	82.1	2	16.4
WINN	251	1454.8	101	585.4	30	173.9	32	185.5	20	115.9	4	23.2
UNKNOWN	26	- -	5	- -	1	- -	-	- -	12	- -	-	- -
OUT OF STATE *	1230	- -	361	- -	195	- -	84	- -	225	- -	14	- -

Rates equal deaths per 100,000 population.
* Not included in state total

Table XXII (continued)
Principal Causes of Death by Parish
Louisiana, 1980
(By Residence)

PARISH	Chronic Obstructive Pulmonary Diseases and Allied Conditions (490-496)	Atherosclerosis (440)	Homicide and ** Legal Intervention (E960-978)	Pneumonia and Influenza (480-487)	Certain Conditions Originating in the Perinatal Period (760-779)	Suicide (E950-E959)	Chronic Liver Disease and Cirrhosis (571)	Nephritis, Nephrotic Syndrome, and Nephrosis (580-589)	Congenital Anomalies (740-759)	Septicemia (38)	All Other Causes Residual
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
TOTAL	748	668	666	631	612	497	470	443	331	258	3809
ACADIA	12	12	2	17	4	9	8	6	11	1	56
ALLEN	3	3	1	10	5	4	2	1	-	1	22
ASCENSION	10	5	9	7	9	4	8	9	2	4	38
ASSUMPTION	5	5	3	2	6	1	-	1	2	1	15
AVOYELLES	8	13	5	5	5	3	3	6	1	2	47
BEAUREGARD	1	7	5	4	5	3	3	3	5	3	21
BIENVILLE	2	3	2	6	3	-	1	2	-	1	26
BOSSIER	19	4	6	8	10	11	12	9	8	2	58
CADDO	50	17	58	46	42	24	29	23	19	28	291
CALCASIEU	37	55	18	26	21	20	15	7	9	4	126
CALDWELL	3	1	2	5	-	-	-	-	-	1	13
CAMERON	-	2	1	1	1	-	-	1	4	1	4
CATAHOULA	3	1	-	2	3	2	2	1	1	-	14
CLAIBORNE	7	-	1	5	1	2	1	3	3	1	21
CONCORDIA	6	3	2	5	2	4	1	4	1	1	15
DESOTO	2	14	5	6	4	3	4	2	2	2	35
EAST BATON ROUGE	39	25	37	38	51	39	38	31	19	17	244
EAST CARROLL	2	7	2	5	4	-	-	1	1	1	8
EAST FELICIANA	7	-	2	10	2	-	1	7	1	1	14
EVANGLINE	7	5	2	5	1	15	1	6	1	2	26
FRANKLIN	4	-	6	5	3	1	1	1	2	2	22
GRANT	7	-	-	1	-	1	-	1	-	1	20
IBERIA	8	22	5	11	4	6	4	4	7	2	57
IBERVILLE	6	5	5	6	7	1	1	8	3	4	39
JACKSON	2	-	3	6	3	3	1	2	1	-	27
JEFFERSON	56	43	51	38	67	64	45	30	48	22	289
JEFFERSON DAVIS	11	10	1	9	7	1	3	1	3	1	33
LAFAYETTE	23	44	17	14	19	19	9	14	12	6	96
LAFOURCHE	9	16	6	9	9	5	3	7	3	-	55
LASALLE	-	3	1	1	3	2	3	5	-	1	16
LINCOLN	5	6	4	4	2	1	1	-	1	2	40
LIVINGSTON	11	4	4	8	4	12	6	3	3	5	61
MADISON	4	-	3	2	2	1	1	5	-	-	24
MOREHOUSE	10	8	8	12	5	4	4	9	2	2	33
NATCHITOCHES	6	4	9	10	3	4	5	6	-	3	44
ORLEANS	126	68	214	95	125	68	136	102	45	58	752
OUACHITA	27	24	14	20	20	20	10	5	12	3	117
PLAQUEMINES	2	-	3	4	5	4	3	4	1	3	25
POINTE COUPEE	5	4	3	1	2	2	2	6	2	2	29
RAPIDES	46	17	24	26	14	20	13	9	9	5	128
RED RIVER	2	1	6	3	2	1	1	1	2	1	12
RICHLAND	11	2	4	4	3	3	1	-	1	1	27
SABINE	4	6	1	9	4	3	2	2	-	1	25
ST. BERNARD	10	5	11	7	6	10	7	4	6	2	39
ST. CHARLES	3	3	1	2	5	6	4	2	2	1	20
ST. HELENA	1	2	2	3	1	1	-	-	-	-	6
ST. JAMES	2	4	1	1	1	-	2	3	-	1	18
ST. JOHN	6	1	5	1	2	1	4	2	1	3	17
ST. LANDRY	14	8	4	21	18	19	5	12	9	11	87
ST. MARTIN	4	6	2	6	20	7	4	2	7	4	20
ST. MARY	8	7	11	6	11	5	4	6	8	4	51
ST. TAMMANY	16	19	10	9	5	9	14	9	9	6	71
TANGIPAHOA	12	63	18	10	8	9	5	7	8	7	66
TENSAS	3	-	-	2	1	-	-	3	-	1	12
TERREBONNE	9	30	9	8	10	10	11	7	10	5	52
UNION	4	1	1	2	4	1	4	1	2	-	24
VERMILION	7	18	5	3	6	6	3	6	3	4	51
VERNON	4	6	9	11	8	3	1	3	8	1	47
WASHINGTON	14	17	8	5	7	9	7	7	-	4	50
WEBSTER	9	-	5	12	1	6	5	7	6	3	41
WEST BATON ROUGE	3	6	1	-	2	1	3	1	1	2	17
WEST CARROLL	1	-	1	4	2	1	-	4	2	-	14
WEST FELICIANA	2	3	1	-	-	1	-	1	-	-	7
WINN	8	-	4	7	1	1	3	8	2	-	30
UNKNOWN	-	-	2	-	1	1	-	-	-	-	4
OUT OF STATE *	17	11	34	24	28	21	26	20	18	10	142

* Not included in state totals

** Includes 13 deaths due to legal intervention

Table XXIII

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1980

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
ALL CAUSES	35544	847.4	MW	13246	306	69	42	67	261	374	512	506	1123	2468	3581	2840	1089	8
			FW	10493	219	41	29	32	103	83	190	273	539	1265	2317	3099	2303	–
			MNW	6419	357	54	31	45	113	204	372	367	637	1110	1468	1127	528	6
			FNW	5386	293	46	20	27	39	58	152	199	441	793	1324	1248	744	2
I. Infectious and parasitic diseases - (001-139)	420	10.1			24	15	7	3	5	1	11	22	32	67	104	85	44	–
			MW	129	8	9	3	1	3	–	2	5	9	24	37	22	6	–
			FW	109	1	2	3	1	1	1	2	5	6	16	23	26	22	–
			MNW	111	11	2	–	1	1	–	4	6	12	15	26	24	9	–
			FNW	71	4	2	1	–	–	–	3	6	5	12	18	13	7	–
A. Intestinal infectious diseases - (001-009)	9	0.2			5	–	–	–	–	–	–	1	–	–	2	1	–	–
			MW	4	3	–	–	–	–	–	–	–	–	–	1	–	–	–
			FW	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			MNW	3	2	–	–	–	–	–	–	–	–	–	1	–	–	–
			FNW	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
1. Cholera and typhoid and paratyphoid fevers - (001-002)	–	– –																
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. Shigellosis - (004)	–	– –																
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. Other salmonella infections and other food poisoning (bacterial) - (003, 005)	2	0.0			–	–	–	–	–	–	–	–	–	–	2	–	–	–
			MW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4. Amebiasis - (006)	–	– –																
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5. Intestinal infections due to other specified organisms - (007-008)	1	0.0			1	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6. Ill-defined intestinal infections - (009)	6	0.1			4	–	–	–	–	–	–	1	–	–	–	1	–	–
			MW	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			MNW	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
B. Tuberculosis - (010-018)	49	1.2			–	–	–	–	–	–	2	4	8	8	15	11	1	–
			MW	20	–	–	–	–	–	–	–	1	1	6	6	5	1	–
			FW	4	–	–	–	–	–	–	–	–	–	–	3	1	–	–
			MNW	19	–	–	–	–	–	–	2	2	6	–	5	4	–	–
			FNW	6	–	–	–	–	–	–	–	1	1	2	1	1	–	–
1. Tuberculosis of respiratory system - (010-012)	43	1.0			–	–	–	–	–	–	–	4	8	6	13	11	1	–
			MW	18	–	–	–	–	–	–	–	1	1	4	6	5	1	–
			FW	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–
			MNW	16	–	–	–	–	–	–	–	2	6	–	4	4	–	–
			FNW	6	–	–	–	–	–	–	–	1	1	2	1	1	–	–
2. Other tuberculosis - (013-018)	6	0.1			–	–	–	–	–	–	2	–	–	2	2	–	–	–
			MW	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–
			FW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			MNW	3	–	–	–	–	–	–	2	–	–	–	1	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
C. Zoonotic and other bacterial diseases - (020-041)	283	6.7			14	12	3	1	1	–	6	12	13	43	70	66	42	–
			MW	80	3	7	2	–	–	–	2	3	5	13	24	16	5	–
			FW	76	1	2	–	1	–	–	2	3	2	8	16	20	21	–
			MNW	75	6	1	–	–	1	–	1	4	3	14	17	19	9	–
			FNW	52	4	2	1	–	–	–	1	2	3	8	13	11	7	–
1. Brucellosis - (023)	–	– –																
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age

Louisiana, 1980

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
2. Diphtheria - (032)	–	– –			–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. Whooping cough - (033)	–	– –			–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4. Streptococcal sore throat, scarlatina, and erysipelas - (034-035)	–	– –			–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5. Meningococcal infection - (036)	15	0.4			1	8	2	1	1	–	1	–	–	–	1	–	–	–
			MW	7	–	5	1	–	–	–	1	–	–	–	–	–	–	–
			FW	3	–	1	–	1	–	–	–	–	–	–	1	–	–	–
			MNW	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–
			FNW	3	1	1	1	–	–	–	–	–	–	–	–	–	–	–
6. Tetanus - (037)	2	0.0			–	–	–	–	–	–	–	–	–	–	1	1	–	–
			MW	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7. Septicemia - (038)	258	6.2			13	4	1	–	–	–	4	12	11	43	64	65	41	–
			MW	69	3	2	1	–	–	–	1	3	5	13	21	15	5	–
			FW	71	1	1	–	–	–	–	2	3	2	8	13	20	21	–
			MNW	71	6	–	–	–	–	–	1	4	2	14	17	19	8	–
			FNW	47	3	1	–	–	–	–	–	2	2	8	13	11	7	–
8. All other bacterial diseases - (020-022, 024-031, 039-041)	7	0.2			–	–	–	–	–	–	1	–	1	–	4	–	1	–
			MW	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–
			FW	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–
			MNW	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–
			FNW	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
D. Viral diseases - (045-079)	40	1.0			2	3	4	1	3	–	3	3	5	7	4	4	1	–
			MW	15	1	2	1	–	2	–	–	–	2	3	3	1	–	–
			FW	14	–	–	3	–	1	–	–	1	2	3	1	2	1	–
			MNW	6	1	1	–	1	–	–	1	–	1	–	–	1	–	–
			FNW	5	–	–	–	–	–	–	2	2	–	1	–	–	–	–
1. Acute poliomyelitis - (045)	–	– –			–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. Smallpox - (050)	–	– –			–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. Measles - (055)	–	– –			–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4. Rubella - (056)	–	– –			–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5. Arthropod-borne encephalitis - (062-064)	–	– –			–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6. Viral hepatitis - (070)	16	0.4			–	1	1	–	1	–	2	1	4	3	1	2	–	–
			MW	3	–	–	–	–	–	–	–	–	1	–	1	1	–	–
			FW	7	–	–	1	–	1	–	–	–	2	3	–	–	–	–
			MNW	4	–	1	–	–	–	–	1	–	1	–	–	1	–	–
			FNW	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–

Table XXIII (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1980
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
7. Other viral diseases - (046-049, 051-054, 057-061, 065-066, 071-079)	24	0.6	MW	12	2	2	3	1	2	–	1	2	1	4	3	2	1	–
			FW	7	1	2	1	–	2	–	–	–	1	3	2	–	–	–
			MNW	2	–	–	2	–	–	–	–	1	–	–	1	2	1	–
			FNW	4	1	–	–	1	–	–	1	1	–	1	–	–	–	–
E. Rickettsioses and other arthropod-borne diseases (080-088)	1	0.0	MW	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
			FW	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
1. Typhus and other rickettsioses - (080-083)	1	0.0	MW	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
			FW	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. Malaria - (084)	–	– –	MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. All other arthropod-borne diseases - (085-088)	–	– –	MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
F. Syphilis and other venereal diseases - (090-099)	2	0.0	MW	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
1. Syphilis - (090-097)	1	0.0	MW	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
a. Cardiovascular syphilis - (093)	1	0.0	MW	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
b. Neurosyphilis - (094)	–	– –	MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
c. All other syphilis - (090-091, 095-097)	–	– –	MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. Gonococcal infections - (098)	–	– –	MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. Other venereal diseases - (099)	1	0.0	MW	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
G. Other infectious and parasitic diseases and late effects of infectious and parasitic diseases - (100-139)	36	0.9	MW	10	3	–	–	1	1	–	–	2	6	9	11	3	–	–
			FW	13	1	–	–	1	1	–	–	1	1	2	3	–	–	–
			MNW	7	–	–	–	–	–	–	–	–	2	5	3	3	–	–
			FNW	6	2	–	–	–	–	–	–	1	2	1	2	–	–	–
													1	1	3			
1. Mycoses - (110-118)	14	0.3	MW	6	–	–	–	1	1	–	–	1	3	4	4	–	–	–
			FW	5	–	–	–	–	–	–	–	1	1	1	1	–	–	–
			MNW	3	–	–	–	–	–	–	–	–	1	2	2	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1980
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
2. Helminthiases - (120-129)	2	0.0	MW	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
			FW	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. Late effects of tuberculosis - (137)	7	0.2	MW	1	–	–	–	–	–	–	–	–	2	2	2	1	–	–
			FW	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–
			MNW	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
			FNW	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–
4. Late effects of acute poliomyelitis - (138)	–	– –	MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5. All other infectious and parasitic diseases and late effects of other infectious and parasitic diseases - (100-104, 130-136, 139)	13	0.3	MW	3	1	–	–	–	–	–	–	–	–	1	1	–	–	–
			FW	3	–	–	–	–	–	–	–	–	–	–	1	2	–	–
			MNW	3	2	–	–	–	–	–	–	–	–	–	1	–	–	–
			FNW	4	–	–	–	–	–	–	–	1	–	1	2	–	–	–
II. Neoplasms - (140-239)	7027	167.5	MW	2823	1	1	6	10	8	18	32	82	285	711	963	565	140	1
			FW	2079	1	2	5	6	5	10	37	88	223	429	608	469	196	–
			MNW	1155	1	2	4	4	6	6	16	38	136	292	375	211	64	–
			FNW	970	–	4	1	2	3	4	25	55	138	219	267	188	64	–
A. Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues - (140-208)	6892	164.3	MW	2778	1	1	6	10	7	18	31	82	280	700	953	549	139	1
			FW	2041	1	2	5	6	5	8	37	87	217	424	601	458	190	–
			MNW	1133	1	2	4	4	4	6	16	35	131	287	370	209	64	–
			FNW	940	–	3	1	2	3	1	24	52	136	213	259	184	62	–
1. Malignant neoplasms of lip, oral cavity, and pharynx - (140-149)	148	3.5	MW	72	–	–	–	–	–	–	1	5	7	23	29	5	2	–
			FW	30	–	–	–	–	–	–	–	–	2	7	10	5	6	–
			MNW	34	–	–	–	–	–	–	1	2	10	13	6	2	–	–
			FNW	12	–	–	–	–	–	–	–	–	2	3	3	2	2	–
a. Of lip - (140)	–	– –	MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
b. Of tongue - (141)	31	0.7	MW	13	–	–	–	–	–	–	–	1	4	11	9	3	2	–
			FW	5	–	–	–	–	–	–	–	1	1	4	5	1	1	–
			MNW	10	–	–	–	–	–	–	1	–	3	5	–	1	–	–
			FNW	3	–	–	–	–	–	–	–	–	–	1	1	–	1	–
c. Of pharynx - (146-149.0)	76	1.8	MW	38	–	–	–	–	–	–	1	4	10	24	23	10	4	–
			FW	15	–	–	–	–	–	–	1	4	2	12	15	4	–	–
			MNW	16	–	–	–	–	–	–	–	–	1	4	4	3	3	–
			FNW	7	–	–	–	–	–	–	–	–	5	7	3	1	–	–
d. Of other and ill-defined sites within the lip, oral cavity, and pharynx - (142-145, 149.1-149.9)	41	1.0	MW	21	–	–	–	–	–	–	–	2	2	1	1	4	–	–
			FW	10	–	–	–	–	–	–	–	–	4	7	9	–	1	–
			MNW	8	–	–	–	–	–	–	–	2	–	2	3	3	–	–
			FNW	2	–	–	–	–	–	–	–	–	2	1	3	–	–	–
2. Malignant neoplasms of digestive organs and peritoneum - (150-159)	1690	40.3	MW	593	–	–	–	–	1	1	6	19	45	140	373	568	408	128	1
			FW	521	–	–	–	–	–	–	2	8	19	60	153	206	119	25	1
			MNW	290	–	–	–	–	1	–	1	6	7	30	87	162	157	71	–
			FNW	286	–	–	–	–	–	1	3	3	10	21	80	104	59	9	–
a. Of esophagus - (150)	124	3.0	MW	49	–	–	–	–	–	–	–	2	9	29	53	96	73	23	–
			FW	18	–	–	–	–	–	–	–	–	6	20	38	41	14	5	–
			MNW	34	–	–	–	–	–	–	–	3	6	16	16	4	4	–	–
			FNW	23	–	–	–	–	–	–	–	–	–	3	1	9	4	1	–
b. Of stomach - (151)	256	6.1	MW	76	–	–	–	–	–	–	–	2	6	16	12	11	3	–	–
			FW	60	–	–	–	–	–	–	1	1	1	9	4	5	3	–	–
			MNW	72	–	–	–	–	–	–	1	1	1	3	18	27	19	2	–
			FNW	48	–	–	–	–	–	–	–	1	2	3	5	19	12	6	–

Table IIIXX (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1980
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
c. Of small intestine, including duodenum - (152)	10	0.2			–	–	–	–	–	–	–	1	2	3	3	1	–	–
			MW	4	–	–	–	–	–	–	–	–	2	–	1	1	–	–
			FW	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–
			MNW	3	–	–	–	–	–	–	–	1	–	1	1	–	–	–
			FNW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
d. Of colon - (153)	627	14.9			–	–	–	1	–	3	6	22	59	129	199	161	47	–
			MW	210	–	–	–	–	–	2	4	9	21	49	72	47	6	–
			FW	233	–	–	–	–	–	–	2	5	14	45	61	77	29	–
			MNW	74	–	–	–	1	–	1	–	3	9	16	23	16	5	–
			FNW	110	–	–	–	–	–	–	–	5	15	19	43	21	7	–
1) Hepatic and splenic flexures and transverse colon - (153.0-153.1, 153.7)	9	0.2			–	–	–	–	–	–	–	–	1	2	–	4	2	–
			MW	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–
			FW	4	–	–	–	–	–	–	–	–	–	1	–	2	1	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	3	–	–	–	–	–	–	–	–	1	–	–	1	1	–
2) Descending colon - (153.2)	6	0.1			–	–	–	–	–	–	–	1	1	–	1	2	1	–
			MW	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
			FW	3	–	–	–	–	–	–	–	1	1	–	–	1	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–
3) Sigmoid colon - (153.3)	19	0.5			–	–	–	–	–	–	–	–	–	4	5	9	1	–
			MW	7	–	–	–	–	–	–	–	–	–	1	3	3	–	–
			FW	6	–	–	–	–	–	–	–	–	–	1	–	4	1	–
			MNW	4	–	–	–	–	–	–	–	–	–	2	1	1	–	–
			FNW	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–
4) Cecum, appendix, and ascending colon - (153.4-153.6)	26	0.6			–	–	–	–	–	–	–	–	5	5	7	6	3	–
			MW	10	–	–	–	–	–	–	–	–	2	2	4	1	1	–
			FW	10	–	–	–	–	–	–	–	–	2	2	1	3	2	–
			MNW	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–
			FNW	3	–	–	–	–	–	–	–	–	1	–	1	1	–	–
5) Other and colon, unspecified - (153.8-153.9)	567	13.5			–	–	–	1	–	3	6	21	52	118	186	140	40	–
			MW	190	–	–	–	–	–	2	4	9	19	45	65	41	5	–
			FW	210	–	–	–	–	–	–	2	4	11	41	60	67	25	–
			MNW	67	–	–	–	1	–	1	–	3	9	13	21	14	5	–
			FNW	100	–	–	–	–	–	–	–	5	13	19	40	18	5	–
e. Of rectum, rectosigmoid junction, and anus - (154)	110	2.6			–	–	–	–	–	–	1	3	8	19	31	36	12	–
			MW	35	–	–	–	–	–	–	–	1	3	10	9	12	–	–
			FW	41	–	–	–	–	–	–	1	–	4	3	14	10	9	–
			MNW	14	–	–	–	–	–	–	–	2	–	3	5	3	1	–
			FNW	20	–	–	–	–	–	–	–	–	1	3	3	11	2	–
f. Of liver and intrahepatic bile ducts - (155)	112	2.7			–	–	–	–	–	1	4	3	8	24	41	29	1	1
			MW	53	–	–	–	–	–	–	1	2	3	11	20	15	–	1
			FW	22	–	–	–	–	–	–	–	–	2	4	6	9	1	–
			MNW	28	–	–	–	–	–	1	2	1	2	7	12	3	–	–
			FNW	9	–	–	–	–	–	–	1	–	1	2	3	2	–	–
1) Liver, primary - (155.0)	32	0.8			–	–	–	–	–	1	1	2	4	7	9	8	–	–
			MW	19	–	–	–	–	–	–	–	1	1	4	5	8	–	–
			FW	4	–	–	–	–	–	–	–	–	2	1	1	–	–	–
			MNW	7	–	–	–	–	–	1	1	1	–	1	3	–	–	–
			FNW	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–
2) Intrahepatic bile ducts - (155.1)	3	0.1			–	–	–	–	–	–	–	–	1	–	1	1	–	–
			MW	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–
			FW	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3) Liver, not specified as primary or secondary - (155.2)	77	1.8			–	–	–	–	–	–	3	1	3	17	31	20	1	1
			MW	32	–	–	–	–	–	–	1	1	1	7	14	7	–	1
			FW	17	–	–	–	–	–	–	–	–	–	3	5	8	1	–
			MNW	21	–	–	–	–	–	–	1	–	2	6	9	3	–	–
			FNW	7	–	–	–	–	–	–	1	–	–	1	3	2	–	–
g. Of gallbladder and extrahepatic bile ducts - (156)	49	1.2			–	–	–	–	–	1	–	–	3	6	20	16	3	–
			MW	15	–	–	–	–	–	–	–	–	1	3	8	3	–	–
			FW	26	–	–	–	–	–	1	–	–	1	3	10	9	2	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	8	–	–	–	–	–	–	–	–	1	–	2	4	1	–
h. Of pancreas - (157)	370	8.8			–	–	–	–	1	–	3	6	26	98	128	81	27	–
			MW	143	–	–	–	–	–	–	1	3	17	41	52	22	7	–
			FW	107	–	–	–	–	–	–	2	2	5	22	35	28	13	–
			MNW	59	–	–	–	–	–	–	–	–	1	21	23	13	1	–
			FNW	61	–	–	–	–	1	–	–	1	3	14	18	18	6	–

Table XXIII (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1980
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
i. Of retroperitoneum, peritoneum, and other and ill-defined sites within the digestive organs and peritoneum - (158-159)	32	0.8	MW	8	–	–	–	–	–	–	–	–	–	8	10	9	5	–
			FW	12	–	–	–	–	–	–	–	–	–	3	1	2	2	–
			MNW	6	–	–	–	–	–	–	–	–	–	2	5	3	2	–
			FNW	6	–	–	–	–	–	–	–	–	–	2	2	2	–	–
														1	2	2	1	–
3. Malignant neoplasms of respiratory and intrathoracic organs - (160-165)	1935	46.1	MW	1069	–	–	–	–	–	–	5	52	266	579	686	281	66	–
			FW	367	–	–	–	–	–	–	4	22	123	322	396	166	36	–
			MNW	380	–	–	–	–	–	–	–	14	55	92	136	54	16	–
			FNW	119	–	–	–	–	–	–	1	12	62	122	125	50	8	–
											–	4	26	43	29	11	6	–
a. Of larynx - (161)	65	1.5	MW	30	–	–	–	–	–	–	–	3	7	20	24	7	4	–
			FW	4	–	–	–	–	–	–	–	2	3	9	13	1	2	–
			MNW	25	–	–	–	–	–	–	–	1	–	–	2	1	–	–
			FNW	6	–	–	–	–	–	–	–	–	3	8	8	5	1	–
													1	3	1	–	1	–
b. Of trachea, bronchus, and lung - (162)	1854	44.2	MW	1028	–	–	–	–	–	–	5	46	256	554	659	273	61	–
			FW	360	–	–	–	–	–	–	4	19	117	310	380	164	34	–
			MNW	353	–	–	–	–	–	–	–	12	55	91	134	53	15	–
			FNW	113	–	–	–	–	–	–	1	11	59	113	117	45	7	–
											–	4	25	40	28	11	5	–
c. Of all other and ill-defined sites within the respiratory system and intrathoracic organs - (160, 163-165)	16	0.4	MW	11	–	–	–	–	–	–	–	3	3	5	3	1	1	–
			FW	3	–	–	–	–	–	–	–	1	3	3	3	1	–	–
			MNW	2	–	–	–	–	–	–	–	1	–	1	–	–	1	–
			FNW	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
												–	–	–	–	–	–	–
4. Malignant neoplasms of bone, connective tissue, skin, and breast - (170-175)	638	15.2	MW	72	–	–	2	2	7	3	18	51	117	165	133	101	39	–
			FW	399	–	–	1	–	3	2	1	5	12	21	14	13	–	–
			MNW	17	–	–	–	1	2	1	10	26	63	108	89	67	32	–
			FNW	150	–	–	1	–	2	–	1	2	5	2	2	2	–	–
							–	1	–	–	6	18	37	34	28	19	7	–
a. Of bone and articular cartilage - (170)	26	0.6	MW	12	–	–	2	1	6	2	–	1	2	4	3	3	2	–
			FW	8	–	–	1	–	3	1	–	–	1	3	2	1	–	–
			MNW	4	–	–	–	–	2	1	–	1	–	1	–	1	2	–
			FNW	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–
							–	1	–	–	–	–	–	1	–	–	–	–
b. Of connective and other soft tissue - (171)	27	0.6	MW	7	–	–	–	1	1	–	1	3	7	6	5	3	–	–
			FW	7	–	–	–	–	–	–	–	1	1	3	2	–	–	–
			MNW	6	–	–	–	1	–	–	–	1	1	1	1	2	–	–
			FNW	7	–	–	–	–	1	–	1	–	3	–	1	–	–	–
							–	–	–	–	–	1	2	2	1	1	–	–
c. Melanoma of skin - (172)	68	1.6	MW	38	–	–	–	–	–	1	5	7	13	17	14	7	4	–
			FW	28	–	–	–	–	–	1	1	3	9	13	7	4	–	–
			MNW	–	–	–	–	–	–	–	4	4	4	2	7	3	4	–
			FNW	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
							–	–	–	–	–	–	–	2	–	–	–	–
d. Other malignant neoplasms of skin - (173)	22	0.5	MW	13	–	–	–	–	–	–	–	2	1	5	5	9	–	–
			FW	4	–	–	–	–	–	–	–	1	–	2	3	7	–	–
			MNW	3	–	–	–	–	–	–	–	–	–	2	1	1	–	–
			FNW	2	–	–	–	–	–	–	–	1	1	1	–	–	–	–
							–	–	–	–	–	–	–	–	1	1	–	–
e. Of female breast - (174)	489	11.6	MW	–	–	–	–	–	–	–	12	37	93	132	105	77	33	–
			FW	352	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	6	20	58	102	80	60	26	–
			FNW	137	–	–	–	–	–	–	–	–	–	–	–	–	–	–
							–	–	–	–	6	17	35	30	25	17	7	–
f. Of male breast - (175)	6	0.1	MW	2	–	–	–	–	–	–	–	1	1	1	1	2	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
			MNW	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–
							–	–	–	–	–	–	–	–	–	–	–	–
5. Malignant neoplasms of genital organs (170-187)	755	18.0	MW	259	–	–	–	–	1	6	14	27	47	123	211	222	104	–
			FW	211	–	–	–	–	1	2	2	1	2	30	80	102	39	–
			MNW	171	–	–	–	–	–	3	6	19	24	48	50	37	24	–
			FNW	114	–	–	–	–	–	–	–	–	5	16	56	60	34	–
							–	–	–	1	6	7	16	29	25	23	7	–
a. Of cervix uteri - (180)	95	2.3	MW	–	–	–	–	–	–	3	10	14	13	24	13	13	5	–
			FW	49	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	2	5	9	4	12	7	8	2	–
			FNW	46	–	–	–	–	–	–	–	–	–	–	–	–	–	–
							–	–	–	1	5	5	9	12	6	5	3	–

Table IIIXX (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1980
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
b. Of other parts of uterus - (179, 181-182)	103	2.5	MW	–	–	–	–	–	–	–	1	3	8	24	27	27	13	–
			FW	58	–	–	–	–	–	–	–	2	5	11	15	14	11	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	48	–	–	–	–	–	–	1	1	3	13	12	13	2	–
c. Of ovary and other uterine adnexa - (183)	109	2.6	MW	–	–	–	–	–	–	1	1	9	17	28	27	17	9	–
			FW	92	–	–	–	–	–	1	1	8	14	24	23	13	8	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	17	–	–	–	–	–	–	–	1	3	4	4	4	1	–
d. Of other and unspecified female genital organs - (184)	18	0.4	MW	–	–	–	–	–	–	–	–	–	2	1	8	3	4	–
			FW	12	–	–	–	–	–	–	–	–	1	1	5	2	3	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	6	–	–	–	–	–	–	–	–	1	–	3	1	1	–
e. Of prostate - (185)	413	9.8	MW	249	–	–	–	–	–	–	–	–	6	45	131	159	72	–
			FW	–	–	–	–	–	–	–	–	–	2	29	79	101	38	–
			MNW	164	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	4	16	52	58	34	–
f. Of testis - (186)	9	0.2	MW	6	–	–	–	–	1	2	2	1	1	–	1	1	–	–
			FW	–	–	–	–	–	1	2	2	1	–	–	–	–	–	–
			MNW	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–
g. Of penis and other male genital organs - (187)	8	0.2	MW	4	–	–	–	–	–	–	–	–	–	1	4	2	1	–
			FW	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–
			MNW	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–
6. Malignant neoplasms of urinary organs - (188-189)	272	6.5	MW	128	–	1	–	2	–	–	3	6	19	52	85	76	28	–
			FW	69	–	–	–	1	–	–	2	2	8	25	41	40	9	–
			MNW	33	–	–	–	–	–	–	1	2	5	12	16	22	10	–
			FNW	42	–	1	–	–	–	–	–	1	3	4	13	8	4	–
a. Of bladder - (188)	145	3.5	MW	63	–	–	–	–	–	–	2	1	2	18	48	52	22	–
			FW	40	–	–	–	–	–	–	1	–	1	7	22	24	8	–
			MNW	20	–	–	–	–	–	–	1	–	1	4	9	17	8	–
			FNW	22	–	–	–	–	–	–	–	–	–	3	8	6	3	–
b. Of kidney and other and unspecified urinary organs - (189)	127	3.0	MW	65	–	1	–	2	–	–	1	1	3	4	9	5	3	–
			FW	29	–	–	–	1	–	–	1	5	17	34	37	24	6	–
			MNW	13	–	–	–	–	–	–	1	2	7	18	19	16	1	–
			FNW	20	–	1	–	–	–	–	–	2	4	8	7	5	2	–
7. Malignant neoplasms of other and unspecified sites - (190-199)	849	20.2	MW	319	1	4	5	5	1	7	15	39	101	181	275	172	43	–
			FW	261	–	–	2	1	–	4	4	11	41	74	115	56	11	–
			MNW	126	1	1	2	1	1	3	4	14	24	44	81	68	17	–
			FNW	143	–	1	1	2	–	–	3	6	16	35	40	16	6	–
a. Of eye - (190)	3	0.0	MW	1	–	2	–	1	–	–	4	8	20	28	39	32	9	–
			FW	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
b. Of brain - (191)	125	3.0	MW	51	1	1	4	4	1	2	8	11	18	31	32	10	2	–
			FW	54	–	–	1	1	–	1	2	5	8	16	14	2	1	–
			MNW	11	1	–	2	1	1	1	4	4	8	12	14	6	–	–
			FNW	9	–	1	1	2	–	–	–	1	1	2	2	1	1	–
c. Of other and unspecified parts of nervous system - (192)	3	0.1	MW	2	–	–	–	–	–	–	2	1	1	1	2	1	–	–
			FW	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–
			MNW	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
d. Of thyroid gland and other endocrine glands and related structures - (193-194)	15	0.4	MW	2	–	3	1	–	–	1	1	1	1	2	3	2	–	–
			FW	6	–	1	–	–	–	1	–	–	–	–	–	–	–	–
			MNW	3	–	1	–	–	–	–	1	–	–	1	–	–	–	–
			FNW	4	–	1	–	–	–	–	–	–	1	1	1	–	–	–

Table XXIII (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1980
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
e. Of all other and unspecified sites - (195-199)	703	16.8	MW	263	–	–	–	1	–	3	5	27	80	148	238	159	41	–
			FW	199	–	–	–	–	–	1	4	6	32	58	100	54	10	–
			MNW	111	–	–	–	–	–	–	–	9	15	32	65	59	17	–
			FNW	130	–	–	–	1	–	–	2	5	15	32	37	15	5	–
											2	7	18	26	36	31	9	–
8. Malignant neoplasms of lymphatic and hematopoietic tissues - (200-208)	605	14.4	MW	266	2	3	9	12	9	11	32	29	53	105	177	126	37	–
			FW	183	1	1	3	8	3	8	9	17	27	52	72	48	17	–
			MNW	82	–	1	3	3	2	–	10	5	14	26	57	48	14	–
			FNW	74	1	1	2	1	2	3	7	2	9	15	24	12	3	–
					–	–	1	–	2	–	6	5	3	12	24	18	3	–
a. Lymphosarcoma and reticulosarcoma - (200)	82	2.0	MW	44	–	–	–	2	–	2	3	8	15	18	20	14	–	–
			FW	25	–	–	–	2	–	2	2	6	6	11	7	8	–	–
			MNW	7	–	–	–	–	–	–	1	–	6	2	12	4	–	–
			FNW	6	–	–	–	–	–	–	–	1	2	3	1	–	–	–
					–	–	–	–	–	–	–	1	1	2	–	2	–	–
b. Hodgkin's disease - (201)	33	0.8	MW	19	–	–	–	–	–	1	5	3	3	7	8	4	2	–
			FW	9	–	–	–	–	–	1	2	2	2	5	3	4	–	–
			MNW	4	–	–	–	–	–	–	2	1	–	2	3	–	1	–
			FNW	1	–	–	–	–	–	–	1	–	1	–	1	–	1	–
					–	–	–	–	–	–	–	–	–	–	1	–	–	–
c. Other malignant neoplasms of lymphoid and histiocytic tissue - (202)	93	2.2	MW	42	1	–	–	–	–	3	4	5	6	19	29	20	6	–
			FW	38	–	–	–	–	–	3	2	3	5	8	14	5	2	–
			MNW	6	–	–	–	–	–	–	1	2	1	9	12	10	3	–
			FNW	7	1	–	–	–	–	–	–	–	–	1	2	2	–	–
					–	–	–	–	–	–	1	–	–	1	1	3	1	–
d. Multiple myeloma and immunoproliferative neoplasms - (203)	125	3.0	MW	43	–	–	–	–	–	–	1	3	8	28	50	32	3	–
			FW	28	–	–	–	–	–	–	–	1	4	13	13	11	1	–
			MNW	23	–	–	–	–	–	–	–	–	2	2	15	8	1	–
			FNW	31	–	–	–	–	–	–	1	1	2	6	7	6	–	–
					–	–	–	–	–	–	–	1	–	7	15	7	1	–
e. Leukemia - (204-208)	272	6.5	MW	118	1	3	9	10	9	5	19	10	21	33	70	56	26	–
			FW	83	1	1	3	6	3	2	3	5	10	15	35	20	14	–
			MNW	42	–	1	3	3	2	–	6	2	5	11	15	26	9	–
			FNW	29	–	1	2	1	2	3	5	–	4	5	13	4	2	–
					–	–	1	–	2	–	5	3	2	2	7	6	1	–
1) Lymphoid leukemia - (204)	80	1.9	MW	36	–	2	4	8	4	2	2	2	4	9	21	18	4	–
			FW	23	–	–	3	6	2	–	–	2	1	5	10	5	2	–
			MNW	15	–	1	1	1	1	–	–	–	1	5	10	4	1	–
			FNW	6	–	–	–	1	1	2	–	–	1	2	4	2	1	–
					–	–	–	–	–	–	2	–	1	–	2	1	–	–
2) Myeloid leukemia - (205)	118	2.8	MW	51	1	–	3	1	2	2	11	4	12	19	32	16	15	–
			FW	41	1	–	–	–	–	1	1	2	7	8	15	9	7	–
			MNW	14	–	–	1	1	1	–	5	1	1	9	9	5	8	–
			FNW	12	–	–	1	–	–	1	4	–	3	1	3	1	–	–
					–	–	1	–	1	–	1	1	1	1	5	1	–	–
3) Monocytic leukemia - (206)	5	0.1	MW	4	–	–	–	–	–	–	–	–	–	–	1	1	3	–
			FW	1	–	–	–	–	–	–	–	–	–	–	1	–	3	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
					–	–	–	–	–	–	–	–	–	–	–	–	–	–
4) Other and unspecified leukemia - (207-208)	69	1.6	MW	27	–	1	2	1	3	1	6	4	5	5	16	21	4	–
			FW	18	–	1	–	–	1	1	2	1	2	2	9	6	2	–
			MNW	13	–	–	1	1	–	–	1	1	3	–	1	10	–	–
			FNW	11	–	–	–	–	1	–	1	–	–	2	6	1	1	–
					–	–	–	–	–	–	2	2	–	1	–	4	1	–
B. Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature - (210-239)	135	3.2	MW	45	–	1	–	–	3	5	2	7	18	27	30	33	9	–
			FW	38	–	–	–	–	1	–	1	–	5	11	10	16	1	–
			MNW	22	–	–	–	–	–	2	–	1	6	5	7	11	6	–
			FNW	30	–	1	–	–	2	–	1	3	5	5	5	2	–	–
					–	–	–	–	–	3	1	3	2	6	8	4	2	–
1. Benign neoplasms - (210-229)	28	0.7	MW	5	–	–	–	–	1	–	–	1	4	8	6	5	3	–
			FW	9	–	–	–	–	–	–	–	–	–	3	1	1	–	–
			MNW	5	–	–	–	–	–	–	–	–	2	2	2	1	2	–
			FNW	9	–	–	–	–	1	–	–	1	–	1	1	1	–	–
					–	–	–	–	–	–	–	–	2	2	2	2	1	–
a. Of female genital organs - (218-221)	1	0.0	MW	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age

Louisiana, 1980

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE												
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
b. Of eye, brain, and other parts of nervous system - (224-225)	10	0.2																
			MW	3	–	–	–	–	–	–	–	–	2	4	3	1	–	–
			FW	3	–	–	–	–	–	–	–	–	1	1	1	–	–	–
			MNW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			FNW	3	–	–	–	–	–	–	–	–	1	1	1	–	–	–
c. Of all other and unspecified sites - (210-217, 222-223, 226-229)	17	0.4																
			MW	2	–	–	–	–	1	–	–	1	2	4	3	3	3	–
			FW	6	–	–	–	–	–	–	–	–	–	1	1	1	2	–
			MNW	4	–	–	–	–	1	–	–	1	–	1	–	1	–	–
			FNW	5	–	–	–	–	–	–	–	–	1	1	1	1	1	–
2. Carcinoma in situ - (230-234)	–	– –																
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
a. Of breast and genitourinary system - (233)	–	– –																
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
b. Of all other and unspecified sites - (230-232, 234)	–	– –																
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. Neoplasms of uncertain behavior - (235-238)	26	0.6			–	–	–	–	1	1	–	3	1	5	3	11	1	–
			MW	13	–	–	–	–	1	–	–	–	–	3	2	7	–	–
			FW	7	–	–	–	–	–	–	–	1	–	–	1	4	1	–
			MNW	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–
			FNW	4	–	–	–	–	–	1	–	2	–	1	–	–	–	–
4. Neoplasms of unspecified nature - (239)	81	1.9			–	1	–	–	1	4	2	3	13	14	21	17	5	–
			MW	27	–	–	–	–	–	–	1	–	5	5	7	8	1	–
			FW	22	–	–	–	–	–	2	–	–	4	3	4	6	3	–
			MNW	15	–	–	–	–	1	–	–	2	4	3	4	1	–	–
			FNW	17	–	1	–	–	–	2	1	1	–	3	6	2	1	–
III. Endocrine, nutritional, and metabolic diseases and immunity disorders - (240-279)	995	23.7			9	3	3	10	5	5	14	29	65	162	279	273	137	1
			MW	213	4	1	1	4	1	2	3	6	16	35	64	54	22	–
			FW	340	–	–	2	5	2	1	6	4	14	52	85	107	62	–
			MNW	146	2	1	–	–	1	1	2	6	16	24	44	33	15	1
			FNW	296	3	1	–	1	1	1	3	13	19	51	86	79	38	–
A. Endocrine and metabolic diseases and immunity disorders - (240-259, 270-279)	950	22.6			8	1	3	10	5	5	13	28	64	156	271	262	123	1
			MW	206	3	–	1	4	1	2	3	6	16	35	64	52	19	–
			FW	328	–	–	2	5	2	1	6	4	14	49	83	102	60	–
			MNW	131	2	1	–	–	1	1	2	6	15	21	40	33	8	1
			FNW	285	3	–	–	1	1	1	2	12	19	51	84	75	36	–
1. Disorders of thyroid gland - (240-246)	17	0.4			–	–	–	–	–	1	–	–	2	3	5	4	2	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	6	–	–	–	–	–	–	–	–	1	3	–	2	–	–
			MNW	3	–	–	–	–	–	–	–	–	2	–	1	–	–	–
			FNW	8	–	–	–	–	–	1	–	–	–	2	1	4	–	–
2. Diabetes mellitus - (250)	750	17.9			–	–	–	–	1	2	6	16	47	127	238	214	98	1
			MW	156	–	–	–	–	–	2	1	5	12	27	56	37	16	–
			FW	272	–	–	–	–	–	–	2	4	9	40	74	92	51	–
			MNW	93	–	–	–	–	1	–	1	3	10	16	30	25	6	1
			FNW	229	–	–	–	–	–	–	2	4	16	44	78	60	25	–
3. Disorders of the pituitary gland and its hypothalamic control - (253)	4	0.1			–	–	–	–	1	–	–	–	1	–	–	1	1	–
			MW	2	–	–	–	–	1	–	–	–	–	–	–	1	–	–
			FW	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
			MNW	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4. Diseases of thymus gland - (254)	1	0.0			1	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
5. Disorders of adrenal glands - (255)	10	0.2			1	–	–	–	–	1	–	2	1	2	1	2	–	–
			MW	4	1	–	–	–	–	–	–	–	1	1	1	–	–	–
			FW	4	–	–	–	–	–	1	–	–	–	1	–	2	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–

Table XXIII (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1980
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
6. Cystic fibrosis - (277.0)	8	0.2			–	–	1	7	–	–	–	–	–	–	–	–	–	–
			MW	3	–	–	1	2	–	–	–	–	–	–	–	–	–	–
			FW	5	–	–	–	5	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7. Obesity - (278.0)	34	0.8			–	–	–	1	1	–	4	6	6	7	5	3	1	–
			MW	5	–	–	–	–	–	–	–	–	1	1	2	1	–	–
			FW	12	–	–	–	–	–	–	3	–	3	3	2	–	1	–
			MNW	3	–	–	–	–	–	–	1	1	–	–	–	1	–	–
			FNW	14	–	–	–	1	1	–	–	5	2	3	1	1	–	–
8. All other endocrine and metabolic diseases and immunity disorders - (251-252, 256-259, 270-276, 277.1-277.9, 278.1-279)	126	3.0			6	1	2	2	2	1	3	4	7	17	22	38	21	–
			MW	36	2	–	–	2	–	–	2	1	2	6	5	13	3	–
			FW	28	–	–	2	–	2	–	1	–	2	4	4	8	5	–
			MNW	31	2	1	–	–	–	1	–	2	2	5	9	7	2	–
			FNW	31	2	–	–	–	–	–	–	1	1	2	4	10	11	–
B. Nutritional deficiencies - (260-269)	45	1.1			1	2	–	–	–	–	1	1	1	6	8	11	14	–
			MW	7	1	1	–	–	–	–	–	–	–	–	–	2	3	–
			FW	12	–	–	–	–	–	–	–	–	–	3	2	5	2	–
			MNW	15	–	–	–	–	–	–	–	–	1	3	4		7	–
			FNW	11	–	1	–	–	–	–	1	1	–	–	2	4	2	–
1. Nutritional marasmus - (261)	14	0.3			–	–	–	–	–	–	–	1	1	4	1	5	2	–
			MW	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
			FW	4	–	–	–	–	–	–	–	–	–	2	–	2	–	–
			MNW	6	–	–	–	–	–	–	–	–	1	2	1	–	2	–
			FNW	3	–	–	–	–	–	–	–	1	–	–	–	2	–	–
2. Other protein-calorie malnutrition - (262-263)	30	0.7			1	2	–	–	–	–	1	–	–	2	7	6	11	–
			MW	6	1	1	–	–	–	–	–	–	–	–	–	1	3	–
			FW	8	–	–	–	–	–	–	–	–	–	1	2	3	2	–
			MNW	8	–	–	–	–	–	–	–	–	–	1	3	–	4	–
			FNW	8	–	1	–	–	–	–	1	–	–	–	2	2	2	–
3. All other nutritional deficiencies (260, 264-269)	1	0.0			–	–	–	–	–	–	–	–	–	–	–	–	1	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV. Diseases of blood and blood-forming organs - (280-289)	147	3.5			6	6	3	–	2	3	17	8	12	18	22	36	14	–
			MW	37	2	–	–	–	–	–	3	–	4	4	8	13	3	–
			FW	53	2	1	1	–	–	–	4	2	4	5	8	17	9	–
			MNW	30	1	4	1	–	–	1	5	4	4	7	2	1	–	–
			FNW	27	1	1	1	–	2	2	5	2	–	2	4	5	2	–
A. Anemias - (280-285)	86	2.1			1	4	3	–	1	3	10	4	4	9	11	25	11	–
			MW	18	–	–	–	–	–	–	–	–	2	1	4	11	–	–
			FW	27	–	–	1	–	–	–	1	–	–	2	4	10	9	–
			MNW	20	1	3	1	–	–	1	4	3	2	4	1	–	–	–
			FNW	21	–	1	1	–	1	2	5	1	–	2	2	4	2	–
1. Deficiency anemias - (280-281)	8	0.2			1	–	–	–	–	–	–	–	–	–	1	3	3	–
			MW	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–
			FW	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–
			MNW	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–
2. Hemolytic anemias - (282-283)	28	0.7			–	2	–	–	–	3	7	4	2	3	1	3	3	–
			MW	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–
			FW	5	–	–	–	–	–	–	–	–	–	1	1	1	2	–
			MNW	12	–	1	–	–	–	1	3	3	2	2	–	–	–	–
			FNW	9	–	1	–	–	–	2	4	1	–	–	–	–	1	–
3. Aplastic anemia - (284)	30	0.7			–	1	3	–	1	–	3	–	1	5	7	6	3	–
			MW	7	–	–	–	–	–	–	–	–	1	1	3	2	–	–
			FW	12	–	–	1	–	–	–	1	–	–	1	2	4	3	–
			MNW	6	–	1	1	–	–	–	1	–	–	2	1	–	–	–
			FNW	5	–	–	1	–	1	–	1	–	–	1	1	–	–	–
4. Other and unspecified anemias - (285)	20	0.5			–	1	–	–	–	–	–	–	1	1	2	13	2	–
			MW	7	–	–	–	–	–	–	–	–	1	–	–	6	–	–
			FW	8	–	–	–	–	–	–	–	–	–	–	1	5	2	–
			MNW	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	4	–	–	–	–	–	–	–	–	–	1	1	2	–	–
B. Purpura and other hemorrhagic conditions - (287)	15	0.4			2	–	–	–	–	–	1	3	2	1	2	3	1	–
			MW	7	2	–	–	–	–	–	–	–	1	1	1	2	1	–
			FW	5	–	–	–	–	–	–	1	1	2	–	–	1	–	–
			MNW	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			FNW	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age

Louisiana, 1980

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
C. All other diseases of blood and blood-forming organs - (286, 288-289)	46	1.1																
			MW	12	3	2	–	–	1	–	6	–	6	8	9	8	2	–
			FW	21	2	1	–	–	–	–	3	–	2	2	3		2	–
			MNW	9	–	1	–	–	–	–	2	1	2	3	4	6		–
			FNW	4	1	–	–	–	1	–	1	–	–	–	1	1	–	–
V. Mental disorders - (290-319)	201	4.8																
			MW	73	–	2	1	1	2	3	7	16	33	31	29	38	38	–
			FW	55	–	2	–	1	1	1	3	5	13	13	14	10	10	–
			MNW	57	–	–	–	–	–	1	–	1	4	3	8	17	21	–
			FNW	16	–	–	1	–	1	–	4	9	13	13	5	7	4	–
					–	–	–	–	–	1	–	1	3	2	2	4	3	–
A. Senile and presenile organic psychotic conditions (290)	17	0.4																
			MW	6	–	–	–	–	–	–	–	–	–	3	1	2	11	–
			FW	8	–	–	–	–	–	–	–	–	–	2	–	–	4	–
			MNW	2	–	–	–	–	–	–	–	–	–	1	1	1	5	–
			FNW	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–
					–	–	–	–	–	–	–	–	–	–	–	1	–	–
B. Alcoholic psychoses - (291)	14	0.3																
			MW	5	–	–	–	–	–	–	2	3	4	4	1			–
			FW	–	–	–	–	–	–	–	–	1	3	–	1			–
			MNW	9	–	–	–	–	–	–	2	2	1	4	–			–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–			–
C. All other psychoses - (292-299)	5	0.1																
			MW	2	–	–	–	–	–	–	–	–	2	–	1	2		–
			FW	2	–	–	–	–	–	–	–	–	–	–	1	1		–
			MNW	1	–	–	–	–	–	–	–	–	1	–	–	–		–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–		–
D. Alcohol dependence syndrome - (303)	53	1.3																
			MW	21	–	–	–	–	–	–	3	8	19	17	5	1		–
			FW	5	–	–	–	–	–	–	1	1	8	8	2	1		–
			MNW	24	–	–	–	–	–	–	–	1	2	1	1	–		–
			FNW	3	–	–	–	–	–	–	2	6	8	7	1	–		–
					–	–	–	–	–	–	–	–	1	1	1	–		–
E. Drug dependence - (304)	2	0.0																
			MW	2	–	–	–	–	–	1	–	1	–	–	–	–		–
			FW	–	–	–	–	–	–	1	–	1	–	–	–	–		–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–		–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–		–
					–	–	–	–	–	–	–	–	–	–	–	–		–
F. Other neurotic, personality, and nonpsychotic mental disorders - (300-302, 305-316)	100	2.4																
			MW	33	–	–	–	–	1	–	2	3	7	7	20	33	27	–
			FW	38	–	–	–	–	1	–	2	1	2	3	10	8	6	–
			MNW	19	–	–	–	–	–	–	–	–	1	1	5	15	16	–
			FNW	10	–	–	–	–	–	–	–	1	3	2	4	7	2	–
					–	–	–	–	–	–	–	1	1	1	1	3	3	–
G. Mental retardation - (317-319)	10	0.2																
			MW	4	–	2	1	1	1	2	–	1	1	–	1	–	–	–
			FW	2	–	2	–	1	–	–	–	1	–	–	–	–	–	–
			MNW	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–
			FNW	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–
					–	–	–	–	–	1	–	–	1	–	–	–	–	–
VI. Diseases of the nervous system and sense organs - (320-389)	345	8.2																
			MW	144	34	24	6	9	10	16	22	22	29	48	65	42	18	–
			FW	94	12	8	4	2	2	9	10	9	12	27	29	16	4	–
			MNW	64	7	6	–	3	3	2	4	5	6	11	19	19	9	–
			FNW	43	10	7	2	4	4	4	5	3	6	3	10	3	3	–
					5	3	–	–	1	1	3	5	5	7	7	4	2	–
A. Diseases of the nervous system - (320-359)	345	8.2																
			MW	144	34	24	6	9	10	16	22	22	29	48	65	42	18	–
			FW	94	12	8	4	2	2	9	10	9	12	27	29	16	4	–
			MNW	64	7	6	–	3	3	2	4	5	6	11	19	19	9	–
			FNW	43	10	7	2	4	4	4	5	3	6	3	10	3	3	–
					5	3	–	–	1	1	3	5	5	7	7	4	2	–
1. Meningitis - (320-322)	35	0.8																
			MW	16	13	7	1	1	–	–	1	1	2	4	1	3	1	–
			FW	2	6	2	1	–	–	–	1	1	2	2	–	1	–	–
			MNW	11	–	–	–	1	–	–	–	–	–	–	–	–	1	–
			FNW	6	5	2	–	–	–	–	–	–	–	2	1	1	–	–
					2	3	–	–	–	–	–	–	–	–	–	1	–	–
2. Parkinson's disease - (332)	46	1.1																
			MW	25	–	–	–	–	–	–	–	–	–	6	17	17	6	–
			FW	18	–	–	–	–	–	–	–	–	–	5	12	5	3	–
			MNW	2	–	–	–	–	–	–	–	–	–	1	3	11	3	–
			FNW	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–
					–	–	–	–	–	–	–	–	–	–	1	–	–	–
3. Other hereditary and degenerative diseases of the central nervous system - (330-331, 333-337)	94	2.2																
			MW	39	13	8	1	5	2	1	2	6	8	16	19	9	4	–
			FW	31	4	1	–	2	–	1	1	5	4	9	7	4	1	–
			MNW	14	4	3	–	2	1	–	1	–	1	5	10	3	2	–
			FNW	10	3	4	1	1	1	–	–	–	2	–	–	–	1	–
					2	–	–	–	–	–	–	1	1	2	2	2	–	–

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes , Sex, Race, and Age

Louisiana, 1980

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
4. Multiple sclerosis - (340)	15	0.4			–	–	–	–	–	–	1	3	4	4	3			
			MW	7	–	–	–	–	–	–	–	–	1	3	3			
			FW	6	–	–	–	–	–	–	–	2	3	1				
			MNW	–	–	–	–	–	–	–	–	–	–	–				
			FNW	2	–	–	–	–	–	–	1	1	–	–				
5. Infantile cerebral palsy - (343)	20	0.5			1	2	2	1	3	3	3	2	–	2	–	–	1	–
			MW	7	1	1	1	–	1	1	–	1	–	1	–	–	–	–
			FW	5	–	–	–	–	1	1	2	–	–	1	–	–	–	–
			MNW	6	–	1	1	1	–	1	–	1	–	–	–	–	1	–
			FNW	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–
6. Epilepsy - (345)	36	0.9			–	–	1	–	1	5	9	2	7	2	6	2	1	–
			MW	12	–	–	1	–	–	2	2	–	2	2	2	1	–	–
			FW	3	–	–	–	–	–	–	2	–	–	–	1	–	–	–
			MNW	16	–	–	–	–	1	3	4	2	3	–	2	–	1	–
			FNW	5	–	–	–	–	–	–	1	–	2	–	1	1	–	–
7. Other diseases of the nervous system - (323-326, 341-342, 344, 346-359)	99	2.4			7	7	1	2	4	7	6	8	8	14	19	11	5	–
			MW	38	1	4	1	–	1	5	6	2	3	5	5	5	–	–
			FW	29	3	3	–	–	1	1	–	3	2	3	5	5	3	–
			MNW	15	2	–	–	2	2	–	–	–	1	1	6	1	–	–
			FNW	17	1	–	–	–	–	1	–	3	2	5	3		2	–
B. Disorders of the eye and adnexa - (360-379)	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
C. Diseases of the ear and mastoid process - (380-389)	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Diseases of the circulatory system - (390-459)	17414	428.6			19	13	1	4	17	34	130	371	1102	2670	4663	5158	3229	3
			MW	6186	7	2	–	–	5	8	28	147	495	1220	1887	1673	712	2
			FW	5630	3	1	–	1	4	4	22	52	151	511	1203	2012	1666	–
			MNW	2799	5	3	1	1	8	15	45	113	275	555	791	658	329	–
			FNW	2799	4	7	–	2	–	7	35	59	181	384	782	815	522	1
A. Rheumatic fever and rheumatic heart disease - (390-398)	71	1.7			–	–	–	–	2	2	5	6	6	16	22	10	2	–
			MW	17	–	–	–	–	–	–	–	–	1	5	5	4	2	–
			FW	27	–	–	–	–	–	–	2	2	1	6	12	4	–	–
			MNW	12	–	–	–	–	2	1	3	–	1	3	2	–	–	–
			FNW	15	–	–	–	–	–	1	–	4	3	2	3	2	–	–
1. Acute rheumatic fever - (390-392)	2	0.0			–	–	–	–	–	–	1	–	–	–	–	–	1	–
			MW	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
			FW	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. Chronic rheumatic heart disease - (393-398)	69	1.6			–	–	–	–	2	2	4	6	6	16	22	10	1	–
			MW	16	–	–	–	–	–	–	–	–	1	5	5	4	1	–
			FW	26	–	–	–	–	–	–	1	2	1	6	12	4	–	–
			MNW	12	–	–	–	–	2	1	3	–	1	3	2	–	–	–
			FNW	15	–	–	–	–	–	1	–	4	3	2	3	2	–	–
a. Diseases of mitral valve - (394)	26	0.6			–	–	–	–	–	2	–	4	2	7	9	2	–	–
			MW	8	–	–	–	–	–	–	–	–	–	3	4	1	–	–
			FW	10	–	–	–	–	–	–	–	2	1	2	4	1	–	–
			MNW	3	–	–	–	–	–	1	–	–	–	1	1	–	–	–
			FNW	5	–	–	–	–	–	1	–	2	1	1	–	–	–	–
b. Diseases of aortic valve - (395)	3	0.1			–	–	–	–	1	–	–	–	–	2	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
			MNW	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
			FNW	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
c. Diseases of mitral and aortic valves - (396)	13	0.3			–	–	–	–	–	–	1	1	1	1	6	3	–	–
			MW	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–
			FW	4	–	–	–	–	–	–	–	–	–	–	2	2	–	–
			MNW	4	–	–	–	–	–	–	1	–	1	1	1	–	–	–
			FNW	3	–	–	–	–	–	–	–	1	–	–	2	–	–	–
d. All other chronic rheumatic heart disease - (393, 397-398)	27	0.6			–	–	–	–	1	–	3	1	3	6	7	5	1	–
			MW	6	–	–	–	–	–	–	–	–	1	2	–	2	1	–
			FW	11	–	–	–	–	–	–	1	–	–	3	6	1	–	–
			MNW	4	–	–	–	–	1	–	2	–	–	1	–	–	–	–
			FNW	6	–	–	–	–	–	–	–	1	2	–	1	2	–	–

Table XXIII (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1980
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE												
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
B. Hypertensive disease - (401-404)	813	19.4																
			MW	152	–	–	–	–	–	1	2	11	62	135	232	244	125	1
			FW	222	–	–	–	–	–	–	–	1	10	26	48	45	21	1
			MNW	195	–	–	–	–	–	–	1	1	6	26	47	84	57	–
			FNW	244	–	–	–	–	–	1	–	7	24	41	59	42	21	–
												2	22	42	78	73	26	–
1. Essential hypertension - (401)	66	1.6																
			MW	18	–	–	–	–	–	–	–	2	5	18	15	17	8	1
			FW	18	–	–	–	–	–	–	–	1	1	5	6	2	2	1
			MNW	7	–	–	–	–	–	–	–	–	–	5	2	6	5	–
			FNW	23	–	–	–	–	–	–	–	1	2	1	–	3	–	–
												–	2	7	7	6	1	–
2. Hypertensive heart disease - (402)	565	13.5																
			MW	89	–	–	–	–	–	1	2	7	50	102	163	166	74	–
			FW	156	–	–	–	–	–	–	–	–	8	20	26	27	8	–
			MNW	149	–	–	–	–	–	–	1	–	6	18	34	61	36	–
			FNW	171	–	–	–	–	–	–	1	5	18	33	49	30	13	–
										1	–	2	18	31	54	48	17	–
3. Hypertensive renal disease - (403)	89	2.1																
			MW	28	–	–	–	–	–	–	–	1	4	5	27	32	20	–
			FW	26	–	–	–	–	–	–	–	–	–	–	10	11	7	–
			MNW	15	–	–	–	–	–	–	–	1	–	2	6	9	8	–
			FNW	20	–	–	–	–	–	–	–	–	3	1	3	6	2	–
												–	1	2	8	6	3	–
4. Hypertensive heart and renal disease - (404)	93	2.2																
			MW	17	–	–	–	–	–	–	–	1	3	10	27	29	23	–
			FW	22	–	–	–	–	–	–	–	–	1	1	6	5	4	–
			MNW	24	–	–	–	–	–	–	–	–	–	1	5	8	8	–
			FNW	30	–	–	–	–	–	–	–	1	1	6	7	3	6	–
												–	1	2	9	13	5	–
C. Ischemic heart disease - (410-414)	9009	214.8																
			MW	3727	–	1	–	–	2	7	28	198	674	1633	2587	2481	1397	1
			FW	2738	–	–	–	–	–	3	6	104	365	882	1166	880	520	1
			MNW	1330	–	–	–	–	1	–	1	23	90	292	680	953	698	–
			FNW	1214	–	1	–	–	1	4	16	53	140	282	388	304	142	–
										–	5	18	79	177	353	344	237	–
1. Acute myocardial infarction - (410)	4831	115.2																
			MW	2282	–	–	–	–	1	4	17	135	461	1054	1516	1175	468	–
			FW	1366	–	–	–	–	–	2	4	73	271	587	759	460	126	–
			MNW	656	–	–	–	–	–	–	1	13	66	204	408	448	226	–
			FNW	527	–	–	–	–	1	2	9	37	83	168	177	140	39	–
									–	–	3	12	41	95	172	127	77	–
2. Other acute and subacute forms of ischemic heart disease - (411)	35	0.8																
			MW	18	–	–	–	–	–	–	2	1	3	7	9	9	4	–
			FW	9	–	–	–	–	–	–	–	–	1	5	3	7	2	–
			MNW	6	–	–	–	–	–	–	–	1	–	1	3	2	2	–
			FNW	2	–	–	–	–	–	–	2	–	2	1	1	–	–	–
										–	–	–	–	–	2	–	–	–
3. Angina pectoris - (413)	16	0.4																
			MW	5	–	–	–	–	–	–	–	1	1	3	6	4	1	–
			FW	6	–	–	–	–	–	–	–	–	–	2	1	1	1	–
			MNW	2	–	–	–	–	–	–	–	1	–	1	–	3	–	–
			FNW	3	–	–	–	–	–	–	–	–	1	–	1	–	–	–
										–	–	–	–	–	3	–	–	–
4. Old myocardial infarction and other forms of chronic ischemic heart disease - (412, 414)	4127	98.4																
			MW	1422	–	1	–	–	1	3	9	61	209	569	1056	1293	924	1
			FW	1357	–	–	–	–	–	1	2	31	93	288	403	412	191	1
			MNW	666	–	–	–	–	1	–	–	8	24	86	268	500	470	–
			FNW	682	–	1	–	–	–	2	5	16	54	113	209	164	103	–
										–	2	6	38	82	176	217	160	–
D. Diseases of pulmonary circulation - (415-417)	261	6.2																
			MW	74	1	1	–	–	–	2	8	11	23	45	85	64	21	–
			FW	86	–	–	–	–	–	–	3	2	6	15	25	19	4	–
			MNW	48	1	–	–	–	–	–	2	3	5	9	24	27	15	–
			FNW	53	–	1	–	–	–	1	–	2	6	12	15	10	1	–
					–	–	–	–	–	1	3	4	6	9	21	8	1	–
E. Other forms of heart disease - (420-429)	2960	70.6																
			MW	951	15	9	–	4	7	15	43	80	148	381	692	881	685	–
			FW	977	7	1	–	–	2	3	11	25	51	153	273	278	147	–
			MNW	530	1	1	–	1	1	4	5	9	27	72	170	339	347	–
			FNW	502	3	2	–	1	4	6	17	28	42	97	130	120	80	–
					4	5	–	2	–	2	10	18	28	59	119	144	111	–
1. Acute and subacute endocarditis - (421)	10	0.2																
			MW	2	–	–	–	–	1	1	1	–	3	2	1	–	1	–
			FW	5	–	–	–	–	1	–	–	–	–	1	–	–	–	–
			MNW	3	–	–	–	–	–	–	1	–	2	–	–	–	1	–
			FNW	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–
					–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. Acute pericarditis, acute myocarditis, and other diseases of pericardium - (420, 422-423)	23	0.5																
			MW	10	–	1	–	1	–	1	–	2	3	8	4	2	1	–
			FW	2	–	–	–	–	–	1	–	–	1	2	4	1	1	–
			MNW	8	–	–	–	1	–	–	–	–	–	–	–	1	–	–
			FNW	3	–	–	–	–	–	–	–	2	2	4	–	–	–	–
					–	1	–	–	–	–	–	–	–	2	–	–	–	–

Table IIIXX (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana , 1980
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE												
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
3. Other diseases of endocardium - (424)	110	2.6																
			MW	41	–	–	–	–	–	2	2	5	5	16	33	35	12	–
			FW	41	–	–	–	–	–	2	1	2	1	4	16	11	4	–
			MNW	11	–	–	–	–	–	–	–	1	1	4	1	3	1	–
			FNW	17	–	–	–	–	–	–	1	1	1	3	4	5	2	–
a. Mitral valve disorders - (424.0)	16	0.4																
			MW	6	–	–	–	–	–	–	–	1	1	4	3	6	1	–
			FW	7	–	–	–	–	–	–	–	–	1	1	2	2	1	–
			MNW	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–
			FNW	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
b. Aortic valve disorders - (424.1)	63	1.5																
			MW	28	–	–	–	–	–	2	–	1	2	8	25	16	9	–
			FW	20	–	–	–	–	–	2	–	1	1	3	14	4	3	–
			MNW	6	–	–	–	–	–	–	–	–	–	3	7	7	3	–
			FNW	9	–	–	–	–	–	–	–	–	1	1	3	2	2	–
c. All other diseases of endocardium - (424.2-424.9)	31	0.7																
			MW	7	–	–	–	–	–	–	2	3	2	4	5	13	2	–
			FW	14	–	–	–	–	–	–	1	–	–	–	1	4	1	–
			MNW	3	–	–	–	–	–	–	–	1	1	1	3	7	1	–
			FNW	7	–	–	–	–	–	–	1	1	–	2	1	2	–	–
4. Heart failure - (428)	676	16.1			1	–	–	2	–	–	3	8	20	71	163	225	183	–
			MW	221	–	–	–	–	–	–	2	2	5	28	63	68	53	–
			FW	229	–	–	–	–	–	–	–	1	4	13	40	84	87	–
			MNW	115	1	–	–	1	–	–	1	2	8	17	38	33	14	–
			FNW	111	–	–	–	1	–	–	–	3	3	13	22	40	29	–
5. Myocarditis, unspecified and myocardial degeneration - (429.0-429.1)	52	1.2			1	–	–	–	1	1	1	1	3	2	10	15	17	–
			MW	16	1	–	–	–	–	–	–	1	2	1	3	5	3	–
			FW	20	–	–	–	–	–	–	–	–	1	–	5	6	8	–
			MNW	8	–	–	–	–	1	–	–	–	–	1	2	2	2	–
			FNW	8	–	–	–	–	–	1	1	–	–	–	–	2	4	–
6. All other and ill-defined forms of heart disease - (425-427, 429.2-429.9)	2089	49.8			13	8	–	1	5	10	36	64	114	282	481	604	471	–
			MW	661	6	1	–	–	1	–	8	20	42	117	187	193	86	–
			FW	680	1	1	–	–	1	4	4	7	18	54	112	232	246	–
			MNW	385	2	2	–	–	3	5	16	23	30	70	89	82	63	–
			FNW	363	4	4	–	1	–	1	8	14	24	41	93	97	76	–
F. Cerebrovascular diseases - (430-438)	3288	78.4			3	1	1	–	5	6	34	54	150	361	798	1165	710	–
			MW	901	–	–	–	–	3	2	5	13	49	101	249	336	143	–
			FW	1203	1	–	–	–	2	–	10	10	16	80	218	474	392	–
			MNW	551	2	–	1	–	–	3	5	20	49	99	162	151	59	–
			FNW	633	–	1	–	–	–	1	14	11	36	81	169	204	116	–
1. Subarachnoid hemorrhage - (430)	115	2.7			–	–	–	–	3	3	13	17	17	27	23	9	3	–
			MW	33	–	–	–	–	2	–	3	4	10	5	5	4	–	–
			FW	42	–	–	–	–	1	–	4	6	4	11	10	4	2	–
			MNW	15	–	–	–	–	–	2	1	4	1	3	4	–	–	–
			FNW	25	–	–	–	–	–	1	5	3	2	8	4	1	1	–
2. Intracerebral and other intracranial hemorrhage - (431-432)	358	8.5			2	1	–	–	1	3	11	15	42	72	98	78	35	–
			MW	99	–	–	–	–	–	2	1	4	13	15	30	29	5	–
			FW	104	–	–	–	–	1	–	4	1	3	15	25	36	19	–
			MNW	80	2	–	–	–	–	1	2	5	14	25	21	6	4	–
			FNW	75	–	1	–	–	–	–	4	5	12	17	22	7	7	–
3. Occlusion and stenosis of precerebral arteries - (433)	26	0.6			–	–	–	–	–	–	1	–	2	9	4	9	1	–
			MW	13	–	–	–	–	–	–	–	–	–	7	2	4	–	–
			FW	7	–	–	–	–	–	–	1	–	–	–	1	4	1	–
			MNW	6	–	–	–	–	–	–	–	–	2	2	1	1	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4. Cerebral thrombosis and unspecified occlusion of cerebral arteries - (434.0, 434.9)	544	13.0			1	–	1	–	1	–	3	2	14	34	127	217	144	–
			MW	154	–	–	–	–	1	–	1	1	7	11	46	59	28	–
			FW	224	1	–	–	–	–	–	–	–	–	8	38	90	87	–
			MNW	59	–	–	1	–	–	–	–	1	5	10	15	20	7	–
			FNW	107	–	–	–	–	–	–	2	–	2	5	28	48	22	–
5. Cerebral embolism - (434.1)	17	0.4			–	–	–	–	–	–	–	2	1	–	5	7	2	–
			MW	3	–	–	–	–	–	–	–	1	–	–	–	1	1	–
			FW	7	–	–	–	–	–	–	–	1	–	–	2	3	1	–
			MNW	4	–	–	–	–	–	–	–	–	1	–	1	2	–	–
			FNW	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–
6. Acute but ill-defined cerebrovascular disease - (436)	1780	42.4			–	–	–	–	–	–	4	11	60	192	450	670	393	–
			MW	468	–	–	–	–	–	–	–	–	13	49	138	180	88	–
			FW	621	–	–	–	–	–	–	–	2	7	37	115	261	199	–
			MNW	341	–	–	–	–	–	–	1	7	24	58	103	109	39	–
			FNW	350	–	–	–	–	–	–	3	2	16	48	94	120	67	–

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1980
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE												
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
7. Other and late effects of cerebrovascular diseases - (435, 437-438)	448	10.7																
			MW	131	-	-	-	-	-	-	2	7	14	27	91	175	132	-
			FW	198	-	-	-	-	-	-	1	3	6	14	28	59	21	-
			MNW	46	-	-	-	-	-	-	1	-	2	9	27	76	83	-
			FNW	73	-	-	-	-	-	-	-	3	2	1	17	13	9	-
					-	-	-	-	-	-	-	1	4	3	19	27	19	-
G. Diseases of arteries, arterioles, and capillaries - (440-448)	956	22.8																
			MW	346	-	-	-	-	1	1	9	5	33	89	229	304	284	1
			FW	360	-	-	-	-	-	-	3	1	12	32	113	111	74	-
			MNW	121	-	-	-	-	-	-	1	3	5	23	48	127	153	-
			FNW	129	-	-	-	-	1	-	3	-	10	20	33	28	26	-
					-	-	-	-	-	1	2	1	6	14	35	38	31	1
1. Atherosclerosis - (440)	668	15.9																
			MW	206	-	-	-	-	-	-	3	-	18	43	124	227	252	1
			FW	280	-	-	-	-	-	-	1	-	5	12	53	70	65	-
			MNW	87	-	-	-	-	-	-	-	-	2	12	27	101	138	-
			FNW	95	-	-	-	-	-	-	1	-	8	12	20	23	23	-
					-	-	-	-	-	-	1	-	3	7	24	33	26	1
2. Aortic aneurysm - (441)	186	4.4																
			MW	106	-	-	-	-	-	-	1	-	9	26	79	49	22	-
			FW	46	-	-	-	-	-	-	1	-	5	12	50	30	8	-
			MNW	17	-	-	-	-	-	-	-	-	1	7	13	14	11	-
			FNW	17	-	-	-	-	-	-	-	-	2	4	8	2	1	-
					-	-	-	-	-	-	-	-	1	3	8	3	2	-
3. All other diseases of arteries, arterioles, and capillaries - (442-448)	102	2.4																
			MW	34	-	-	-	-	1	1	5	5	6	20	26	28	10	-
			FW	34	-	-	-	-	-	-	1	1	2	8	10	11	1	-
			MNW	17	-	-	-	-	-	-	1	3	2	4	8	12	4	-
			FNW	17	-	-	-	-	1	-	2	-	-	4	5	3	2	-
					-	-	-	-	-	1	1	1	2	4	3	2	3	-
H. Diseases of veins and lymphatics, and other diseases of circulatory system - (451-459)	56	1.3																
			MW	18	-	1	-	-	-	-	1	6	6	10	18	9	5	-
			FW	17	-	1	-	-	-	-	-	1	1	6	8	-	1	-
			MNW	12	-	-	-	-	-	-	-	1	1	3	4	4	4	-
			FNW	9	-	-	-	-	-	-	-	3	3	1	2	3	-	-
					-	-	-	-	-	-	1	1	1	-	4	2	-	-
1. Phlebitis, thrombophlebitis, and venous embolism and thrombosis - (451-453)	23	0.5																
			MW	7	-	-	-	-	-	-	-	2	3	6	7	3	2	-
			FW	10	-	-	-	-	-	-	-	-	1	3	3	-	-	-
			MNW	3	-	-	-	-	-	-	-	1	1	3	2	1	2	-
			FNW	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-
					-	-	-	-	-	-	-	1	1	-	-	1	-	-
2. Other diseases of veins and lymphatics and all other diseases of circulatory system - (454-459)	33	0.8																
			MW	11	-	1	-	-	-	-	1	4	3	4	11	6	3	-
			FW	7	-	1	-	-	-	-	-	1	-	3	5	-	1	-
			MNW	9	-	-	-	-	-	-	-	-	-	-	2	3	2	-
			FNW	6	-	-	-	-	-	-	-	3	3	1	-	2	-	-
					-	-	-	-	-	-	1	-	-	-	4	1	-	-
VIII. Diseases of the respiratory system - (460-519)	1722	41.1			80	16	3	6	8	19	30	48	101	275	460	444	231	1
			MW	748	17	5	1	2	2	5	6	14	35	117	235	227	82	-
			FW	479	14	3	1	-	1	3	6	11	22	75	122	131	90	-
			MNW	314	29	4	-	-	3	4	9	12	23	55	72	65	37	1
			FNW	181	20	4	1	4	2	7	9	11	21	28	31	21	22	-
A. Diseases of the upper respiratory tract - (460-465, 470-478)	8	0.2																
			MW	3	-	-	-	-	-	-	1	1	-	1	-	1	1	-
			FW	3	2	-	-	-	-	-	1	1	-	1	-	-	-	-
			MNW	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
			FNW	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1. Acute upper respiratory infections - (460-465)	3	0.1																
			MW	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
			FW	2	2	-	-	-	-	-	-	-	-	1	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Other diseases of upper respiratory tract - (470-478)	5	0.1																
			MW	2	-	-	-	-	-	-	1	1	-	-	-	1	1	-
			FW	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
			MNW	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
			FNW	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
B. Other diseases of the respiratory system - (466, 480-519)	1714	40.9			77	16	3	6	8	19	29	47	101	274	460	443	230	1
			MW	745	17	5	1	2	2	5	5	13	35	116	235	227	82	-
			FW	476	12	3	1	-	1	3	6	11	22	75	122	131	89	-
			MNW	313	29	4	-	-	3	4	9	12	23	55	72	64	37	1
			FNW	180	19	4	1	4	2	7	9	11	21	28	31	21	22	-
1. Acute bronchitis and bronchiolitis - (466)	12	0.3																
			MW	4	-	-	-	-	-	-	-	1	-	1	5	3	-	-
			FW	6	1	-	-	-	-	-	-	-	-	1	2	2	-	-
			MNW	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
			FNW	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age

Louisiana, 1980

(By Place of Residence[1])

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
2. Pneumonia - (480-486)	621	14.8			54	11	2	2	5	8	6	17	28	65	114	161	147	1
			MW	211	9	3	–	–	2	2	–	5	14	23	47	63	43	–
			FW	194	7	2	1	–	–	2	3	5	4	16	31	59	64	–
			MNW	133	22	3	–	–	2	1	2	2	5	18	24	28	25	1
			FNW	83	16	3	1	2	1	3	1	5	5	8	12	11	15	–
a. Viral pneumonia - (480)	15	0.4			7	2	–	–	–	2	–	–	1	–	1	1	1	–
			MW	6	3	–	–	–	–	1	–	–	1	–	–	–	1	–
			FW	4	–	1	–	–	–	1	–	–	–	–	1	1	–	–
			MNW	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–
b. Pneumococcal and other bacterial pneumonia - (481-482)	60	1.4			5	1	1	–	2	–	–	2	2	5	12	15	15	–
			MW	15	1	–	–	–	–	–	–	1	1	2	5	5	2	–
			FW	21	–	–	1	–	–	–	–	–	–	2	4	6	8	–
			MNW	15	2	1	–	–	1	–	–	–	–	1	2	4	4	–
			FNW	9	2	–	–	–	1	–	–	1	1	–	3	–	1	–
c. Bronchopneumonia, organism unspecified - (485)	103	2.5			14	3	1	1	1	–	2	2	7	10	15	22	24	1
			MW	34	4	–	–	–	–	–	–	2	3	4	6	12	3	–
			FW	36	3	1	–	–	–	–	2	–	2	2	3	6	17	–
			MNW	19	3	2	–	–	1	–	–	–	1	2	4	3	2	1
			FNW	14	4	–	1	1	–	–	–	1	2	2	2	1	2	–
d. Pneumonia due to other and unspecified organism - (483, 486)	443	10.6			28	5	–	1	2	6	4	13	18	50	86	123	107	–
			MW	156	1	3	–	–	2	1	–	2	9	17	38	46	37	–
			FW	133	4	–	–	–	–	1	1	5	2	12	23	46	39	–
			MNW	97	15	–	–	–	–	1	2	2	1	15	18	21	19	–
			FNW	57	8	2	–	1	–	3	1	4	3	6	7	10	12	–
3. Influenza - (487)	10	0.2			–	–	–	–	–	–	–	–	–	1	3	3	3	–
			MW	4	–	–	–	–	–	–	–	–	–	1	2	1	–	–
			FW	5	–	–	–	–	–	–	–	–	–	–	1	1	3	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
4. Chronic obstructive pulmonary diseases and allied conditions - (490-496)	748	17.8			3	–	–	2	–	3	7	12	42	157	263	206	53	–
			MW	395	–	–	–	–	–	1	1	4	11	71	147	128	32	–
			FW	193	1	–	–	–	–	–	1	1	14	50	67	47	12	–
			MNW	111	2	–	–	–	–	1	3	5	7	26	36	25	6	–
			FNW	49	–	–	–	2	–	1	2	2	10	10	13	6	3	–
a. Bronchitis, chronic and unspecified, emphysema and asthma - (490-493)	296	7.1			3	–	–	1	–	3	7	10	22	67	86	83	14	–
			MW	148	–	–	–	–	–	1	1	4	4	26	50	53	9	–
			FW	72	1	–	–	–	–	–	1	1	6	22	22	16	3	–
			MNW	50	2	–	–	–	–	1	3	3	5	12	10	13	1	–
			FNW	26	–	–	–	1	–	1	2	2	7	7	4	1	1	–
1) Bronchitis, not specified as acute or chronic - (490)	10	0.2			1	–	–	–	–	–	1	1	–	–	–	6	1	–
			MW	5	–	–	–	–	–	–	–	1	–	–	–	3	1	–
			FW	3	–	–	–	–	–	–	1	–	–	–	–	2	–	–
			MNW	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2) Chronic bronchitis - (491)	41	1.0			2	–	–	–	–	–	–	2	3	6	16	11	1	–
			MW	17	–	–	–	–	–	–	–	1	1	3	6	6	–	–
			FW	9	1	–	–	–	–	–	–	–	–	–	5	3	–	–
			MNW	12	1	–	–	–	–	–	–	1	1	2	4	2	1	–
			FNW	3	–	–	–	–	–	–	–	–	1	1	1	–	–	–
3) Emphysema - (492)	180	4.3			–	–	–	–	–	–	2	3	8	47	52	57	11	–
			MW	109	–	–	–	–	–	–	–	1	3	20	40	38	7	–
			FW	39	–	–	–	–	–	–	–	–	2	17	8	9	3	–
			MNW	24	–	–	–	–	–	–	1	1	2	8	3	9	–	–
			FNW	8	–	–	–	–	–	–	1	1	1	2	1	1	1	–
4) Asthma - (493)	65	1.5			–	–	–	1	–	3	4	4	11	14	18	9	1	–
			MW	17	–	–	–	–	–	1	1	1	–	3	4	6	1	–
			FW	21	–	–	–	–	–	–	–	1	4	5	9	2	–	–
			MNW	12	–	–	–	–	–	1	2	1	2	2	3	1	–	–
			FNW	15	–	–	–	1	–	1	1	1	5	4	2	–	–	–
b. Bronchiectasis and extrinsic allergic alveolitis - (494-495)	4	0.1			–	–	–	1	–	–	–	–	–	–	–	3	–	–
			MW	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–
			FW	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
c. Chronic airways obstruction, not elsewhere classified - (496)	448	10.7			–	–	–	–	–	–	–	2	20	90	177	120	39	–
			MW	245	–	–	–	–	–	–	–	–	7	45	97	73	23	–
			FW	120	–	–	–	–	–	–	–	–	8	28	45	30	9	–
			MNW	61	–	–	–	–	–	–	–	2	2	14	26	12	5	–
			FNW	22	–	–	–	–	–	–	–	–	3	3	9	5	2	–

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1980
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE												
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
5. Pneumoconioses and other lung diseases due to external agents - (500-506)	79	1.9			2	1	1	–	1	2	–	3	5	11	24	18	11	
			MW	38	2	1	1	–	1	1	–	1	2	5	13	10	2	
			FW	15	–	–	–	–	–	–	–	1	1	–	5	4	4	
			MNW	12	–	–	–	–	–	–	–	1	1	2	2	3	3	
			FNW	14	–	–	–	–	1	1	–	–	1	4	4	1	2	
6. Empyema and abscess of lung and mediastinum - (510-513)	23	0.5			–	1	–	–	–	1	–	2	4	4	6	3	2	
			MW	9	–	1	–	–	–	1	–	1	1	–	4	1	–	
			FW	3	–	–	–	–	–	–	–	–	–	1	1	1	1	
			MNW	8	–	–	–	–	–	–	–	1	1	2	1	2	1	
			FNW	3	–	–	–	–	–	–	–	–	2	1	–	–	–	
7. Pleurisy - (511)	12	0.3			–	–	–	1	–	–	–	–	1	4	2	2	2	
			MW	4	–	–	–	1	–	–	–	–	–	2	–	–	1	
			FW	3	–	–	–	–	–	–	–	–	–	–	1	1	1	
			MNW	5	–	–	–	–	–	–	–	–	1	2	1	1	–	
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
8. All other diseases of respiratory system - (512, 514-519)	209	5.0			16	3	–	1	2	5	16	12	21	31	43	47	12	
			MW	80	6	–	–	1	–	–	4	2	7	14	20	22	4	
			FW	57	3	1	–	–	1	1	2	4	3	7	13	18	4	
			MNW	43	4	1	–	–	1	2	4	3	8	5	8	5	2	
			FNW	29	3	1	–	–	–	2	6	3	3	5	2	2	2	
IX. Diseases of the digestive system - (520-579)	1355	32.3			9	7	5	4	3	11	33	104	186	264	329	252	146	2
			MW	507	2	–	2	1	1	2	5	41	71	123	134	87	36	2
			FW	453	3	4	1	2	–	2	7	21	49	66	115	108	75	
			MNW	222	3	1	–	1	2	5	14	35	37	52	36	23	13	
			FNW	173	1	2	2	–	–	2	7	7	29	23	44	34	27	
A. Diseases of oral cavity, salivary glands, and jaws - (520-529)	2	0.0			–	–	–	–	–	–	–	–	–	1	–	–	1	
			MW	1	–	–	–	–	–	–	–	–	–	1	–	–	–	
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
			FNW	1	–	–	–	–	–	–	–	–	–	–	–	–	1	
B. Diseases of other parts of the digestive system - (530-579)	1353	32.3			9	7	5	4	3	11	33	104	186	263	329	252	145	2
			MW	506	2	–	2	1	1	2	5	41	71	122	134	87	36	2
			FW	453	3	4	1	2	–	2	7	21	49	66	115	108	75	
			MNW	222	3	1	–	1	2	5	14	35	37	52	36	23	13	
			FNW	172	1	2	2	–	–	2	7	7	29	23	44	34	21	
1. Ulcer of stomach and duodenum - (531-533)	88	2.1			–	–	–	2	–	1	2	4	3	13	22	20	21	
			MW	32	–	–	–	–	–	–	–	1	2	7	10	7	5	
			FW	36	–	–	–	2	–	–	1	1	1	2	8	11	10	
			MNW	11	–	–	–	–	–	1	1	2	–	3	1	1	2	
			FNW	9	–	–	–	–	–	–	–	–	–	1	3	1	4	
a. Gastric ulcer - (531)	26	0.6			–	–	–	2	–	–	–	1	–	4	9	6	4	
			MW	11	–	–	–	–	–	–	–	–	–	3	5	1	2	
			FW	12	–	–	–	2	–	–	–	1	–	–	3	5	1	
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
			FNW	3	–	–	–	–	–	–	–	–	–	1	1	–	1	
b. Duodenal ulcer - (532)	28	0.7			–	–	–	–	–	1	1	–	1	4	9	6	6	
			MW	9	–	–	–	–	–	–	–	–	1	1	5	2	–	
			FW	11	–	–	–	–	–	–	–	–	–	1	2	4	4	
			MNW	6	–	–	–	–	–	1	1	–	–	2	1	–	1	
			FNW	2	–	–	–	–	–	–	–	–	–	–	1	–	1	
c. Peptic ulcer, site unspecified - (533)	34	0.8			–	–	–	–	–	–	1	3	2	5	4	8	11	
			MW	12	–	–	–	–	–	–	–	1	1	3	–	4	3	
			FW	13	–	–	–	–	–	–	1	–	1	1	3	2	5	
			MNW	5	–	–	–	–	–	–	–	2	–	1	–	1	1	
			FNW	4	–	–	–	–	–	–	–	–	–	–	1	1	2	
2. Gastritis and duodenitis - (535)	17	0.4			–	–	–	–	–	–	–	2	3	4	5	2	1	
			MW	4	–	–	–	–	–	–	–	1	2	–	1	–	–	
			FW	5	–	–	–	–	–	–	–	–	–	3	1	–	1	
			MNW	6	–	–	–	–	–	–	–	1	1	1	1	2	–	
			FNW	2	–	–	–	–	–	–	–	–	–	–	2	–	–	
3. Appendicitis - (540-543)	15	0.4			–	–	1	1	–	–	–	–	2	4	1	6	–	
			MW	4	–	–	–	–	–	–	–	–	–	2	–	2	–	
			FW	4	–	–	1	–	–	–	–	–	–	–	1	2	–	
			MNW	3	–	–	–	1	–	–	–	–	–	1	–	1	–	
			FNW	4	–	–	–	–	–	–	–	–	2	1	–	1	–	
4. Hernia of abdominal cavity and intestinal obstruction without mention of hernia - (550-553, 560)	98	2.5			2	1	2	–	–	–	2	–	7	5	25	32	22	
			MW	21	1	–	1	–	–	–	–	–	–	1	7	6	5	
			FW	47	–	–	–	–	–	–	1	–	4	2	14	16	10	
			MNW	16	1	1	–	–	–	–	1	–	–	2	3	5	3	
			FNW	14	–	–	1	–	–	–	–	–	3	–	1	5	4	

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age

Louisiana, 1980

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
5. Regional enteritis and idiopathic proctocolitis - (555-556)	12	0.3																
			MW	4	–	–	1	–	1	1	1	1	–	2	1	1	–	–
			FW	4	–	–	1	–	–	1	–	1	–	1	2	–	–	–
			MNW	3	–	–	–	–	1	–	1	–	–	–	1	–	–	–
			FNW	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
6. All other noninfective gastroenteritis and colitis - (557-558)	103	2.5			4	5	–	–	–	–	1	3	4	14	25	27	20	–
			MW	30	1	–	–	–	–	–	–	1	2	5	8	8	5	–
			FW	52	2	3	–	–	–	–	–	1	1	8	9	15	13	–
			MNW	11	1	–	–	–	–	–	1	–	1	–	4	2	2	–
			FNW	10	–	2	–	–	–	–	–	1	–	1	4	2	–	–
7. Diverticula of intestine - (562)	58	1.4			–	–	–	–	–	–	–	–	3	4	17	16	18	–
			MW	15	–	–	–	–	–	–	–	–	1	1	3	5	5	–
			FW	28	–	–	–	–	–	–	–	–	–	1	11	7	9	–
			MNW	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–
			FNW	13	–	–	–	–	–	–	–	–	2	2	3	2	4	–
8. Chronic liver disease and cirrhosis - (571)	470	11.2			–	–	1	–	–	4	14	60	106	125	113	42	4	1
			MW	219	–	–	–	–	–	2	3	24	43	68	59	17	2	1
			FW	125	–	–	–	–	–	–	1	13	28	27	34	21	1	–
			MNW	85	–	–	–	–	–	2	8	21	22	20	10	2	–	–
			FNW	41	–	–	1	–	–	–	2	2	13	10	10	2	1	–
a. Chronic liver disease and cirrhosis, specified as alcoholic - (571.0-571.3)	111	2.6			–	–	–	–	–	2	1	23	30	31	19	4	–	1
			MW	55	–	–	–	–	–	–	–	10	12	21	8	3	–	1
			FW	19	–	–	–	–	–	–	–	3	10	3	2	1	–	–
			MNW	31	–	–	–	–	–	2	1	10	6	6	6	–	–	–
			FNW	6	–	–	–	–	–	–	–	–	2	1	3	–	–	–
b. Chronic hepatitis and biliary cirrhosis - (571.4, 571.6)	23	0.5			–	–	–	–	–	–	1	2	3	3	7	6	1	–
			MW	7	–	–	–	–	–	–	–	2	1	1	1	2	–	–
			FW	13	–	–	–	–	–	–	–	–	2	1	6	4	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	3	–	–	–	–	–	–	1	–	–	1	–	–	1	–
c. Cirrhosis of liver and other and unspecified chronic liver disease without mention of alcohol - (571.5, 571.8-571.9)	336	8.0			–	–	1	–	–	2	12	35	73	91	87	32	3	–
			MW	157	–	–	–	–	–	2	3	12	30	46	50	12	2	–
			FW	93	–	–	–	–	–	–	1	10	16	23	26	16	1	–
			MNW	54	–	–	–	–	–	–	7	11	16	14	4	2	–	–
			FNW	32	–	–	1	–	–	–	1	2	11	8	7	2	–	–
9. Cholelithiasis and other disorders of gallbladder - (574-575)	65	1.5			–	–	–	–	–	2	–	4	4	10	16	18	11	–
			MW	24	–	–	–	–	–	–	–	1	1	7	7	5	3	–
			FW	21	–	–	–	–	–	–	–	–	1	1	4	8	7	–
			MNW	4	–	–	–	–	–	1	–	1	–	1	1	–	–	–
			FNW	16	–	–	–	–	–	1	–	2	2	1	4	5	1	–
10. All other diseases of digestive system - (530, 534, 536-537, 564-570, 572-577, 576-579)	427	10.2			3	1	–	1	2	3	13	30	54	82	101	88	48	1
			MW	153	–	–	–	1	1	–	2	12	20	31	38	36	11	1
			FW	131	1	1	–	–	–	1	4	6	14	21	31	28	24	–
			MNW	81	1	–	–	–	1	1	2	10	13	24	15	8	6	–
			FNW	62	1	–	–	–	–	1	5	2	7	6	17	16	7	–
X. Diseases of the genitourinary system - (580-629)	715	17.0			12	–	–	1	2	1	12	16	30	78	147	237	179	–
			MW	171	3	–	–	–	1	–	2	1	5	22	39	62	36	–
			FW	227	3	–	–	–	–	–	2	2	3	18	36	89	74	–
			MNW	148	2	–	–	–	–	–	2	10	9	14	33	41	37	–
			FNW	169	4	–	–	1	1	1	6	3	13	24	39	45	32	–
A. Diseases of urinary system - (580-599)	689	16.4			12	–	–	1	2	1	9	16	30	76	140	228	174	–
			MW	162	3	–	–	–	1	–	2	1	5	20	38	57	35	–
			FW	226	3	–	–	–	–	–	2	2	3	18	35	89	74	–
			MNW	138	2	–	–	–	–	–	2	10	9	14	29	38	34	–
			FNW	163	4	–	–	1	1	1	3	3	13	24	38	44	31	–
1. Nephritis, nephrotic syndrome, and nephrosis - (580-589)	443	10.6			12	–	–	1	1	1	6	14	19	59	91	131	108	–
			MW	98	3	–	–	–	–	–	1	1	3	17	22	36	15	–
			FW	127	3	–	–	–	–	–	2	2	–	14	21	40	45	–
			MNW	106	2	–	–	–	–	–	2	8	8	10	21	27	28	–
			FNW	112	4	–	–	1	1	1	1	3	8	18	27	28	20	–
a. Acute glomerulonephritis - (580)	2	0.0			–	–	–	–	–	–	–	–	1	–	–	1	–	–
			MW	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
b. Nephrotic syndrome - (581)	2	0.0			–	–	–	–	–	–	–	–	–	1	–	1	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race , and Age
Louisiana, 1980
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
c. Chronic gl. merulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified - (582-583, 587)	88	2.1	MW	13	–	–	–	–	–	–	2	3	3	9	19	30	22	–
			FW	20	–	–	–	–	–	–	1	1	–	3	2	6	–	–
			MNW	25	–	–	–	–	–	–	–	–	–	1	4	7	8	–
			FNW	30	–	–	–	–	–	–	–	1	1	2	1	6	10	9	–
d. Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause - (584-586, 588-589)	351	8.4			12	–	–	1	1	1	4	11	15	49	72	99	86	–
			MW	84	3	–	–	–	–	–	–	–	3	14	20	29	15	–
			FW	106	3	–	–	–	–	–	2	2	–	13	17	32	37	–
			MNW	80	2	–	–	–	–	–	2	7	6	6	14	20	23	–
			FNW	81	4	–	–	1	1	1	–	2	6	16	21	18	11	–
2. Infections of kidney - (590)	77	1.8			–	–	–	–	–	–	2	–	5	5	14	28	23	–
			MW	19	–	–	–	–	–	–	1	–	2	–	4	5	7	–
			FW	32	–	–	–	–	–	–	–	–	1	2	5	16	8	–
			MNW	9	–	–	–	–	–	–	–	–	–	2	3	2	2	–
			FNW	17	–	–	–	–	–	–	1	–	2	1	2	5	6	–
3. Urinary calculus - (592, 594)	4	0.1			–	–	–	–	–	–	–	–	–	–	1	3	–	–
			MW	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
			FW	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
4. All other diseases of urinary system - (591, 593, 595-599)	165	3.9			–	–	–	–	1	–	1	2	6	12	34	66	43	–
			MW	44	–	–	–	–	1	–	–	–	–	3	12	15	13	–
			FW	65	–	–	–	–	–	–	–	–	2	2	9	31	21	–
			MNW	23	–	–	–	–	–	–	–	2	1	2	5	9	4	–
			FNW	33	–	–	–	–	–	–	1	–	3	5	8	11	5	–
B. Diseases of male genital organs - (600-608)	19	0.5			–	–	–	–	–	–	–	–	–	2	5	8	4	–
			MW	9	–	–	–	–	–	–	–	–	–	2	1	5	1	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	10	–	–	–	–	–	–	–	–	–	–	4	3	3	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
1. Hyperplasia of prostate - (600)	10	0.2			–	–	–	–	–	–	–	–	–	–	3	4	3	–
			MW	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	8	–	–	–	–	–	–	–	–	–	–	3	2	3	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. Other diseases of male genital organs - (601-608)	9	0.2			–	–	–	–	–	–	–	–	–	2	2	4	1	–
			MW	7	–	–	–	–	–	–	–	–	–	2	1	3	1	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
C. Diseases of breast and other diseases of female genital organs - (610-629)	7	0.2			–	–	–	–	–	–	3	–	–	–	2	1	1	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	6	–	–	–	–	–	–	3	–	–	–	1	1	1	–
1. Disorders of breast - (610-611)	–	– –			–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. Other diseases of female genital organs - (614-629)	7	0.2			–	–	–	–	–	–	3	–	–	–	2	1	1	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	6	–	–	–	–	–	–	3	–	–	–	1	1	1	–
XI. Complications of pregnancy, childbirth, and the puerperium - (630-676)	8	0.2			–	–	–	–	2	2	1	3	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	7	–	–	–	–	1	2	1	3	–	–	–	–	–	–
A. Pregnancy with abortive outcome - (630-638)	1	0.0			–	–	–	–	–	1	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
1. Ectopic pregnancy - (633)	1	0.0			–	–	–	–	–	1	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1980

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE												
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
2. Spontaneous abortion - (634)	–	– –	MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. Legally induced abortion - (635)	–	– –	MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4. Illegally induced abortion - (636)	–	– –	MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5. Other pregnancy with abortive outcome - (630-632, 637-638)	–	– –	MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B. Direct obstetric causes - (640-646, 651-676)	5	0.1	MW	–	–	–	–	–	1	–	1	3	–	–	–	–	–	–
			FW	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	4	–	–	–	–	–	–	1	3	–	–	–	–	–	–
1. Hemorrhage of pregnancy and childbirth - (640-641, 666)	–	– –	MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. Toxemia of pregnancy - (642.4-642.9, 643)	–	– –	MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. Obstructed labor - (660)	–	– –	MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4. Complications of the puerperium - (670-676)	4	0.1	MW	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–
			FW	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	3	–	–	–	–	–	–	1	2	–	–	–	–	–	–
5. Other direct obstetric causes - (642.0-642.3, 644-646, 651-659, 661-665, 667-669)	1	0.0	MW	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
C. Indirect obstetric causes - (647-648)	2	0.0	MW	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–
D. Delivery in a completely normal case - (650)	–	– –	MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Diseases of the skin and subcutaneous tissue - (680-709)	79	1.9	MW	16	1	–	–	–	–	1	–	–	1	10	18	34	14	–
			FW	26	–	–	–	–	–	–	–	–	1	1	5	10	9	–
			MNW	17	–	–	–	–	–	1	–	–	–	4	6	6	–	–
			FNW	20	1	–	–	–	–	–	–	–	–	5	4	8	2	–
A. Infections of skin and subcutaneous tissue - (680-686)	16	0.4	MW	3	–	–	–	–	–	1	–	–	–	–	3	5	1	–
			FW	7	–	–	–	–	–	–	–	–	–	1	1	2	–	–
			MNW	4	–	–	–	–	–	1	–	–	–	3	2	3	1	–
			FNW	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1980
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE												
					Under 1	1-4	5-9	10-14	15-1	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
B. All other diseases of skin and subcutaneous tissue - (690-709)	63	1.5			1	–	–	–	–	–	–	–	1	4	15	29	13	–
			MW	13	–	–	–	–	–	–	–	–	–	–	2	8	3	–
			FW	19	–	–	–	–	–	–	–	–	1	–	3	7	8	–
			MNW	13	–	–	–	–	–	–	–	–	–	1	6	6	–	–
			FNW	18	1	–	–	–	–	–	–	–	–	3	4	8	2	–
XIII. Diseases of the musculoskeletal system and connective tissue - (710-739)	98	2.3			–	–	–	–	2	2	9	6	10	23	27	13	6	–
			MW	23	–	–	–	–	1	–	1	1	1	5	9	3	2	–
			FW	37	–	–	–	–	–	–	2	1	1	11	11	9	2	–
			MNW	12	–	–	–	–	–	1	2	1	4	2	1	1	–	–
			FNW	26	–	–	–	–	1	1	4	3	4	5	6	–	2	–
A. Rheumatoid arthritis and other inflammatory polyarthropathies - (714)	19	0.5			–	–	–	–	–	–	–	–	–	6	9	4	–	–
			MW	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–
			FW	12	–	–	–	–	–	–	–	–	–	4	4	4	–	–
			MNW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			FNW	3	–	–	–	–	–	–	–	–	–	–	3	–	–	–
B. Other arthropathies and related disorders - (710-712, 715-719)	47	1.1			–	–	–	–	2	1	7	4	3	13	11	4	2	–
			MW	10	–	–	–	–	1	–	1	–	–	2	5	1	–	–
			FW	19	–	–	–	–	–	–	2	1	–	6	5	3	2	–
			MNW	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
			FNW	17	–	–	–	–	1	1	4	3	2	5	1	–	–	–
C. Dorsopathies - (720-724)	4	0.1			–	–	–	–	–	–	–	1	–	–	3	–	–	–
			MW	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			FW	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
D. Rheumatism, excluding the back - (725-729)	15	0.4			–	–	–	–	–	1	2	–	4	2	3	1	2	–
			MW	5	–	–	–	–	–	–	–	–	–	–	3	1	1	–
			FW	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
			MNW	6	–	–	–	–	–	1	2	–	2	1	–	–	–	–
			FNW	3	–	–	–	–	–	–	–	–	2	–	–	–	1	–
E. Osteopathies, chondropathies, and acquired musculoskeletal deformities - (730-739)	13	0.3			–	–	–	–	–	–	–	1	3	2	1	4	2	–
			MW	4	–	–	–	–	–	–	–	–	1	1	–	1	1	–
			FW	3	–	–	–	–	–	–	–	–	1	–	–	2	–	–
			MNW	4	–	–	–	–	–	–	–	1	1	1	–	1	–	–
			FNW	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–
XIV. Congenital anomalies - (740-759)	331	7.9			228	24	10	7	5	6	18	15	7	7	2	2	–	–
			MW	71	83	11	1	3	2	–	9	6	2	3	1	–	–	–
			FW	87	58	5	2	–	3	2	4	4	4	2	1	2	–	–
			MNW	74	49	5	4	4	–	2	4	4	1	1	–	–	–	–
			FNW	49	38	3	3	–	–	2	1	1	–	1	–	–	–	–
A. Spina bifida - (741)	4	0.1			4	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
B. All other congenital anomalies of nervous system - (740, 742)	47	1.1			35	4	2	3	1	1	1	–	–	–	–	–	–	–
			MW	21	15	2	1	1	1	–	1	–	–	–	–	–	–	–
			FW	12	11	–	1	–	–	–	–	–	–	–	–	–	–	–
			MNW	8	5	1	–	2	–	–	–	–	–	–	–	–	–	–
			FNW	6	4	1	–	–	–	1	–	–	–	–	–	–	–	–
C. Congenital anomalies of heart - (745-746)	111	2.6			67	12	4	4	2	2	8	5	1	3	2	1	–	–
			MW	50	31	5	–	2	1	–	4	3	1	2	1	–	–	–
			FW	19	11	2	–	–	1	–	2	–	–	1	1	1	–	–
			MNW	29	17	3	3	2	–	1	2	1	–	–	–	–	–	–
			FNW	13	8	2	1	–	–	1	–	1	–	–	–	–	–	–
D. Other congenital anomalies of circulatory system - (747)	28	0.7			15	2	1	–	2	–	4	3	1	–	–	–	–	–
			MW	9	6	–	–	–	–	–	2	1	–	–	–	–	–	–
			FW	12	5	1	–	–	2	–	1	2	1	–	–	–	–	–
			MNW	3	1	1	–	–	–	–	1	–	–	–	–	–	–	–
			FNW	4	3	–	1	–	–	–	–	–	–	–	–	–	–	–
E. All other congenital anomalies - (743-744, 748-759)	141	3.4			107	6	3	–	–	3	5	7	5	4	–	1	–	–
			MW	40	30	4	–	–	–	–	2	2	1	1	–	–	–	–
			FW	42	29	2	1	–	–	2	1	2	3	1	–	1	–	–
			MNW	34	26	–	1	–	–	1	1	3	1	1	–	–	–	–
			FNW	25	22	–	1	–	–	–	1	–	–	1	–	–	–	–
XV. Certain conditions originating in perinatal period - (760-779)	612	14.6			612	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	136	136	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	103	103	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	201	201	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	172	172	–	–	–	–	–	–	–	–	–	–	–	–	–

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1980

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
A. Birth trauma - (767)	43	1.0			43	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–
B. Intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome - (768-769)	138	3.3			138	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	40	40	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	26	26	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	31	31	–	–	–	–	–	–	–	–	–	–	–	–	–
C. Other conditions originating in the perinatal period - (760-766, 770-779)	431	10.3			431	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	89	89	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	72	72	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	142	142	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	128	128	–	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Symptoms, signs, and ill-defined conditions - (780-799)	370	8.8			90	2	3	1	2	5	8	11	18	45	59	69	57	–
			MW	105	17	–	–	–	–	3	2	4	8	18	22	23	8	–
			FW	94	11	1	2	–	–	–	1	1	6	13	11	18	30	–
			MNW	90	33	1	–	–	–	1	5	2	3	6	13	20	6	–
			FNW	81	29	–	1	1	2	1	–	4	1	8	13	8	13	–
A. Senility without mention of psychosis - (797)	17	0.4			–	–	–	–	–	–	–	–	–	–	1	2	14	–
			MW	5	–	–	–	–	–	–	–	–	–	–	–	1	4	–
			FW	5	–	–	–	–	–	–	–	–	–	–	1	–	4	–
			MNW	3	–	–	–	–	–	–	–	–	–	–	–	1	2	–
			FNW	4	–	–	–	–	–	–	–	–	–	–	–	–	4	–
B. Symptoms, signs, and other ill-defined conditions - (780-796, 798-799)	353	8.4			90	1	3	1	2	5	8	11	18	45	58	67	44	–
			MW	100	17	–	–	–	–	3	2	4	8	18	22	22	4	–
			FW	89	11	1	2	–	–	–	1	1	6	13	10	18	26	–
			MNW	87	33	–	–	–	–	1	5	2	3	6	13	19	5	–
			FNW	77	29	–	1	1	2	1	–	4	1	8	13	8	9	–
XVII. Supplementary classification of external causes of injury and poisoning - (E800-E999)	3705	88.3			48	90	64	103	429	572	804	411	332	287	273	198	86	8
			MW	1814	14	30	24	43	234	326	406	185	167	146	136	75	25	3
			FW	626	13	16	12	14	83	57	93	76	45	52	62	65	38	–
			MNW	979	10	25	18	30	87	163	255	124	98	67	54	34	10	4
			FNW	286	11	19	10	16	25	26	50	26	22	22	21	24	13	1
A. Accidents and adverse effects - (E800-E949)	2522	60.1			45	88	59	96	322	380	464	229	201	181	204	166	82	5
			MW	1282	14	30	20	40	186	247	268	116	105	82	96	54	22	2
			FW	475	10	15	11	14	70	39	60	49	28	35	48	59	37	–
			MNW	571	10	24	18	28	52	86	117	52	55	46	40	30	10	3
			FNW	194	11	19	10	14	14	8	19	12	13	18	20	23	13	–
1. Transport accidents - (E800-E848)	1350	32.2			5	31	28	48	220	262	314	145	95	75	72	46	8	1
			MW	782	1	9	10	23	140	177	193	77	54	35	39	20	4	–
			FW	246	4	5	6	11	55	30	39	31	16	15	16	14	4	–
			MNW	259	–	11	8	7	20	50	69	31	21	16	16	9	–	1
			FNW	63	–	6	4	7	5	5	13	6	4	9	1	3	–	–
a. Railway accidents - (E800-E807)	12	0.3			–	–	–	–	–	4	5	–	1	–	1	1	–	–
			MW	8	–	–	–	–	–	3	3	–	1	–	–	1	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	4	–	–	–	–	–	1	2	–	–	–	1	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
b. Motor vehicle accidents - (E810-E825)	1211	28.9			5	30	26	41	210	234	274	123	81	65	69	45	8	–
			MW	680	1	8	9	18	133	158	163	59	42	29	37	19	4	–
			FW	237	4	5	5	11	54	29	37	29	15	14	16	14	4	–
			MNW	231	–	11	8	5	18	42	61	29	20	13	15	9	–	–
			FNW	63	–	6	4	7	5	5	13	6	4	9	1	3	–	–
1) Motor vehicle traffic accidents - (E810-E819)	1188	28.3			5	25	24	40	209	232	270	121	78	64	69	43	8	–
			MW	663	1	6	7	17	133	156	159	57	40	28	37	18	4	–
			FW	233	4	4	5	11	53	29	37	29	14	14	16	13	4	–
			MNW	231	–	11	8	5	18	42	61	29	20	13	15	9	–	–
			FNW	61	–	4	4	7	5	5	13	6	4	9	1	3	–	–
a) Involving collision with train - (E810)	25	0.6			1	–	–	1	3	2	5	5	1	–	4	2	1	–
			MW	14	–	–	–	–	1	2	1	3	1	–	3	2	1	–
			FW	7	1	–	–	–	2	–	1	2	–	–	1	–	–	–
			MNW	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
			FNW	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–
b) Involving collision with another motor vehicle - (E811-E812)	340	8.1			3	4	7	6	53	63	72	43	27	16	28	17	1	–
			MW	202	1	2	2	3	35	45	47	22	12	8	16	8	1	–
			FW	76	2	1	2	2	17	7	10	14	8	3	6	4	–	–
			MNW	51	–	1	2	1	1	10	12	6	7	2	6	3	–	–
			FNW	11	–	–	1	–	–	1	3	1	–	3	–	2	–	–

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1980

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
c) Involving collision with pedestrian - (E814)	141	3.4																
			MW	58	–	12	5	10	13	11	28	16	13	9	13	8	3	–
			FW	27	–	2	–	6	9	7	15	4	4	3	5	1	2	–
			MNW	41	–	–	1	2	2	2	4	3	2	1	5	4	1	–
			FNW	15	–	7	3	1	2	1	5	8	5	5	2	2	–	–
						3	1	1	–	1	4	1	2	–	1	1	–	–
d) Involving collision with other vehicle or object - (E813, E815)	95	2.3																
			MW	65	–	–	4	6	20	23	20	7	4	6	3	2	–	–
			FW	9	–	–	3	3	10	18	16	6	3	3	2	1	–	–
			MNW	21	–	–	–	–	4	–	–	–	1	3	1	–	–	–
			FNW	–	–	–	1	3	6	5	4	1	–	–	–	1	–	–
					–	–	–	–	–	–	–	–	–	–	–	–	–	–
e) Not involving collision on highway - (E816-E818)	183	4.4																
			MW	122	–	3	1	3	40	46	53	15	10	6	3	2	1	–
			FW	27	–	–	–	3	32	31	33	9	6	5	2	1	–	–
			MNW	29	–	3	–	–	7	5	7	2	–	1	–	1	1	–
			FNW	5	–	–	–	–	1	9	13	2	3	–	1	–	–	–
					–	–	1	–	–	1	–	2	1	–	–	–	–	–
f) Motor vehicle traffic accident of unspecified nature - (E819)	404	9.6																
			MW	202	1	6	7	14	80	87	92	35	23	27	18	12	2	–
			FW	87	–	2	2	2	46	53	47	13	14	9	9	5	–	–
			MNW	87	1	–	2	7	21	15	15	8	3	6	3	4	2	–
			FNW	28	–	3	2	–	8	17	25	12	5	6	6	3	–	–
					–	1	1	5	5	2	5	2	1	6	–	–	–	–
2) Motor vehicle nontraffic accidents - (E820-E825)	23	0.5																
			MW	17	–	5	2	1	1	2	4	2	3	1	–	2	–	–
			FW	4	–	2	2	1	–	2	4	2	2	1	–	1	–	–
			MNW	–	–	1	–	–	1	–	–	–	1	–	–	1	–	–
			FNW	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
					–	2	–	–	–	–	–	–	–	–	–	–	–	–
c. Other road vehicle accidents - (E826-E829)	4	0.1																
			MW	2	–	–	1	1	–	–	–	–	1	–	–	–	–	1
			FW	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–
			MNW	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
					–	–	–	–	–	–	–	–	–	–	–	–	–	–
d. Water transport accidents - (E830-E838)	*86	2.1																
			MW	57	–	1	1	6	7	20	23	11	5	10	2	–	–	–
			FW	7	–	1	1	4	4	13	15	8	3	6	2	–	–	–
			MNW	22	–	–	–	–	1	1	2	1	1	1	–	–	–	–
			FNW	–	–	–	–	2	2	6	6	2	1	3	–	–	–	–
					–	–	–	–	–	–	–	–	–	–	–	–	–	–
e. Air and space transport accidents - (E840-E845)	37	0.9																
			MW	35	–	–	–	–	3	4	12	11	7	–	–	–	–	–
			FW	1	–	–	–	–	3	3	12	10	7	–	–	–	–	–
			MNW	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
					–	–	–	–	–	–	–	–	–	–	–	–	–	–
f. Vehicle accidents not elsewhere classifiable - (E846-E848)	–	– –																
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
					–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. Accidental poisoning - (E850-E869)	64	1.5																
			MW	25	–	–	–	1	6	11	11	8	6	5	9	4	3	–
			FW	21	–	–	–	–	2	5	4	4	3	2	4	–	1	–
			MNW	10	–	–	–	1	2	2	5	2	3	1	3	2	1	–
			FNW	8	–	–	–	–	1	3	1	1	–	1	–	1	1	–
					–	–	–	1	1	1	1	1	–	1	2	1	–	–
a. Accidental poisoning by drugs, medicaments, and biologicals - (E850-E858)	28	0.7																
			MW	10	–	–	–	–	–	5	7	4	3	2	1	3	3	–
			FW	13	–	–	–	–	–	4	1	2	1	1	–	–	1	–
			MNW	4	–	–	–	–	–	1	4	1	2	1	1	2	1	–
			FNW	1	–	–	–	–	–	–	1	1	–	–	–	1	1	–
					–	–	–	–	–	–	1	–	–	–	–	–	–	–
b. Accidental poisoning by other solid or liquid substances - (E860-E866)	11	0.3																
			MW	5	–	–	–	1	1	1	1	3	1	–	2	1	–	–
			FW	2	–	–	–	–	–	1	1	1	1	–	1	–	–	–
			MNW	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–
			FNW	3	–	–	–	–	–	–	–	1	–	–	1	1	–	–
					–	–	–	–	–	–	–	–	–	–	–	–	–	–
c. Accidental poisoning by gases and vapors - (E867-E869)	25	0.6																
			MW	10	–	–	–	–	5	5	3	1	2	3	6	–	–	–
			FW	6	–	–	–	–	1	1	2	1	1	1	3	–	–	–
			MNW	5	–	–	–	–	2	–	1	–	1	–	2	–	–	–
			FNW	4	–	–	–	–	1	3	–	–	–	1	–	–	–	–
					–	–	–	–	1	1	–	–	–	1	1	–	–	–
3. Misadventures during medical care, abnormal reactions, and late complications - (E870-E879)	50	1.2																
			MW	15	1	–	1	–	–	–	2	1	2	13	11	10	9	–
			FW	21	–	–	–	–	–	–	1	–	1	6	3	1	3	–
			MNW	10	–	–	–	–	–	–	1	1	–	3	6	7	3	–
			FNW	4	–	–	1	–	–	–	–	–	1	4	1	1	2	–
					1	–	–	–	–	–	–	–	–	–	1	1	1	–

* This includes 72 deaths due to accidental drowning in water transport accidents (Codes E830 and E832).

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected by Selected Causes, Sex, Race, and Age
Louisiana, 1980
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
4. Accidental falls - (E880-E888)	169	4.0			2	–	–	1	6	5	16	10	11	12	28	42	36	–
			MW	72	–	–	–	1	4	3	11	6	6	5	13	17	6	–
			FW	61	–	–	–	–	–	–	3	2	–	4	9	21	22	–
			MNW	21	1	–	–	–	1	2	2	2	3	3	3	1	3	–
			FNW	15	1	–	–	–	1	–	–	–	2	–	3	3	5	–
a. Fall from one level to another - (E880-E884)	32	0.8			1	–	–	1	1	2	7	5	3	1	7	3	1	–
			MW	20	–	–	–	1	1	2	4	3	1	1	5	2	–	–
			FW	7	–	–	–	–	–	–	2	2	–	–	1	1	1	–
			MNW	5	1	–	–	–	–	–	1	–	2	–	1	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
b. Fall on same level - (E885-E886)	2	0.0			–	–	–	–	–	–	–	–	–	–	1	–	1	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
			MNW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
c. Fracture, cause unspecified, and other and unspecified falls - (E887-E888)	135	3.2			1	–	–	–	5	3	9	5	8	11	20	39	34	–
			MW	52	–	–	–	–	3	1	7	3	5	4	8	15	6	–
			FW	53	–	–	–	–	–	–	1	–	–	4	8	20	20	–
			MNW	15	–	–	–	–	1	2	1	2	1	3	1	1	3	–
			FNW	15	1	–	–	–	1	–	–	–	2	–	3	3	5	–
5. Accidents caused by fires and flames - (E890-E899)	171	4.1			7	18	9	7	11	9	13	15	17	24	15	17	9	–
			MW	53	1	6	3	3	2	7	7	4	5	10	4	1	–	–
			FW	31	–	3	1	1	2	–	1	4	3	5	5	5	1	–
			MNW	52	4	4	2	1	5	2	4	5	5	6	5	6	3	–
			FNW	35	2	5	3	2	2	–	1	2	4	3	1	5	5	–
6. Other accidents, including late effects - (E900-E929)	714	17.0			30	38	21	39	79	93	108	50	68	52	69	46	17	4
			MW	334	12	15	7	13	38	55	52	25	35	24	33	15	8	2
			FW	93	6	6	4	2	11	7	11	9	5	7	9	10	6	–
			MNW	218	5	9	7	19	25	29	41	13	25	16	15	11	1	2
			FNW	69	7	8	3	5	5	2	4	3	3	5	12	10	2	–
a. Lightning - (E907)	2	0.0			–	–	–	–	–	1	–	–	1	–	–	–	–	–
			MW	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
b. Accidental drowning and submersion (excluding in transport) - (E910)	200	4.8			1	16	12	24	37	30	31	12	17	5	6	5	2	2
			MW	89	–	12	3	6	18	16	13	5	9	2	2	1	1	1
			FW	19	1	3	2	1	3	2	3	2	–	1	1	–	–	–
			MNW	78	–	–	6	13	13	11	15	4	7	2	2	3	1	1
			FNW	14	–	1	1	4	3	1	–	1	1	–	1	1	–	–
c. Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation - (E911-E912)	87	2.1			14	8	1	2	1	3	1	6	8	12	14	9	7	1
			MW	33	5	1	1	–	–	1	1	2	2	5	7	4	3	1
			FW	20	2	2	–	–	1	–	–	2	1	3	3	2	4	–
			MNW	22	4	2	–	1	–	2	–	1	5	3	3	1	–	–
			FNW	12	3	3	–	1	–	–	–	1	–	1	1	2	–	–
d. Accident caused by handgun - (E922.0)	13	0.3			–	–	1	2	2	2	3	1	1	1	–	–	–	–
			MW	11	–	–	1	2	2	2	2	–	1	1	–	–	–	–
			FW	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			MNW	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
e. Accidents caused by all other and unspecified firearms - (E922.1 - E922.9)	82	2.0			–	3	3	6	16	20	15	3	6	4	3	2	–	1
			MW	37	–	1	1	2	7	12	3	2	3	3	2	1	–	–
			FW	11	–	–	–	1	4	2	2	–	1	1	–	–	–	–
			MNW	29	–	2	1	3	4	5	9	1	1	–	1	1	–	1
			FNW	5	–	–	1	–	1	1	1	–	1	–	–	–	–	–
f. Accidents caused by explosive material - (E923)	5	0.1			–	–	–	–	–	–	3	–	1	–	1	–	–	–
			MW	3	–	–	–	–	–	–	2	–	1	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
g. Accident caused by hot substance or object, caustic or corrosive material, steam, and exposure to radiation - (E924, E926)	2	0.0			–	2	–	–	–	–	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
h. Accident caused by electric current - (E925)	43	1.0			–	–	1	–	3	10	14	4	6	1	2	2	–	–
			MW	32	–	–	–	–	2	9	11	3	5	–	–	2	–	–
			FW	5	–	–	1	–	–	1	2	–	–	–	1	–	–	–
			MNW	5	–	–	–	–	1	–	1	1	–	1	1	–	–	–
			FNW	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1980
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
i. All other accidents and late effects of accidental injury - (E900-E906, E908-E909, E913-E921, E927-E929)	280	6.7	MW	127	15	9	3	5	20	27	41	24	28	29	43	28	8	–
			FW	37	7	1	1	3	9	14	20	13	13	13	22	7	4	–
			MNW	80	3	1	1	–	3	2	4	4	3	2	4	8	2	–
			FNW	36	1	4	–	2	7	11	14	6	12	10	7	6	–	–
					4	3	1	–	1	–	3	1	–	4	10	7	2	–
7. Drugs, medicaments, and biological substances causing adverse effects in therapeutic use - (E930-E949)	4	0.1	MW	1	–	1	–	–	–	–	–	–	2	–	–	1	–	–
			FW	2	–	1	–	–	–	–	–	–	1	–	–	–	–	–
			MNW	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
B. Suicide - (E950-E959)	497	11.8	MW	337	–	–	–	6	45	71	126	64	54	60	44	22	3	–
			FW	91	–	–	–	3	33	46	83	40	35	45	31	18	3	–
			MNW	59	–	–	–	–	8	12	24	14	10	11	10	2	–	–
			FNW	10	–	–	–	1	3	13	16	9	9	3	3	2	–	–
					–	–	–	2	1	–	3	1	2	1	–	–	–	–
1. Suicide by drugs, medicaments, and biologicals - (E950.0-E950.5)	27	0.6	MW	10	–	–	–	–	3	2	6	7	7	1	1	–	–	–
			FW	17	–	–	–	–	1	1	3	3	2	–	–	–	–	–
			MNW	–	–	–	–	–	2	1	3	4	5	1	1	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
					–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. Suicide by other solid or liquid substances - E950.6-E950.9)	2	0.0	MW	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
			FW	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			FNW	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
					–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. Suicide by gases and vapors - (E951-E952)	5	0.1	MW	5	–	–	–	–	–	–	3	1	–	1	–	–	–	–
			FW	–	–	–	–	–	–	–	3	1	–	1	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
					–	–	–	–	–	–	–	–	–	–	–	–	–	–
4. Suicide by hanging, strangulation, and suffocation - (E953)	42	1.0	MW	30	–	–	–	–	6	9	11	5	2	4	2	3	–	–
			FW	3	–	–	–	–	4	6	8	2	1	4	2	3	–	–
			MNW	7	–	–	–	–	1	–	1	1	–	–	–	–	–	–
			FNW	2	–	–	–	–	–	3	1	1	1	–	–	–	–	–
					–	–	–	–	–	–	1	1	–	–	–	–	–	–
5. Suicide by handgun - (E955.0)	64	1.5	MW	36	–	–	–	1	6	5	14	7	9	9	8	3	2	–
			FW	20	–	–	–	–	3	4	5	3	6	6	6	1	2	–
			MNW	7	–	–	–	–	2	1	7	2	2	3	2	1	–	–
			FNW	1	–	–	–	1	1	–	1	2	1	–	–	1	–	–
					–	–	–	–	–	–	1	–	–	–	–	–	–	–
6. Suicide by all other and unspecified firearms - (E955.1-E955.4)	329	7.8	MW	243	–	–	–	5	30	50	82	39	34	42	30	16	1	–
			FW	43	–	–	–	3	25	34	57	29	24	33	23	14	1	–
			MNW	39	–	–	–	–	3	8	12	6	2	7	4	1	–	–
			FNW	4	–	–	–	–	1	8	13	4	7	2	3	1	–	–
					–	–	–	2	1	–	–	–	1	–	–	–	–	–
7. Suicide by all other means and late effects of self-inflicted injury - (E954, E955.5-E959)	28	0.7	MW	13	–	–	–	–	–	5	9	5	4	3	2	–	–	–
			FW	7	–	–	–	–	–	1	7	2	2	1	–	–	–	–
			MNW	5	–	–	–	–	–	2	1	1	1	–	2	–	–	–
			FNW	3	–	–	–	–	–	2	–	2	–	1	–	–	–	–
					–	–	–	–	–	–	1	–	1	1	–	–	–	–
C. Homicide and legal intervention - (E960-E978)	666	15.9	MW	186	3	2	5	1	60	119	208	114	71	46	24	10	1	2
			FW	56	–	–	4	–	14	31	51	28	26	19	9	3	–	1
			MNW	344	3	1	1	–	4	6	9	12	5	6	4	4	1	–
			FNW	80	–	1	–	1	32	64	120	62	33	18	10	2	–	1
					–	–	–	–	10	18	28	12	7	3	1	1	–	–
1. Assault by handgun - (E965.0)	42	1.0	MW	11	–	–	–	–	7	4	11	10	4	3	1	2	–	–
			FW	3	–	–	–	–	3	1	–	5	–	1	–	1	–	–
			MNW	20	–	–	–	–	2	–	1	–	–	–	–	–	–	–
			FNW	8	–	–	–	–	1	3	6	3	3	2	1	1	–	–
					–	–	–	–	1	–	4	2	1	–	–	–	–	–
2. Assault by all other and unspecified firearms - (E965.1-E965.4)	442	10.5	MW	114	–	–	2	1	37	84	141	79	49	29	14	3	1	2
			FW	28	–	–	2	–	8	16	33	19	20	10	5	–	–	1
			MNW	243	–	–	–	–	–	3	5	8	4	4	2	1	1	–
			FNW	57	–	–	–	1	22	54	79	44	20	14	7	1	–	1
					–	–	–	–	7	11	24	8	5	1	–	1	–	–
3. Assault by cutting and piercing instrument - (E966)	102	2.4	MW	28	–	–	1	–	7	20	39	15	10	5	4	1	–	–
			FW	10	–	–	–	–	–	9	10	2	3	2	2	–	–	–
			MNW	58	–	–	1	–	–	2	2	2	1	–	1	1	–	–
			FNW	6	–	–	–	–	6	5	27	11	6	2	1	–	–	–
					–	–	–	–	1	4	–	–	–	1	–	–	–	–

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1980
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
4. Assault by all other means and late effects of injury purposely inflicted by other person - (E960-E964, E965.5-E965.9, E967-E969)	67	1.6	MW	26	3	2	2	–	7	8	10	9	8	9	5	4	–	–
			FW	15	–	–	2	–	2	4	4	1	3	6	2	2	–	–
			MNW	17	3	1	–	–	2	1	1	2	–	2	1	2	–	–
			FNW	9	–	1	–	–	2	–	5	4	4	–	1	–	–	–
					–	–	–	–	1	3	–	2	1	1	1	–	–	–
5. Legal execution - (E978)	–	– –	MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6. Other legal intervention and late effects of injury due to legal intervention - (E970-E977)	13	0.3	MW	7	–	–	–	–	2	3	7	1	–	–	–	–	–	–
			FW	–	–	–	–	–	1	1	4	1	–	–	–	–	–	–
			MNW	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	1	2	3	–	–	–	–	–	–	–
D. Injury undetermined whether accidentally or purposely inflicted - (E980-E989)	20	0.5	MW	9	–	–	–	–	2	2	6	4	4	–	1	–	–	1
			FW	4	–	–	–	–	1	2	4	1	1	–	–	–	–	–
			MNW	5	–	–	–	–	1	–	–	1	2	–	–	–	–	–
			FNW	2	–	–	–	–	–	–	2	1	1	–	1	–	–	–
					–	–	–	–	–	–	–	1	–	–	–	–	–	1
1. From poisoning by drugs, medicaments, and biologicals - (E980.0-E980.5)	5	0.1	MW	1	–	–	–	–	–	1	1	2	1	–	–	–	–	–
			FW	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–
			MNW	1	–	–	–	–	–	–	1	1	1	–	–	–	–	–
			FNW	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
					–	–	–	–	–	–	–	1	–	–	–	–	–	–
2. From poisoning by other solid or liquid substances - (E980.6-E980.9)	2	0.0	MW	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
			MNW	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. From injury by handgun - (E985.0)	1	0.0	MW	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4. From injury by all other and unspecified firearms - (E985.1-E985.4)	7	0.2	MW	5	–	–	–	–	1	1	4	–	–	–	1	–	–	–
			FW	–	–	–	–	–	1	1	3	–	–	–	–	–	–	–
			MNW	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
					–	–	–	–	–	–	–	–	–	–	–	–	–	–
5. From injury by all other means and late effects of injury, undetermined whether accidentally or purposely inflicted - (E981-E984, E985.5-E989)	5	0.1	MW	1	–	–	–	–	1	–	–	1	2	–	–	–	–	1
			FW	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			MNW	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–
			FNW	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
F. Injury resulting from operations of war - (E990-E999)	–	– –	MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table XXIV

Accidental Deaths by Type of Accident Shown by Geographic Location Where Accident Occurred Louisiana, 1980

PARISH AND CITIES Over 10,000	TOTAL	MOTOR VEHICLE		HOME	OCCUPATIONAL	OTHER PUBLIC	TYPE ACCIDENT NOT STATED
		TRAFFIC	NON-TRAFFIC				
TOTAL	2623	1212	22	373	202	370	444
ACADIA	32	22	–	5	1	2	2
Crowley*	6	2	–	2	1	1	–
ALLEN	26	16	1	7	–	1	1
ASCENSION	27	19	–	3	–	2	3
ASSUMPTION	22	15	–	1	1	4	1
AVOYELLES	32	16	1	3	5	5	2
BEAUREGARD	27	11	–	8	2	5	1
BIENVILLE	11	5	–	2	1	3	–
BOSSIER	39	17	–	11	–	8	3
Bossier City*	5	1	–	1	–	–	3
CADDO	126	44	1	36	4	12	29
Shreveport*	95	27	1	29	2	9	27
CALCASIEU	96	46	–	12	13	16	9
Lake Charles*	36	14	–	6	5	7	4
Sulphur*	3	–	–	1	–	–	2
CALDWELL	7	–	–	4	–	2	1
CAMERON	16	10	–	1	4	1	–
CATAHOULA	13	5	–	1	2	4	1
CLAIBORNE	17	10	–	2	–	2	3
CONCORDIA	20	8	–	3	2	5	2
DESOTO	17	4	1	4	4	3	1
BATON ROUGE	147	77	2	19	13	19	17
Baton Rouge*	104	49	1	18	10	11	15
EAST CARROLL	12	4	1	2	2	2	1
EAST FELICIANA	15	6	–	–	–	1	8
EVANGELINE	29	15	1	5	–	3	5
FRANKLIN	12	5	1	1	2	1	2
GRANT	10	6	–	1	1	2	–
IBERIA	62	37	–	9	6	5	5
New Iberia*	16	10	–	1	–	–	5
IBERVILLE	32	11	1	1	5	8	6
JACKSON	10	4	–	4	–	2	–
JEFFERSON	148	69	1	26	13	17	22
Kenner*	14	11	–	3	–	–	–
Gretna*	6	2	–	2	1	–	1
Harahan*	2	1	–	1	–	–	–
Westwego	4	1	–	–	1	2	–
JEFFERSON DAVIS	15	13	–	–	–	1	1
Jennings*	3	3	–	–	–	–	–
LAFAYETTE	71	45	–	7	2	5	12
Lafayette*	45	22	–	6	2	4	11
LAFOURCHE	58	34	–	1	15	5	3
Thibodaux*	5	1	–	–	1	–	3
LASALLE	11	3	–	4	1	–	3
LINCOLN	18	10	–	4	–	4	–
Ruston*	4	2	–	1	–	1	–
LIVINGSTON	37	16	–	7	1	11	2
MADISON	7	4	–	–	–	2	1
MOREHOUSE	28	15	1	4	2	3	3
Bastrop*	11	5	–	2	1	–	3
NATCHITOCHES	48	33	–	6	4	2	3
Natchitoches*	7	5	–	1	1	–	–
ORLEANS	350	91	–	53	7	57	142
OUACHITA	67	23	–	13	–	5	26
Monroe*	36	9	–	10	–	1	16
West Monroe*	5	–	–	2	–	1	2
PLAQUEMINES	38	9	–	–	19	6	4
POINTE COUPEE	22	14	–	5	3	–	–
RAPIDES	89	48	1	12	2	12	14
Alexandria*	30	9	1	9	–	6	5
RED RIVER	12	9	–	2	–	–	1
RICHLAND	8	5	–	2	–	1	–
SABINE	26	12	–	3	4	7	–
ST. BERNARD	26	15	–	4	1	1	5
ST. CHARLES	48	28	–	3	9	5	3
ST. HELENA	3	2	–	–	–	1	–
ST. JAMES	14	6	–	1	2	4	1
ST. JOHN	23	18	–	1	2	–	2
ST. LANDRY	49	24	–	7	–	10	8
Opelousas*	14	9	–	1	–	1	3
Eunice*	4	2	–	–	–	2	–
ST. MARTIN	33	18	1	5	2	6	1
ST. MARY	61	25	2	6	11	10	7
Morgan City*	10	3	–	–	2	1	4
ST. TAMMANY	72	40	2	7	1	14	8
Slidell*	7	4	1	2	–	–	–
TANGIPAHOA	45	18	1	7	1	14	4
Hammond*	12	5	–	4	–	2	1
TENSAS	4	2	1	1	–	–	–
TERREBONNE	96	48	–	16	20	11	1
Houma*	18	8	–	6	1	3	–
UNION	19	9	–	2	–	4	4
VERMILION	41	20	–	4	9	5	3
Abbeville*	3	2	–	–	–	1	–
VERNON	27	15	1	1	2	7	1
WASHINGTON	24	19	–	1	–	2	2
Bogalusa*	2	1	–	–	–	–	1
WEBSTER	24	13	–	3	–	7	1
Minden*	5	1	–	1	–	2	1
WEST BATON ROUGE	20	13	–	2	1	4	–
WEST CARROLL	5	1	–	–	–	4	–
WEST FELICIANA	13	7	–	1	–	3	2
WINN	18	5	1	7	–	2	3
UNKNOWN	48	–	–	–	–	–	48
OUT OF STATE**	22	9	–	6	4	3	–

* Cities are included in parish totals.
** Not included in state totals.

Table XXV A
Infant Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Mother's Usual Residence and Shown by Sex, Race, and Age
Louisiana, by Parish, 1980

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Live Births)	SEX RACE	TOTAL (By Sex and Race)	AGE					
						Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
TOTAL	1217	1175	14.3			387	268	82	43	38	357
				MW	306	90	71	28	13	13	91
				FW	219	78	43	15	9	4	70
				MNW	357	118	88	22	11	11	107
				FNW	293	101	66	17	10	10	89
ACADIA	7	15	12.8			4	5	1	–	–	5
				MW	7	1	3	1	–	–	2
				FW	7	3	1	–	–	–	3
				MNW	1	–	1	–	–	–	–
				FNW	–	–	–	–	–	–	–
Crowley*	4	7	20.7			3	1	–	–	–	3
				MW	2	–	1	–	–	–	1
				FW	5	3	–	–	–	–	2
				MNW	–	–	–	–	–	–	–
				FNW	–	–	–	–	–	–	–
ALLEN	8	9	23.1			3	1	1	1	–	3
				MW	4	2	–	1	–	–	1
				FW	3	–	–	–	1	–	2
				MNW	2	1	1	–	–	–	–
				FNW	–	–	–	–	–	–	–
ASCENSION	2	13	12.7			6	3	2	–	–	2
				MW	4	2	1	1	–	–	–
				FW	4	4	–	–	–	–	–
				MNW	1	–	1	–	–	–	–
				FNW	4	–	1	1	–	–	2
ASSUMPTION	1	8	16.6			6	–	1	1	–	–
				MW	2	2	–	–	–	–	–
				FW	3	1	–	1	1	–	–
				MNW	2	2	–	–	–	–	–
				FNW	1	1	–	–	–	–	–
AVOYELLES	4	11	14.9			4	2	1	–	–	4
				MW	3	2	1	–	–	–	–
				FW	1	–	–	–	–	–	1
				MNW	2	1	1	–	–	–	–
				FNW	5	1	–	1	–	–	3
BEAUREGARD	4	13	24.3			3	5	1	–	–	4
				MW	8	3	4	–	–	–	1
				FW	5	–	1	1	–	–	3
				MNW	–	–	–	–	–	–	–
				FNW	–	–	–	–	–	–	–
BIENVILLE	–	5	16.1			2	–	1	–	–	2
				MW	1	–	–	–	–	–	1
				FW	–	–	–	–	–	–	–
				MNW	4	2	–	1	–	–	1
				FNW	–	–	–	–	–	–	–
BOSSIER	13	24	15.5			4	9	1	1	1	8
				MW	10	2	4	–	–	1	3
				FW	5	–	4	–	–	–	1
				MNW	8	2	1	1	–	–	4
				FNW	1	–	–	–	1	–	–
Bossier City*	9	11	10.5			3	3	–	1	1	3
				MW	6	1	3	–	–	1	1
				FW	1	–	–	–	–	–	1
				MNW	3	2	–	–	–	–	1
				FNW	1	–	–	–	1	–	–
CADDO	168	73	14.6			28	15	6	2	4	18
				MW	20	6	6	–	2	1	5
				FW	15	9	–	2	–	–	4
				MNW	21	7	5	2	–	1	6
				FNW	17	6	4	2	–	2	3
Shreveport*	166	65	15.4			27	13	5	2	3	15
				MW	18	5	5	–	2	1	5
				FW	11	9	–	1	–	–	1
				MNW	19	7	4	2	–	–	6
				FNW	17	6	4	2	–	2	3
CALCASIEU	41	38	11.2			16	9	1	3	–	9
				MW	14	6	2	–	1	–	5
				FW	6	2	2	–	–	–	2
				MNW	11	3	4	1	2	–	1
				FNW	7	5	1	–	–	–	1

Table XXV A (continued)
Infant Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Mother's Usual Residence and Shown by Sex, Race,and Age Louisiana, by Parish, 1980

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Live Births)	SEX RACE	TOTAL (By Sex and Race)	AGE					
						Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
Lake Charles*	33	19	12.7	MW	2	1	–	–	–	–	1
				FW	3	1	1	–	–	–	1
				MNW	7	1	2	1	2	–	1
				FNW	7	5	1	–	–	–	1
Sulphur*	5	4	9.3	MW	2	1	1	–	1	–	1
				FW	2	–	–	–	1	–	1
				MNW	–	1	1	–	–	–	–
				FNW	–	–	–	–	–	–	–
CALDWELL	1	1	6.5	MW	–	–	–	–	–	–	1
				FW	–	–	–	–	–	–	–
				MNW	–	–	–	–	–	–	–
				FNW	1	–	–	–	–	–	1
CAMERON	–	3	16.3	MW	2	–	1	1	–	–	1
				FW	–	–	1	–	–	–	–
				MNW	–	–	–	–	–	–	–
				FNW	1	–	–	–	–	–	1
CATAHOULA	–	3	12.5	MW	1	2	1	–	–	–	–
				FW	–	1	–	–	–	–	–
				MNW	2	–	–	–	–	–	–
				FNW	–	1	1	–	–	–	–
CLAIBORNE	3	3	10.0	MW	–	1	–	–	–	1	1
				FW	–	–	–	–	–	–	–
				MNW	1	–	–	–	–	–	–
				FNW	2	1	–	–	–	1	1
CONCORDIA	4	7	15.5	MW	2	2	–	–	–	1	4
				FW	1	1	–	–	–	–	1
				MNW	3	–	–	–	–	–	1
				FNW	1	1	–	–	–	–	2
						–	–	–	–	1	–
DESOTO	1	8	16.7	MW	3	2	2	2	–	–	2
				FW	2	–	1	2	–	–	1
				MNW	2	1	1	–	–	–	1
				FNW	1	1	–	–	–	–	–
EAST BATON ROUGE	111	87	12.4	MW	17	30	18	7	5	1	26
				FW	18	3	3	4	2	–	5
				MNW	31	8	2	–	1	–	7
				FNW	21	11	8	2	2	1	7
						8	5	1	–	–	7
Baton Rouge*	106	73	14.8	MW	12	27	15	4	5	1	21
				FW	12	3	1	2	2	–	4
				MNW	29	5	2	–	1	–	4
				FNW	20	11	8	1	2	1	6
						8	4	1	–	–	7
EAST CARROLL	2	7	26.1	MW	2	2	1	1	–	–	3
				FW	1	–	1	–	–	–	1
				MNW	–	1	–	–	–	–	–
				FNW	4	–	–	1	–	–	2
EAST FELICIANA	1	6	15.2	MW	2	1	1	1	–	–	3
				FW	1	–	1	–	–	–	1
				MNW	1	1	–	–	–	–	–
				FNW	2	–	–	–	–	–	1
						–	–	1	–	–	1
EVANGELINE	3	6	9.4	MW	3	2	–	1	–	–	3
				FW	–	2	–	–	–	–	1
				MNW	1	–	–	–	–	–	–
				FNW	2	–	–	–	–	–	1
						–	–	1	–	–	1
FRANKLIN	4	7	15.6	MW	2	–	2	–	–	1	4
				FW	2	–	–	–	–	1	1
				MNW	3	–	2	–	–	–	2
				FNW	–	–	–	–	–	–	1

Table XXV A (continued)
Infant Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Mother's Usual Residence and Shown by Sex, Race, and Age Louisiana, by Parish, 1980

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	Live Births) RATE (Per 1,000	SEX RACE	TOTAL (By Sex and Race)	AGE					
						Under 1 Day	1-6 Days	7-13 Days	14-20 Day	21-27 Days	28-364 Days
GRANT	2	2	7.5								
				MW	1	–	–	–	–	–	2
				FW	1	–	–	–	–	–	1
				MNW	–	–	–	–	–	–	1
				FNW	–	–	–	–	–	–	–
IBERIA	9	12	8.2			4	3	1	–	–	4
				MW	4	1	1	1	–	–	1
				FW	2	1	–	–	–	–	1
				MNW	3	2	–	–	–	–	1
				FNW	3	–	2	–	–	–	1
New Iberia*	7	8	10.3			4	2	–	–	–	2
				MW	3	1	1	–	–	–	1
				FW	1	1	–	–	–	–	–
				MNW	3	2	–	–	–	–	1
				FNW	1	–	1	–	–	–	–
IBERVILLE	–	10	14.6			6	2	1	–	–	1
				MW	2	2	–	–	–	–	–
				FW	1	1	–	–	–	–	–
				MNW	2	2	–	–	–	–	–
				FNW	5	1	2	1	–	–	1
JACKSON	4	6	19.5			2	1	1	–	–	2
				MW	1	–	1	–	–	–	–
				FW	1	–	–	1	–	–	–
				MNW	2	1	–	–	–	–	1
				FNW	2	1	–	–	–	–	1
JEFFERSON	168	136	16.4			42	35	11	7	3	38
				MW	42	12	12	3	2	1	12
				FW	30	6	10	4	3	–	7
				MNW	35	14	7	3	2	2	7
				FNW	29	10	6	1	–	–	12
Kenner*	–	26	21.5			8	7	2	1	–	8
				MW	5	1	2	–	–	–	2
				FW	12	2	3	2	1	–	4
				MNW	4	3	1	–	–	–	–
				FNW	5	2	1	–	–	–	2
Gretna*	1	21	25.6			6	7	1	1	–	6
				MW	5	3	1	–	–	–	1
				FW	4	–	1	1	–	–	2
				MNW	7	1	3	–	1	–	2
				FNW	5	2	2	–	–	–	1
Harahan*	–	1	8.0			–	–	–	–	–	1
				MW	1	–	–	–	–	–	1
				FW	–	–	–	–	–	–	–
				MNW	–	–	–	–	–	–	–
				FNW	–	–	–	–	–	–	–
Westwego*	–	7	19.1			2	2	–	1	–	2
				MW	3	1	2	–	–	–	–
				FW	1	–	–	–	1	–	–
				MNW	–	–	–	–	–	–	–
				FNW	3	1	–	–	–	–	2
JEFFERSON DAVIS	3	9	13.3			6	1	–	2	–	–
				MW	3	2	–	–	1	–	–
				FW	4	3	1	–	–	–	–
				MNW	–	–	–	–	–	–	–
				FNW	2	1	–	–	1	–	–
Jennings*	3	5	18.5			4	–	–	1	–	–
				MW	2	1	–	–	1	–	–
				FW	2	2	–	–	–	–	–
				MNW	–	–	–	–	–	–	–
				FNW	1	1	–	–	–	–	–
LAFAYETTE	83	42	13.5			16	7	1	3	3	12
				MW	11	5	2	–	1	1	2
				FW	15	7	3	1	1	–	3
				MNW	10	3	1	–	–	1	5
				FNW	6	1	1	–	1	1	2
Lafayette*	81	28	16.4			13	3	–	1	1	10
				MW	6	4	1	–	–	–	1
				FW	10	7	–	–	–	–	3
				MNW	8	2	1	–	–	1	4
				FNW	4	–	1	–	1	–	2

Table XXV A

Infant Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Mother's Usual Residence and Shown by Sex, Race, and Age Louisiana, by Parish, 1980

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Live Births)	SEX RACE	TOTAL (By Sex and Race)	AGE					
						Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
LAFOURCHE	8	15	8.8			8	1	1	–	–	5
				MW	8	4	1	–	–	–	3
				FW	3	1	–	1	–	–	1
				MNW	2	1	–	–	–	–	1
				FNW	2	2	–	–	–	–	–
Thibodaux*	4	4	11.9			3	1	–	–	–	–
				MW	4	3	1	–	–	–	–
				FW	–	–	–	–	–	–	–
				MNW	–	–	–	–	–	–	–
				FNW	–	–	–	–	–	–	–
LASALLE	3	7	25.8			2	1	–	–	–	4
				MW	2	1	–	–	–	–	1
				FW	5	1	1	–	–	–	3
				MNW	–	–	–	–	–	–	–
				FNW	–	–	–	–	–	–	–
LINCOLN	5	8	14.5			1	–	–	1	–	6
				MW	1	–	–	–	–	–	1
				FW	–	–	–	–	–	–	–
				MNW	3	1	–	–	–	–	2
				FNW	4	–	–	–	1	–	3
Ruston*	5	4	15.2			1	–	–	–	–	3
				MW	1	–	–	–	–	–	1
				FW	–	–	–	–	–	–	–
				MNW	1	1	–	–	–	–	–
				FNW	2	–	–	–	–	–	2
LIVINGSTON	2	9	7.6			3	2	–	–	2	2
				MW	4	1	1	–	–	1	1
				FW	2	2	–	–	–	–	–
				MNW	2	–	1	–	–	–	1
				FNW	1	–	–	–	–	1	–
MADISON	1	3	8.5			2	–	–	–	–	1
				MW	–	–	–	–	–	–	–
				FW	1	1	–	–	–	–	–
				MNW	1	–	–	–	–	–	1
				FNW	1	1	–	–	–	–	–
MOREHOUSE	4	9	12.5			2	1	1	1	–	4
				MW	–	–	–	–	–	–	–
				FW	1	–	–	–	1	–	–
				MNW	3	2	–	–	–	–	1
				FNW	5	–	1	1	–	–	3
Bastrop*	2	5	14.8			1	1	1	–	–	2
				MW	–	–	–	–	–	–	–
				FW	–	–	–	–	–	–	–
				MNW	1	1	–	–	–	–	–
				FNW	4	–	1	1	–	–	2
NATCHITOCHES	2	4	5.7			1	2	–	–	–	1
				MW	–	–	–	–	–	–	–
				FW	–	–	–	–	–	–	–
				MNW	4	1	2	–	–	–	1
				FNW	–	–	–	–	–	–	–
Natchitoches*	2	4	12.6			1	2	–	–	–	1
				MW	–	–	–	–	–	–	–
				FW	–	–	–	–	–	–	–
				MNW	4	1	2	–	–	–	1
				FNW	–	–	–	–	–	–	–
ORLEANS	329	209	20.2			63	63	13	4	9	57
				MW	15	2	6	3	–	1	3
				FW	19	9	4	–	–	3	3
				MNW	88	20	28	6	2	3	29
				FNW	87	32	25	4	2	2	22
OUACHITA	47	37	13.9			10	7	4	1	3	12
				MW	12	2	1	2	–	2	5
				FW	3	2	1	–	–	–	–
				MNW	12	3	2	1	–	1	5
				FNW	10	3	3	1	1	–	2
Monroe*	43	20	16.5			6	5	2	1	1	5
				MW	3	2	–	–	–	–	1
				FW	–	–	–	–	–	–	–
				MNW	8	1	2	1	–	1	3
				FNW	9	3	3	1	1	–	1

Table XXV A (continued)

Infant Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Mother's Usual Residence and Shown by Sex, Race, and Age Louisiana, by Parish, 1980

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Live Births)	SEX RACE	TOTAL (By Sex and Race)	AGE					
						Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
West Monroe*	3	9	30.7			1	2	1	–	2	3
				MW	4	–	1	1	–	2	–
				FW	1	–	1	–	–	–	–
				MNW	3	1	–	–	–	–	2
				FNW	1	–	–	–	–	–	1
PLAQUEMINES	–	6	10.4			2	2	1	–	–	1
				MW	1	–	–	1	–	–	–
				FW	2	–	2	–	–	–	–
				MNW	1	–	–	–	–	–	1
				FNW	2	2	–	–	–	–	–
POINTE COUPEE	2	6	12.6			2	–	–	2	–	2
				MW	4	–	–	–	2	–	2
				FW	1	1	–	–	–	–	–
				MNW	1	1	–	–	–	–	–
				FNW	–	–	–	–	–	–	–
RAPIDES	37	30	12.0			10	7	1	1	1	10
				MW	12	5	3	1	1	–	2
				FW	3	–	1	–	–	–	2
				MNW	9	3	2	–	–	–	4
				FNW	6	2	1	–	–	1	2
Alexandria*	22	16	14.7			7	3	–	–	1	5
				MW	4	2	1	–	–	–	1
				FW	–	–	–	–	–	–	–
				MNW	7	3	1	–	–	–	3
				FNW	5	2	1	–	–	1	1
RED RIVER	1	4	20.1			1	3	–	–	–	–
				MW	1	–	1	–	–	–	–
				FW	–	–	–	–	–	–	–
				MNW	2	1	1	–	–	–	–
				FNW	1	–	1	–	–	–	–
RICHLAND	3	8	18.0			2	2	–	–	–	4
				MW	1	–	1	–	–	–	–
				FW	1	–	–	–	–	–	1
				MNW	3	1	–	–	–	–	2
				FNW	3	1	1	–	–	–	1
SABINE	3	6	15.7			2	–	1	–	–	3
				MW	2	1	–	1	–	–	–
				FW	1	1	–	–	–	–	–
				MNW	2	–	–	–	–	–	2
				FNW	1	–	–	–	–	–	1
ST. BERNARD	2	12	10.9			6	3	–	–	1	2
				MW	5	3	2	–	–	–	–
				FW	4	–	1	–	–	1	2
				MNW	1	1	–	–	–	–	–
				FNW	2	2	–	–	–	–	–
ST. CHARLES	2	11	15.3			3	2	1	–	–	5
				MW	2	1	–	–	–	–	1
				FW	3	–	–	–	–	–	3
				MNW	2	1	–	1	–	–	–
				FNW	4	1	2	–	–	–	1
ST. HELENA	–	2	13.2			1	–	–	–	–	1
				MW	2	1	–	–	–	–	1
				FW	–	–	–	–	–	–	–
				MNW	–	–	–	–	–	–	–
				FNW	–	–	–	–	–	–	–
ST. JAMES	1	4	9.0			–	–	–	1	–	3
				MW	–	–	–	–	–	–	–
				FW	–	–	–	–	–	–	–
				MNW	3	–	–	–	1	–	2
				FNW	1	–	–	–	–	–	1
ST. JOHN	–	2	2.6			1	1	–	–	–	–
				MW	–	–	–	–	–	–	–
				FW	–	–	–	–	–	–	–
				MNW	1	–	1	–	–	–	–
				FNW	1	1	–	–	–	–	–
ST. LANDRY	15	35	19.3			11	6	3	–	3	12
				MW	5	1	–	–	–	1	3
				FW	6	2	–	–	–	–	4
				MNW	15	4	4	3	–	1	3
				FNW	9	4	2	–	–	1	2

Table XXV A (continued)

Infant Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Mother's Usual Residence and Shown by Sex, Race, and Age Louisiana, by Parish, 1980

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Live Births)	SEX & RACE	TOTAL (By Sex and Race)	AGE					
						Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
Opelousas*	9	10	21.3	MW	–	2	3	2	–	–	3
				FW	1	–	–	–	–	–	–
				MNW	7	1	2	2	–	–	1
				FNW	2	1	1	–	–	–	2
Eunice*	6	7	24.5	MW	3	1	1	–	–	2	3
				FW	2	–	–	–	–	1	1
				MNW	2	–	1	–	–	1	2
				FNW	–	–	–	–	–	–	–
ST. MARTIN	10	28	30.7	MW	8	12	7	2	2	1	4
				FW	1	1	3	2	–	1	1
				MNW	10	–	–	–	–	–	1
				FNW	9	6	2	–	2	–	–
						5	2	–	–	–	2
ST. MARY	10	22	15.8	MW	4	7	5	2	1	1	6
				FW	9	–	2	–	–	1	1
				MNW	4	2	1	2	–	–	4
				FNW	5	2	2	–	–	–	–
						3	–	–	1	–	1
Morgan City*	5	4	11.1	MW	–	2	–	1	–	–	1
				FW	3	–	–	–	–	–	–
				MNW	–	1	–	1	–	–	1
				FNW	1	–	–	–	–	–	–
						1	–	–	–	–	–
ST. TAMMANY	7	18	8.8	MW	6	4	6	2	1	1	4
				FW	5	–	2	1	–	1	2
				MNW	5	1	2	1	1	–	–
				FNW	2	3	–	–	–	–	2
						–	2	–	–	–	–
Slidell*	2	5	10.9	MW	2	1	1	2	–	–	1
				FW	3	–	–	1	–	–	1
				MNW	–	1	1	1	–	–	–
				FNW	–	–	–	–	–	–	–
						–	–	–	–	–	–
TANGIPAHOA	13	22	12.9	MW	7	4	5	1	1	–	11
				FW	2	2	1	1	–	–	3
				MNW	8	–	2	–	–	–	–
				FNW	5	1	2	–	–	–	5
						1	–	–	1	–	3
Hammond*	–	3	11.0	MW	1	–	–	1	1	–	1
				FW	–	–	–	1	–	–	–
				MNW	–	–	–	–	–	–	–
				FNW	2	–	–	–	–	–	–
						–	–	–	1	–	1
TENSAS	1	1	6.1	MW	1	1	–	–	–	–	–
				FW	–	–	–	–	–	–	–
				MNW	–	–	–	–	–	–	–
				FNW	–	–	–	–	–	–	–
TERREBONNE	28	29	12.0	MW	10	10	4	–	–	1	14
				FW	4	4	1	–	–	–	5
				MNW	11	1	–	–	–	–	3
				FNW	4	3	2	–	–	1	5
						2	1	–	–	–	1
Houma*	15	11	12.5	MW	3	3	3	–	–	1	4
				FW	–	–	1	–	–	–	2
				MNW	6	3	–	–	–	–	–
				FNW	2	–	1	–	–	1	1
						–	1	–	–	–	1
UNION	4	8	22.8	MW	3	4	–	1	–	–	3
				FW	1	1	–	1	–	–	1
				MNW	3	–	–	–	–	–	1
				FNW	1	3	–	–	–	–	–
						–	–	–	–	–	1
VERMILION	2	11	10.8	MW	3	3	2	2	1	–	3
				FW	4	–	1	–	1	–	1
				MNW	3	2	–	–	–	–	2
				FNW	1	1	1	1	–	–	–
						–	–	1	–	–	–

Table XXV A (continued)

Infant Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Mother's Usual Residence and Shown by Sex, Race, and Age Louisiana, by Parish, 1980

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Live Births)	SEX RACE	TOTAL (By Sex and Race)	AGE					
						Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
Abbeville*	2	7	21.5			1	1	2	1	–	2
				MW	2	–	–	–	1	–	1
				FW	2	1	–	–	–	–	1
				MNW	2	–	1	1	–	–	–
				FNW	1	–	–	1	–	–	–
VERNON	16	19	13.9			9	3	1	–	–	6
				MW	10	3	1	1	–	–	5
				FW	3	2	–	–	–	–	1
				MNW	3	2	1	–	–	–	–
				FNW	3	2	1	–	–	–	–
WASHINGTON	7	10	12.1			2	4	–	1	–	3
				MW	3	–	1	–	–	–	2
				FW	3	2	1	–	–	–	–
				MNW	2	–	1	–	–	–	1
				FNW	2	–	1	–	1	–	–
Bogalusa*	4	4	13.6			1	1	–	1	–	1
				MW	1	–	1	–	–	–	–
				FW	1	1	–	–	–	–	–
				MNW	1	–	–	–	–	–	1
				FNW	1	–	–	–	1	–	–
WEBSTER	3	5	6.6			2	1	–	–	–	2
				MW	1	–	–	–	–	–	1
				FW	1	1	–	–	–	–	–
				MNW	1	1	–	–	–	–	–
				FNW	2	–	1	–	–	–	1
Minden*	3	1	3.3			1	–	–	–	–	–
				MW	–	–	–	–	–	–	–
				FW	1	1	–	–	–	–	–
				MNW	–	–	–	–	–	–	–
				FNW	–	–	–	–	–	–	–
WEST BATON ROUGE	–	3	7.2			–	1	1	–	–	1
				MW	–	–	–	–	–	–	–
				FW	1	–	–	1	–	–	–
				MNW	1	–	1	–	–	–	–
				FNW	1	–	–	–	–	–	1
WEST CARROLL	1	4	15.7			1	2	–	–	–	1
				MW	1	1	–	–	–	–	–
				FW	2	–	2	–	–	–	–
				MNW	1	–	–	–	–	–	1
				FNW	–	–	–	–	–	–	–
WEST FELICIANA	–	–	– –			–	–	–	–	–	–
				MW	–	–	–	–	–	–	–
				FW	–	–	–	–	–	–	–
				MNW	–	–	–	–	–	–	–
				FNW	–	–	–	–	–	–	–
WINN	1	3	9.9			1	–	–	–	–	2
				MW	1	–	–	–	–	–	1
				FW	–	–	–	–	–	–	–
				MNW	1	1	–	–	–	–	–
				FNW	1	–	–	–	–	–	1
UNKNOWN	–	1	– –			–	1	–	–	–	–
				MW	–	–	–	–	–	–	–
				FW	–	–	–	–	–	–	–
				MNW	1	–	1	–	–	–	–
				FNM	–	–	–	–	–	–	–
OUT OF STATE**	15	57	– –			18	12	6	7	4	10
				MW	20	3	4	4	4	1	4
				FW	19	10	6	2	1	–	–
				MNW	15	5	2	–	2	3	3
				FNW	3	–	–	–	–	–	3

* Cities are included in parish totals.
** Not included in state totals.

Table XXV B

Infant Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Mother's Usual Residence and Shown by Sex, Race, and Age Louisiana, by State Planning Districts and Health Service Areas, 1980

STATE PLANNING DISTRICT (SPD) AND HEALTH SERVICE AREA (HSA)	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Live Births)	SEX RACE	TOTAL (By Sex and Race)	AGE					
						Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
TOTAL	1217	1175	14.3			387	268	82	43	38	357
				MW	306	90	71	28	13	13	91
				FW	219	78	43	15	9	4	70
				MNW	357	118	88	22	11	11	107
				FNW	293	101	66	17	10	10	89
SPD 1	596	382	17.1			117	110	27	12	14	102
				MW	69	17	22	8	2	3	17
				FW	60	16	19	5	4	4	12
				MNW	131	38	36	9	4	5	39
				FNW	122	46	33	5	2	2	34
SPD 2	138	168	12.0			55	36	13	9	3	52
				MW	45	11	8	6	4	1	15
				FW	33	19	5	1	1	–	7
				MNW	49	15	14	2	2	1	15
				FNW	41	10	9	4	2	1	15
SPD 3	40	69	10.5			28	8	3	2	1	27
				MW	22	11	2	–	–	–	9
				FW	13	3	–	2	1	–	7
				MNW	21	7	3	1	1	1	8
				FNW	13	7	3	–	–	–	3
SPD 4	139	171	14.9			59	35	13	7	6	49
				MW	45	11	12	4	2	4	12
				FW	44	17	5	3	1	–	18
				MNW	47	18	11	4	2	2	10
				FNW	35	13	7	2	2	2	9
SPD 5	56	72	13.9			28	17	4	6	–	17
				MW	31	13	7	2	2	–	7
				FW	18	5	4	1	1	–	7
				MNW	13	4	5	1	2	–	1
				FNW	10	6	1	–	1	–	2
SPD 6	67	82	13.4			30	14	3	1	2	32
				MW	32	13	5	2	1	–	11
				FW	14	3	2	–	–	–	9
				MNW	20	9	5	–	–	–	6
				FNW	16	5	2	1	–	2	6
SPD 7	199	140	13.7			44	32	11	4	6	43
				MW	39	9	11	3	2	2	12
				FW	24	11	5	2	–	–	6
				MNW	48	17	10	4	–	1	16
				FNW	29	7	6	2	2	3	9
SPD 8	72	91	14.8			26	16	8	2	4	35
				MW	23	5	4	3	–	3	8
				FW	13	4	3	1	1	–	4
				MNW	28	10	4	1	–	1	12
				FNW	27	7	5	3	1	–	11

TOTAL	1217	1175	14.3			387	268	82	43	38	357
				MW	306	90	71	28	13	13	91
				FW	219	78	43	15	9	4	70
				MNW	357	118	88	22	11	11	107
				FNW	293	101	66	17	10	10	89
HSA 1	546	451	15.6			145	118	30	14	15	129
				MW	91	28	24	8	2	3	26
				FW	73	19	19	7	5	4	19
				MNW	152	45	39	10	5	6	47
				FNW	135	53	36	5	2	2	37
HSA 2	333	411	13.4			142	88	30	22	11	118
				MW	121	35	27	12	8	5	34
				FW	95	41	14	5	3	–	32
				MNW	109	37	30	7	6	3	26
				FNW	86	29	17	6	5	3	26
HSA 3	338	313	13.9			100	62	22	7	12	110
				MW	94	27	20	8	3	5	31
				FW	51	18	10	3	1	–	19
				MNW	96	36	19	5	–	2	34
				FNW	72	19	13	6	3	5	26

Table XXVI
Infant Mortality Rates by Place of Residence
Shown by Age at Death and Race
Louisiana, by State Planning District and Health Service Areas, 1980

STATE PLANNING DISTRICT (SPD) AND HEALTH SERVICE AREA (HSA)	RACE	AGE AT DEATH IN DAYS						COMBINED RATES			
		UNDER 1	1 - 6	7 - 13	14 - 20	21 - 27	28 - 364	HEBDOMADAL	NEONATAL	PERINATAL	INFANT
TOTAL		4.7	3.3	1.0	0.5	0.5	4.3	8.0	10.0	18.0	14.3
	W	3.3	2.3	0.9	0.4	0.3	3.2	5.6	7.3	13.4	10.5
	NW	6.9	4.8	1.2	0.7	0.7	6.1	11.7	14.2	25.2	20.3
SPD 1		5.2	4.9	1.2	0.5	0.6	4.6	10.2	12.5	20.3	17.1
	W	2.7	3.3	1.1	0.5	0.6	2.3	6.0	8.1	13.6	10.4
	NW	8.4	6.9	1.4	0.6	0.7	7.3	15.3	18.0	28.5	25.3
SPD 2		3.9	2.6	0.9	0.6	0.2	3.7	6.5	8.3	14.8	12.0
	W	3.5	1.5	0.8	0.6	0.1	2.6	5.1	6.6	12.7	9.2
	NW	4.5	4.2	1.1	0.7	0.4	5.4	8.7	10.8	18.1	16.3
SPD 3		4.3	1.2	0.5	0.3	0.2	4.1	5.5	6.4	14.2	10.5
	W	3.1	0.4	0.4	0.2	--	3.6	3.6	4.2	11.2	7.8
	NW	6.9	2.9	0.5	0.5	0.5	5.4	9.8	11.3	20.8	16.7
SPD 4		5.1	3.0	1.1	0.6	0.7	4.3	8.2	10.6	20.1	14.9
	W	3.6	2.2	0.9	0.4	0.5	3.9	5.8	7.6	15.1	11.4
	NW	8.4	4.9	1.6	1.1	1.1	5.1	13.2	17.0	30.4	22.1
SPD 5		5.4	3.3	0.8	1.2	--	3.3	8.7	10.6	19.1	13.9
	W	4.6	2.8	0.8	0.8	--	3.6	7.5	9.0	15.0	12.6
	NW	7.7	4.6	0.8	2.3	--	2.3	12.4	15.5	31.1	17.8
SPD 6		4.9	2.3	0.5	0.2	0.3	5.2	7.2	8.2	16.9	13.4
	W	3.9	1.7	0.5	0.2	--	4.9	5.6	6.3	13.5	11.2
	NW	6.9	3.5	0.5	--	1.0	6.0	10.4	11.9	24.0	17.9
SPD 7		4.3	3.1	1.1	0.4	0.6	4.2	7.4	9.5	18.8	13.7
	W	3.5	2.8	0.9	0.3	0.3	3.1	6.3	7.9	13.4	11.0
	NW	5.3	3.6	1.3	0.4	0.9	5.6	8.9	11.6	25.6	17.1
SPD 8		4.2	2.6	1.3	0.3	0.7	5.7	6.9	9.1	16.3	14.8
	W	2.7	2.1	1.2	0.3	0.9	3.7	4.9	7.3	12.1	11.0
	NW	6.0	3.2	1.4	0.4	0.4	8.1	9.1	11.3	21.2	19.3
TOTAL		4.7	3.3	1.0	0.5	0.5	4.3	8.0	10.0	18.0	14.3
	W	3.3	2.3	0.9	0.4	0.3	3.2	5.6	7.3	13.4	10.5
	NW	6.9	4.8	1.2	0.7	0.7	6.1	11.7	14.2	25.2	20.3
HSA 1		5.0	4.1	1.0	0.5	0.5	4.5	9.1	11.1	18.9	15.6
	W	2.8	2.6	0.9	0.4	0.4	2.7	5.3	7.1	13.0	9.7
	NW	8.1	6.2	1.2	0.6	0.7	7.0	14.4	16.8	27.2	23.8
HSA 2		4.6	2.9	1.0	0.7	0.4	3.8	7.5	9.5	17.5	13.4
	W	3.8	2.0	0.8	0.5	0.2	3.3	5.8	7.4	14.1	10.7
	NW	6.3	4.5	1.2	1.0	0.6	4.9	10.7	13.6	24.1	18.5
HSA 3		4.4	2.8	1.0	0.3	0.5	4.9	7.2	9.0	17.6	13.9
	W	3.4	2.3	0.8	0.3	0.4	3.8	5.7	7.2	13.1	11.0
	NW	5.9	3.4	1.2	0.3	0.7	6.4	9.3	11.5	23.9	18.0

Perinatal rate per 1,000 deliveries, all other rates per 1,000 live births.
Rates may not be additive due to rounding.

Table XXVII

Infant Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age

Louisiana, 1980

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 1,000 Live Births)	SEX RACE	TOTAL (By Sex and Race)	AGE					
					Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
TOTAL	1175	14.3			387	268	82	43	38	357
			MW	306	90	71	28	13	13	91
			FW	219	78	43	15	9	4	70
			MNW	357	115	88	22	11	11	107
			FNW	293	101	66	17	10	10	89
Certain intestinal infections - (008-009)	5	0.1			–	–	–	–	–	5
			MW	3	–	–	–	–	–	3
			FW	–	–	–	–	–	–	–
			MNW	2	–	–	–	–	–	2
			FNW	–	–	–	–	–	–	–
Whooping cough - (033)	–	– –			–	–	–	–	–	
			MW	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
Meningococcal infection - (036)	1	0.0			–	–	–	–	–	1
			MW	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	1	–	–	–	–	–	1
Septicemia - (038)	13	0.2			–	–	–	–	–	13
			MW	3	–	–	–	–	–	3
			FW	1	–	–	–	–	–	1
			MNW	6	–	–	–	–	–	6
			FNW	3	–	–	–	–	–	3
Viral diseases - (045-079)	2	0.0			–	–	–	–	–	2
			MW	1	–	–	–	–	–	1
			FW	–	–	–	–	–	–	–
			MNW	1	–	–	–	–	–	1
			FNW	–	–	–	–	–	–	–
Congenital syphilis - (090)	–	– –			–	–	–	–	–	–
			MW	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
Remainder of infectious and parasitic diseases - (001-007, 010-032, 034-035, 037, 039-041, 080-088, 091-139)	3	0.0			–	–	–	–	1	2
			MW	1	–	–	–	–	1	–
			FW	–	–	–	–	–	–	–
			MNW	2	–	–	–	–	–	2
			FNW	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues - (140-208)	3	0.0			–	–	–	–	–	3
			MW	1	–	–	–	–	–	1
			FW	1	–	–	–	–	–	1
			MNW	1	–	–	–	–	–	1
			FNW	–	–	–	–	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature - (210-239)	–	– –			–	–	–	–	–	–
			MW	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
Diseases of thymus gland - (254)	1	0.0			–	–	–	–	–	1
			MW	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	1	–	–	–	–	–	1
Cystic fibrosis - (277.0)	–	– –			–	–	–	–	–	–
			MW	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
Diseases of blood and blood-forming organs - (280-289)	6	0.1			–	1	–	–	–	5
			MW	2	–	–	–	–	–	2
			FW	2	–	–	–	–	–	2
			MNW	1	–	–	–	–	–	1
			FNW	1	–	1	–	–	–	–
Meningitis - (320-322)	13	0.2			–	2	3	3	–	5
			MW	6	–	1	2	2	–	1
			FW	–	–	–	–	–	–	–
			MNW	5	–	1	1	–	–	3
			FNW	2	–	–	–	1	–	1

Table XXVII (continued)

Infant Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1980

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 1,000 Live Births)	SEX RACE	TOTAL (By Sex and Race)	AGE					
					Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
Other diseases of nervous system and sense organs - (323-389)	21	0.3								
			MW	6	–	–	1	–	–	5
			FW	7	–	–	–	–	1	6
			MNW	5	–	–	1	–	1	3
			FNW	3	–	–	–	–	–	3
Acute upper respiratory infections - (460-465)	2	0.0								
			MW	–	–	–	–	–	–	–
			FW	2	–	–	–	–	–	2
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
Bronchitis and bronchiolitis - (466, 490-491)	5	0.1								
			MW	–	–	–	–	–	–	–
			FW	2	–	–	–	–	–	2
			MNW	3	–	–	–	–	–	3
			FNW	–	–	–	–	–	–	–
Pneumonia and influenza - (480-487)	54	0.7								
			MW	9	–	4	3	1	2	44
			FW	7	–	1	–	–	–	6
			MNW	22	–	2	1	1	1	17
			FNW	16	–	1	1	–	1	13
Pneumonia - (480-486)	54	0.7								
			MW	9	–	4	3	1	2	44
			FW	7	–	1	–	–	–	6
			MNW	22	–	2	1	1	1	17
			FNW	16	–	1	1	–	1	13
Influenza - (487)	–	– –								
			MW	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
Remainder of diseases of respiratory system - (470-478, 492-519)	19	0.2								
			MW	8	–	1	–	1	1	16
			FW	3	–	1	–	–	1	6
			MNW	4	–	–	–	1	–	2
			FNW	4	–	–	–	–	–	4
Hernia of abdominal cavity and intestinal obstruction without mention of hernia - (550-553, 560)	2	0.0								
			MW	1	–	–	–	–	–	1
			FW	–	–	–	–	–	–	–
			MNW	1	–	–	–	–	–	1
			FNW	–	–	–	–	–	–	–
Gastritis, duodenitis, and noninfective enteritis and colitis - (535, 555-558)	4	0.0								
			MW	1	–	–	–	–	–	1
			FW	2	–	–	–	–	–	2
			MNW	1	–	–	–	–	–	1
			FNW	–	–	–	–	–	–	–
Remainder of diseases of digestive system - (520-534, 536-543, 562-579)	3	0.0								
			MW	–	–	–	–	–	–	–
			FW	1	–	–	–	–	–	1
			MNW	1	–	–	–	–	–	1
			FNW	1	–	–	–	–	–	1
Congenital anomalies - (740-759)	228	2.8								
			MW	83	67	61	23	9	7	61
			FW	58	24	27	10	2	2	18
			MNW	49	21	8	5	3	1	20
			FNW	38	11	17	7	2	1	11
						9	1	2	3	12
Anencephalus and similar anomalies - (740)	18	0.2								
			MW	9	14	3	1	–	–	–
			FW	6	6	2	1	–	–	–
			MNW	2	1	–	–	–	–	–
			FNW	1	1	1	–	–	–	–
						–	–	–	–	–
Spina bifida - (741)	4	0.0								
			MW	1	1	–	–	1	1	1
			FW	2	–	–	–	–	–	1
			MNW	–	1	–	–	1	–	–
			FNW	1	–	–	–	–	–	–
						–	–	–	1	–
Congenital hydrocephalus - (742.3)	8	0.1								
			MW	3	1	2	–	1	–	4
			FW	2	1	2	–	–	–	–
			MNW	1	–	–	–	–	–	2
			FNW	2	–	–	–	1	–	1
					–	–	–	–	–	1

Table XXVII (continued)

Infant Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age

Louisiana, 1980

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 1,000 Live Births)	SEX RACE	TOTAL (By Sex and Race)	AGE					
					Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
Other congenital anomalies of central nervous system and eye - (742.0-742.2, 742.4-742.9, 743)	9	0.1			3	–	2	–	2	2
			MW	3	1	–	1	–	–	1
			FW	3	2	–	–	–	1	–
			MNW	2	–	–	1	–	–	1
			FNW	1	–	–	–	–	1	–
Congenital anomalies of heart - (745-746)	67	0.8			5	27	8	3	2	22
			MW	31	2	13	6	–	1	9
			FW	11	–	3	1	1	–	6
			MNW	17	2	7	1	2	1	4
			FNW	8	1	4	–	–	–	3
Other congenital anomalies of circulatory system - (747)	15	0.2			–	8	2	2	–	3
			MW	6	–	3	1	1	–	1
			FW	5	–	2	1	1	–	1
			MNW	1	–	–	–	–	–	1
			FNW	3	–	3	–	–	–	–
Congenital anomalies of respiratory system - (748)	22	0.3			11	6	3	–	–	2
			MW	9	5	3	–	–	–	1
			FW	6	4	–	2	–	–	–
			MNW	5	1	3	1	–	–	–
			FNW	2	1	–	–	–	–	1
Congenital anomalies of digestive system - (749-751)	6	0.1			–	1	1	–	–	4
			MW	2	–	1	–	–	–	1
			FW	2	–	–	–	–	–	2
			MNW	2	–	–	1	–	–	1
			FNW	–	–	–	–	–	–	–
Congenital anomalies of genitourinary system - (752-753)	7	0.1			5	1	1	–	–	–
			MW	2	2	–	–	–	–	–
			FW	3	2	1	–	–	–	–
			MNW	1	1	–	–	–	–	–
			FNW	1	–	–	1	–	–	–
Congenital anomalies of musculoskeletal system - (754-756)	15	0.2			8	4	1	–	–	2
			MW	3	1	1	–	–	–	1
			FW	4	3	1	–	–	–	–
			MNW	5	2	2	1	–	–	–
			FNW	3	2	–	–	–	–	1
Down's syndrome - (758.0)	12	0.1			1	1	1	1	–	8
			MW	2	1	–	1	–	–	–
			FW	4	–	–	–	–	–	4
			MNW	1	–	–	–	–	–	1
			FNW	5	–	1	–	1	–	3
Other chromosomal anomalies - (758.1-758.9)	13	0.2			2	4	2	–	–	5
			MW	4	1	2	–	–	–	1
			FW	4	–	1	1	–	–	2
			MNW	2	–	1	1	–	–	–
			FNW	3	1	–	–	–	–	2
All other and unspecified congenital anomalies - (744, 757, 759)	32	0.4			16	4	1	1	2	8
			MW	8	4	–	–	1	1	2
			FW	6	3	–	–	–	–	3
			MNW	10	4	3	1	–	–	2
			FNW	8	5	1	–	–	1	1
Certain conditions originating in the perinatal period - (760-779)	612	7.5			320	188	47	21	20	16
			MW	136	66	39	14	6	7	4
			FW	103	57	31	9	3	2	1
			MNW	201	107	66	10	6	6	6
			FNW	172	90	52	14	6	5	5
Newborn affected by maternal conditions which may be unrelated to present pregnancy - (760)	1	0.0			1	–	–	–	–	–
			MW	–	–	–	–	–	–	–
			FW	1	1	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
Newborn affected by maternal complications of pregnancy - (761)	36	0.4			35	1	–	–	–	–
			MW	13	12	1	–	–	–	–
			FW	6	6	–	–	–	–	–
			MNW	12	12	–	–	–	–	–
			FNW	5	5	–	–	–	–	–
Newborn affected by complications of placenta, cord, and membranes - (762)	23	0.3			19	4	–	–	–	–
			MW	6	5	1	–	–	–	–
			FW	6	5	1	–	–	–	–
			MNW	5	4	1	–	–	–	–
			FNW	6	5	1	–	–	–	–

Table XXVII (continued)

Infant Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1980

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 1,000 Live Births)	SEX RACE	TOTAL (By Sex and Race)	AGE					
					Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
Newborn affected by other complications of labor and delivery - (763)	2	0.0			1	1	–	–	–	–
			MW	1	1	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	1	–	1	–	–	–	–
			FNW	–	–	–	–	–	–	–
Slow fetal growth and fetal malnutrition - (764)	–	– –			–	–	–	–	–	–
			MW	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
Disorders relating to short gestation and unspecified low birthweight - (765)	118	1.4			103	14	–	1	–	–
			MW	18	17	1	–	–	–	–
			FW	18	17	1	–	–	–	–
			MNW	41	37	3	–	1	–	–
			FNW	41	32	9	–	–	–	–
Disorders relating to long gestation and high birthweight - (766)	–	– –			–	–	–	–	–	–
			MW	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
Birth trauma - (767)	43	0.5			3	29	5	5	1	–
			MW	7	1	4	1	1	–	–
			FW	5	–	5	–	–	–	–
			MNW	18	2	13	1	1	1	–
			FNW	13	–	7	3	3	–	–
Intrauterine hypoxia and birth asphyxia - (768)	32	0.4			15	11	1	1	2	2
			MW	16	5	7	1	1	1	1
			FW	–	–	–	–	–	–	–
			MNW	12	9	2	–	–	–	1
			FNW	4	1	2	–	–	1	–
Fetal distress in liveborn infant - (768.2-768.4)	8	0.1			4	3	1	–	–	–
			MW	5	2	2	1	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	2	2	–	–	–	–	–
			FNW	1	–	1	–	–	–	–
Birth asphyxia - (768.5-768.9)	24	0.3			11	8	–	1	2	2
			MW	11	3	5	–	1	1	1
			FW	–	–	–	–	–	–	–
			MNW	10	7	2	–	–	–	1
			FNW	3	1	1	–	–	1	–
Respiratory distress syndrome - (769)	106	1.3			33	45	14	4	3	7
			MW	24	6	9	4	2	2	1
			FW	26	7	13	4	1	–	1
			MNW	29	11	13	2	–	1	2
			FNW	27	9	10	4	1	–	3
Other respiratory conditions of newborn - (770)	99	1.2			54	32	4	1	3	5
			MW	19	8	7	2	–	1	1
			FW	17	14	2	1	–	–	–
			MNW	29	12	12	1	1	–	3
			FNW	34	20	11	–	–	2	1
Infections specific to the perinatal period - (771)	30	0.4			10	10	4	3	2	1
			MW	9	3	3	–	1	1	1
			FW	5	–	2	1	1	1	–
			MNW	11	4	3	3	1	–	–
			FNW	5	3	2	–	–	–	–
Neonatal hemorrhage - (772)	20	0.2			4	9	6	–	1	–
			MW	5	1	2	1	–	1	–
			FW	1	–	–	1	–	–	–
			MNW	6	2	4	–	–	–	–
			FNW	8	1	3	4	–	–	–
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice - (773-774)	4	0.0			1	3	–	–	–	–
			MW	1	–	1	–	–	–	–
			FW	1	–	1	–	–	–	–
			MNW	2	1	1	–	–	–	–
			FNW	–	–	–	–	–	–	–
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus - (775.0-775.1)	–	– –			–	–	–	–	–	–
			MW	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–

Table XXVII (continued)

Infant Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1980

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 1,000 Live Births)	SEX RACE	TOTAL (By Sex and Race)	AGE					
					Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
Hemorrhagic disease of newborn - (776.0)	–	– –	MW	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
All other and ill-defined conditions originating in the perinatal period - (775.2-775.9, 776.1-779)	98	1.2		41	29	13	6	8	1	
			MW	17	7	3	5	1	1	–
			FW	17	7	6	2	1	1	–
			MNW	35	13	13	3	2	4	–
			FNW	29	14	7	3	2	2	1
Symptoms, signs and ill-defined conditions - (780-799)	90	1.1		–	1	2	4	5	78	
			MW	17	–	–	–	1	2	14
			FW	11	–	–	–	2	–	9
			MNW	33	–	1	1	1	2	28
			FNW	29	–	–	1	–	1	27
Sudden infant death syndrome - (798.0)	86	1.0		–	1	2	4	5	74	
			MW	16	–	–	–	1	2	13
			FW	10	–	–	–	2	–	8
			MNW	33	–	1	1	1	2	28
			FNW	27	–	–	1	–	1	25
Symptoms, signs, and all other ill-defined conditions - (780-797, 798.1-799)	4	0.0		–	–	–	–	–	4	
			MW	1	–	–	–	–	–	1
			FW	1	–	–	–	–	–	1
			MNW	–	–	–	–	–	–	–
			FNW	2	–	–	–	–	–	2
Accidents and adverse effects - (E800-E949)	45	0.5		–	1	–	1	–	43	
			MW	14	–	–	–	–	–	14
			FW	10	–	–	–	1	–	9
			MNW	10	–	1	–	–	–	9
			FNW	11	–	–	–	–	–	11
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation - (E911-E912)	14	0.2		–	1	–	–	–	13	
			MW	5	–	–	–	–	–	5
			FW	2	–	–	–	–	–	2
			MNW	4	–	1	–	–	–	3
			FNW	3	–	–	–	–	–	3
Accidental mechanical suffocation - (E913)	5	0.1		–	–	–	–	–	5	
			MW	2	–	–	–	–	–	2
			FW	3	–	–	–	–	–	3
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
Other accidental causes and adverse effects - (E800-E910, E914-E949)	26	0.3		–	–	–	1	–	25	
			MW	7	–	–	–	–	–	7
			FW	5	–	–	–	1	–	4
			MNW	6	–	–	–	–	–	6
			FNW	8	–	–	–	–	–	8
Homicide - (E960-E969)	3	0.0		–	–	–	–	–	3	
			MW	–	–	–	–	–	–	–
			FW	3	–	–	–	–	–	3
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
Child battering and other maltreatment - (E967)	3	0.0		–	–	–	–	–	3	
			MW	–	–	–	–	–	–	–
			FW	3	–	–	–	–	–	3
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
Other homicide - (E960-E966, E968-E969)	–	– –		–	–	–	–	–	–	
			MW	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
All other causes - (Residual)	40	0.5		–	9	3	3	1	24	
			MW	14	–	3	1	1	1	8
			FW	6	–	3	1	–	–	2
			MNW	9	–	–	1	1	–	7
			FNW	11	–	3	–	1	–	7

Table XXVIII
Maternal Deaths by Place of Occurrence, Reallocated to Usual Residence of Deceased and Shown by Race and Age
Louisiana, 1980

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 100,000 Live Births)	RACE	TOTAL (By Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
TOTAL.....	10	8	9.7	W	1	-	1	-	-	-	-	-	-	-
				NW	7	-	1	2	1	-	3	-	-	-
ACADIA.....	1	1	85.5	W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	-	-	-	1	-	-	-
CADDO.....	1	-	- -	W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
CALCASIEU.....	1	1	29.4	W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	1	-	-	-	-	-	-	-
CLAIBORNE.....	1	1	333.3	W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
EAST CARROLL.....	1	1	373.1	W	1	-	1	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
MADISON.....	1	1	284.1	W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	-	1	-	-	-	-	-
ORLEANS.....	1	1	9.7	W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
RAPIDES.....	2	2	80.1	W	-	-	-	-	-	-	-	-	-	-
				NW	2	-	-	-	-	-	2	-	-	-
ST. MARY.....	1	-	- -	W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
OUT OF STATE*.....	-	2	- -	W	2	-	1	-	-	-	1	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-

*Not included in State totals.
Rates per 100,000 Live Births.

Table XXIX
Maternal Deaths by Cause, Shown by Race and Age
Louisiana, 1980
(By Residence)

PARISH	TOTAL	RATE (Per 100,000 Live Births)	RACE	TOTAL (By Race)	AGE								
					10-14	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
TOTAL	8	9.7	W	1	-	1	-	-	-	-	-	-	-
			NW	7	-	1	2	1	-	3	-	-	-
Pregnancy with abortive outcome - (630-638)	1	1.2	W	-	-	-	-	-	-	-	-	-	-
			NW	1	-	-	1	-	-	-	-	-	-
Ectopic pregnancy - (633)	1	1.2	W	-	-	-	-	-	-	-	-	-	-
			NW	1	-	-	1	-	-	-	-	-	-
Spontaneous abortion - (634)	-	- -	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
Legally induced abortion - (635)	-	- -	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
Illegally induced abortion - (636)	-	- -	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
Other pregnancy with abortive - outcome - (630-632, 637-638)	-	- -	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
Direct obstetric causes - (640-646, 651-676)	5	6.1	W	1	-	1	-	-	-	-	-	-	-
			NW	4	-	-	-	1	-	3	-	-	-
Hemorrhage of pregnancy and childbirth - (640-641, 666)	-	- -	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
Toxemia of pregnancy - (642.4-642.9, 643)	-	- -	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
Obstructed labor - (660)	-	- -	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
Complications of the puerperium-(670-676)	4	4.9	W	1	-	1	-	-	-	-	-	-	-
			NW	3	-	-	-	1	-	2	-	-	-
Other direct obstetric causes - (642.0-642.3, 644-646, 651-659, 661-665, 667-669)	1	1.2	W	-	-	-	-	-	-	-	-	-	-
			NW	1	-	-	-	-	-	1	-	-	-
Indirect obstetric causes - (647-648)	2	2.4	W	-	-	-	-	-	-	-	-	-	-
			NW	2	-	1	1	-	-	-	-	-	-
Delivery in a completely normal case - (650)	-	- -	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-

Rates per 100,000 live births.

MORBIDITY

Table XXX
Reportable Diseases by Parish
Louisiana, 1980
(By Place of Residence)

PARISH AND CITIES Over 10,000	ACTINOMYCOSIS	AMEBIASIS	ANTHRAX	ASEPTIC MENINGITIS	BLASTOMYCOSIS	BOTULISM	BRUCELLOSIS (UNDULANT FEVER)	CAT SCRATCH FEVER	CHANCROID	CHOLERA	COCCIDIOIDOMYCOSIS	CRYPTOCOCCOSIS	DENGUE	DIPHTHERIA	ECHINOCOCCOSIS (HYDATID DISEASE)	ENCEPHALITIS, ARTHROPOD-BORNE	ENCEPHALITIS, POST-INFECTIOUS	ENCEPHALITIS, OTHER AND UNSPECIFIED
TOTAL	–	14	–	83	2	–	4	–	2	–	–	5	6	–	–	12	–	15
ACADIA	–	5	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Crowley*	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ALLEN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ASCENSION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ASSUMPTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
AVOYELLES	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
BEAUREGARD	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
BIENVILLE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
BOSSIER	–	1	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bossier City*	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CADDO	–	–	–	11	–	–	–	–	–	–	–	1	–	–	–	–	–	5
Shreveport*	–	–	–	9	–	–	–	–	–	–	–	1	–	–	–	–	–	5
CALCASIEU	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Lake Charles*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sulphur*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CALDWELL	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CAMERON	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CATAHOULA	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CLAIBORNE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CONCORDIA	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DESOTO	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E. BATON ROUGE	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Baton Rouge*	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
E. CARROLL	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E. FELICIANA	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
EVANGELINE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
FRANKLIN	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
GRANT	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IBERIA	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
New Iberia*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IBERVILLE	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
JACKSON	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
JEFFERSON	–	–	–	15	1	–	–	–	–	–	–	1	–	–	–	–	–	2
Kenner*	–	–	–	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Gretna*	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Harahan*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Westwego*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
JEFFERSON DAVIS	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jennings*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
LAFAYETTE	–	1	–	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lafayette*	–	1	–	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–
LAFOURCHE	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Thibodaux*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
LASALLE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
LINCOLN	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ruston*	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
LIVINGSTON	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
MADISON	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
MOREHOUSE	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bastrop*	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
NATCHITOCHES	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Natchitoches*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ORLEANS	–	1	–	12	–	–	–	–	–	–	–	–	6	–	–	11	–	4
OUACHITA	–	–	–	5	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Monroe*	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
West Monroe*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
PLAQUEMINES	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
POINTE COUPEE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
RAPIDES	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Alexandria*	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
RED RIVER	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
RICHLAND	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
SABINE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST BERNARD	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST CHARLES	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
ST HELENA	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
ST JAMES	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST JOHN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST LANDRY	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Opelousas*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Eunice*	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST MARTIN	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST MARY	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Morgan City*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST TAMMANY	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Slidell*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TANGIPAHOA	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hammond*	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1
TENSAS	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TERREBONNE	–	–	–	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Houma*	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
UNION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VERMILION	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Abbeville*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VERNON	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
WASHINGTON	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bogalusa*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
WEBSTER	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Minden*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
W. BATON ROUGE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
W. CARROLL	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
W. FELICIANA	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
WINN	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
OUT OF STATE**	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

* Cities are included in parish total.
** Not included in state total.

Table XXX (continued)
Reportable Diseases by Parish
Louisiana, 1980
(By Place of Residence)

PARISH AND CITIES Over 10,000	FOOD POISONING	GLANDERS	GONORRHEA	GRANULOMA INGUINALE	HEPATITIS A	HEPATITIS B	HEPATITIS: TYPE UNSPECIFIED	HISTOPLASMOSIS	INFECTIOUS MONONUCLEOSIS	LEGIONELLOSIS	LEPROSY	LEPTOSPIROSIS (WEIL'S DISEASE)	LISTERIOSIS	LYMPHOCYTIC CHORIOMENINGITIS	LYMPHOPATHIA VENEREUM	MALARIA	MEASLES	MENINGOCOCCAL INFECTIONS
TOTAL	–	–	22577	–	682	311	251	1	9	5	5	7	1	–	3	59	15	102
ACADIA	–	–	135	–	9	15	10	–	–	–	–	1	–	–	–	–	–	1
Crowley*	–	–	94	–	4	5	4	–	–	–	–	1	–	–	–	–	–	–
ALLEN	–	–	42	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–
ASCENSION	–	–	67	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
ASSUMPTION	–	–	43	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
AVOYELLES	–	–	77	–	2	1	–	–	–	–	–	–	–	–	–	–	2	–
BEAUREGARD	–	–	49	–	6	1	–	–	1	–	–	–	–	–	–	–	–	–
BIENVILLE	–	–	41	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
BOSSIER	–	–	306	–	4	7	6	–	–	–	–	–	–	–	–	–	–	–
Bossier City*	–	–	234	–	3	5	6	–	–	–	–	–	–	–	–	–	–	–
CADDO	–	–	2140	–	19	16	5	–	–	–	–	–	–	–	–	–	2	4
Shreveport*	–	–	2040	–	14	15	5	–	–	–	–	–	–	–	–	–	2	3
CALCASIEU	–	–	1162	–	18	15	2	–	–	–	–	1	1	–	–	–	1	1
Lake Charles*	–	–	980	–	11	9	1	–	–	–	–	–	–	–	–	–	–	–
Sulphur*	–	–	27	–	2	2	1	–	–	–	–	1	–	–	–	–	1	–
CALDWELL	–	–	32	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
CAMERON	–	–	23	–	2	4	1	–	–	–	–	–	–	–	–	–	–	–
CATAHOULA	–	–	47	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
CLAIBORNE	–	–	78	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
CONCORDIA	–	–	46	–	10	1	1	–	–	–	–	–	–	–	–	–	–	1
DESOTO	–	–	32	–	1	2	–	–	–	–	–	–	–	–	–	–	–	2
E. BATON ROUGE	–	–	2024	–	14	3	5	–	–	2	–	–	–	–	–	1	–	3
Baton Rouge*	–	–	1843	–	12	3	4	–	–	2	–	–	–	–	–	1	–	3
E. CARROLL	–	–	72	–	1	–	7	–	–	–	–	–	–	–	–	–	–	1
E. FELICIANA	–	–	26	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
EVANGELINE	–	–	22	–	6	1	5	–	–	–	1	–	–	–	–	–	–	1
FRANKLIN	–	–	109	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
GRANT	–	–	29	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
IBERIA	–	–	145	–	15	14	6	–	–	–	–	–	–	–	–	–	–	6
New Iberia*	–	–	103	–	10	6	5	–	–	–	–	–	–	–	–	–	–	2
IBERVILLE	–	–	110	–	–	3	–	–	–	–	–	–	–	–	–	–	–	1
JACKSON	–	–	29	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
JEFFERSON	–	–	1271	–	175	42	50	1	3	1	–	3	–	–	–	11	1	15
Kenner*	–	–	135	–	55	10	2	–	–	–	–	1	–	–	–	–	–	4
Gretna*	–	–	147	–	10	4	9	–	–	–	–	–	–	–	–	7	–	–
Harahan*	–	–	5	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Westwego*	–	–	101	–	1	1	2	–	–	–	–	–	–	–	–	–	–	2
JEFFERSON DAVIS	–	–	118	–	1	6	8	–	–	–	–	–	–	–	–	–	–	1
Jennings*	–	–	77	–	1	6	6	–	–	–	–	–	–	–	–	–	–	–
LAFAYETTE	–	–	363	–	18	27	20	–	–	–	1	–	–	–	–	1	–	2
Lafayette*	–	–	304	–	16	21	16	–	–	–	1	–	–	–	–	–	–	2
LAFOURCHE	–	–	154	–	7	2	–	–	–	–	–	–	–	–	–	–	–	3
Thibodaux*	–	–	102	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1
LASALLE	–	–	10	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
LINCOLN	–	–	234	–	11	1	6	–	–	–	–	–	–	–	–	–	–	–
Ruston*	–	–	81	–	7	–	6	–	–	–	–	–	–	–	–	–	–	–
LIVINGSTON	–	–	56	–	14	1	1	–	–	–	–	–	–	–	–	–	–	–
MADISON	–	–	139	–	3	1	–	–	–	–	–	–	–	–	–	–	–	1
MOREHOUSE	–	–	217	–	2	2	–	–	–	–	–	–	–	–	–	–	–	3
Bastrop*	–	–	164	–	2	1	–	–	–	–	–	–	–	–	–	–	–	3
NATCHITOCHES	–	–	24	–	1	2	1	–	–	–	–	–	–	–	–	–	–	1
Natchitoches*	–	–	17	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
ORLEANS	–	–	8669	–	77	68	40	–	–	1	–	1	–	–	3	44	4	16
OUACHITA	–	–	1160	–	81	7	18	–	–	–	1	–	–	–	–	–	–	–
Monroe*	–	–	1003	–	39	5	9	–	–	–	1	–	–	–	–	–	–	–
West Monroe*	–	–	94	–	32	1	8	–	–	–	–	–	–	–	–	–	–	–
PLAQUEMINES	–	–	37	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
POINTE COUPEE	–	–	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
RAPIDES	–	–	840	–	10	5	3	–	–	–	–	–	–	–	–	–	–	–
Alexandria*	–	–	637	–	4	1	–	–	–	–	–	–	–	–	–	–	–	–
RED RIVER	–	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
RICHLAND	–	–	138	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
SABINE	–	–	19	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
ST. BERNARD	–	–	61	–	28	4	3	–	–	1	–	–	–	–	–	–	–	1
ST. CHARLES	–	–	92	–	1	4	1	–	–	–	–	–	–	–	–	–	–	2
ST. HELENA	–	–	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. JAMES	–	–	75	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1
ST. JOHN	–	–	60	–	4	2	1	–	1	–	–	–	–	–	–	–	–	–
ST. LANDRY	–	–	88	–	13	11	6	–	1	–	–	–	–	–	–	–	–	5
Opelousas*	–	–	33	–	4	3	2	–	–	–	–	–	–	–	–	–	–	3
Eunice*	–	–	15	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
ST. MARTIN	–	–	69	–	6	4	1	–	–	–	–	–	–	–	–	–	–	1
ST. MARY	–	–	25	–	1	2	4	–	–	–	2	–	–	–	–	–	–	1
Morgan City*	–	–	8	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
ST. TAMMANY	–	–	317	–	25	4	3	–	–	–	–	–	–	–	–	–	–	3
Slidell*	–	–	107	–	11	1	–	–	–	–	–	–	–	–	–	–	–	2
TANGIPAHOA	–	–	327	–	34	–	6	–	–	–	–	–	–	–	–	–	–	9
Hammond*	–	–	132	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
TENSAS	–	–	25	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
TERREBONNE	–	–	208	–	20	4	3	–	–	–	–	–	–	–	–	2	–	6
Houma*	–	–	148	–	16	2	2	–	–	–	–	–	–	–	–	1	–	2
UNION	–	–	140	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
VERMILION	–	–	43	–	7	7	5	–	–	–	–	–	–	–	–	–	–	4
Abbeville*	–	–	31	–	4	4	2	–	–	–	–	–	–	–	–	–	–	3
VERNON	–	–	199	–	4	3	2	–	2	–	–	–	–	–	–	–	–	–
WASHINGTON	–	–	87	–	8	5	2	–	–	–	–	1	–	–	–	–	4	1
Bogalusa*	–	–	54	–	2	–	2	–	–	–	–	–	–	–	–	–	4	1
WEBSTER	–	–	183	–	1	4	2	–	–	–	–	–	–	–	–	–	–	1
Minden*	–	–	116	–	1	3	–	–	–	–	–	–	–	–	–	–	–	1
W. BATON ROUGE	–	–	93	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
W. CARROLL	–	–	40	–	3	1	1	–	–	–	–	–	–	–	–	–	–	2
W. FELICIANA	–	–	10	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–
WINN	–	–	62	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
OUT OF STATE**	–	–	135	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1

* Cities are included in parish total.
** Not included in state total.

Table XXX (continued)
Reportable Diseases by Parish
Louisiana, 1980
(By Place of Residence)

PARISH AND CITIES Over 10,000	MUMPS	MYCOBACTERIOSIS, ATYPICAL	OPHTHALMIA NEONATORUM	PERTUSSIS (WHOOPING COUGH)	PLAGUE	POLIOMYELITIS, PARALYTIC	POLIOMYELITIS, NON-PARALYTIC	PSITTACOSIS	Q. FEVER	RABIES IN ANIMALS	RABIES IN MAN	RAT BITE FEVER	RAT BITES	RELAPSING FEVER	RHEUMATIC FEVER	ROCKY MOUNTAIN SPOTTED FEVER	RUBELLA	RUBELLA, CONGENITAL SYNDROME
TOTAL	67	92	–	38	–	1	–	1	–	19	–	5	–	–	1	4	13	–
ACADIA	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Crowley*	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ALLEN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ASCENSION	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
ASSUMPTION	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–
AVOYELLES	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
BEAUREGARD	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
BIENVILLE	–	1	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–
BOSSIER	56	9	–	4	–	–	–	–	–	3	–	–	–	–	1	–	–	–
Bossier City*	56	9	–	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–
CADDO	–	4	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Shreveport*	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
CALCASIEU	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lake Charles*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sulphur*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CALDWELL	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CAMERON	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CATAHOULA	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CLAIBORNE	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CONCORDIA	–	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DESOTO	–	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E. BATON ROUGE	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Baton Rouge*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E. CARROLL	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E. FELICIANA	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
EVANGELINE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
FRANKLIN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
GRANT	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IBERIA	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
New Iberia*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IBERVILLE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
JACKSON	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
JEFFERSON	1	18	–	7	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Kenner*	–	1	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Gretna*	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Harahan*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Westwego*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
JEFFERSON DAVIS	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jennings*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
LAFAYETTE	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Lafayette*	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–
LAFOURCHE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thibodaux*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
LASALLE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
LINCOLN	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ruston*	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
LIVINGSTON	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
MADISON	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
MOREHOUSE	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–
Bastrop*	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
NATCHITOCHES	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Natchitoches*	2	24	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ORLEANS	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
OUACHITA	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Monroe*	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
West Monroe*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
PLAQUEMINES	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
POINTE COUPEE	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
RAPIDES	–	4	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Alexandria*	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
RED RIVER	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
RICHLAND	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
SABINE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. BERNARD	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. CHARLES	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. HELENA	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. JAMES	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. JOHN	–	3	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. LANDRY	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Opelousas*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Eunice*	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. MARTIN	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
ST. MARY	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Morgan City*	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. TAMMANY	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Slidell*	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TANGIPAHOA	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hammond*	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TENSAS	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TERREBONNE	–	1	–	–	6	–	–	–	–	–	–	–	–	–	–	–	–	–
Houma*	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
UNION	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VERMILION	–	1	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–
Abbeville*	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	2	–
VERNON	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
WASHINGTON	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–
Bogalusa*	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
WEBSTER	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Minden*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
W. BATON ROUGE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
W. CARROLL	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
W. FELICIANA	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
WINN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
OUT OF STATE**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* Cities are included in parish total.
** Not included in state total.

Table XXX (continued)
Reportable Diseases by Parish
Louisiana, 1980
(By Place of Residence)

PARISH AND CITIES Over 10,000	SALMONELLOSIS, INCLUDES PARATYPHOID FEVER	SHIGELLOSIS (DYSENTERY-BACILLARY)	SMALLPOX	SYPHILIS	TETANUS	TOXOPLASMOSIS	TRACHOMA	TRICHINOSIS	TUBERCULOSIS, PULMONARY	TUBERCULOSIS, OTHER FORMS	TULAREMIA	TYPHOID FEVER	TYPHUS FEVER, ENDEMIC	TYPHUS FEVER, EPIDEMIC	UNDERNUTRITION, SEVERE	VISCERAL LARVA MIGRANS	YELLOW FEVER
TOTAL	213	233	–	3043	5	–	1	28	478	101	1	2	2	–	7	–	–
ACADIA	3	2	–	12	–	–	–	9	8	1	–	–	–	–	–	–	–
Crowley*	2	1	–	6	–	–	–	–	4	1	–	–	–	–	–	–	–
ALLEN	–	–	–	4	–	–	–	4	2	–	–	–	–	–	–	–	–
ASCENSION	2	1	–	18	–	–	–	–	2	–	–	–	–	–	–	–	–
ASSUMPTION	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
AVOYELLES	–	–	–	27	–	–	–	–	2	1	–	–	–	–	5	–	–
BEAUREGARD	–	–	–	32	–	–	–	–	4	1	–	–	–	–	–	–	–
BIENVILLE	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
BOSSIER	7	2	–	26	–	–	–	–	11	2	–	–	–	–	–	–	–
Bossier City*	5	1	–	22	–	–	–	–	6	2	–	–	–	–	–	–	–
CADDO	45	25	–	106	–	–	–	–	47	15	–	–	–	–	–	–	–
Shreveport*	34	22	–	102	–	–	–	–	44	14	–	–	–	–	–	–	–
CALCASIEU	5	2	–	85	1	–	–	–	16	3	–	–	–	–	–	–	–
Lake Charles*	1	1	–	79	1	–	–	–	7	2	–	–	–	–	–	–	–
Sulphur*	1	–	–	2	–	–	–	–	3	–	–	–	–	–	–	–	–
CALDWELL	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
CAMERON	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–
CATAHOULA	–	–	–	15	–	–	–	–	3	–	–	–	–	–	–	–	–
CLAIBORNE	1	–	–	10	–	–	–	–	5	–	1	–	–	–	–	–	–
CONCORDIA	–	–	–	12	–	–	–	–	1	–	–	–	–	–	–	–	–
DESOTO	2	1	–	7	–	–	–	–	4	1	–	–	–	–	–	–	–
E. BATON ROUGE	4	1	–	371	–	–	–	–	24	15	–	1	–	–	1	–	–
Baton Rouge*	2	1	–	322	–	–	–	–	21	15	–	1	–	–	1	–	–
E. CARROLL	–	–	–	42	–	–	–	–	–	–	–	–	–	–	–	–	–
E. FELICIANA	–	–	–	16	–	–	–	–	–	–	–	–	–	–	–	–	–
EVANGELINE	3	–	–	6	–	–	–	9	7	1	–	–	–	–	–	–	–
FRANKLIN	–	–	–	3	–	–	–	–	6	2	–	–	–	–	–	–	–
GRANT	1	–	–	9	–	–	–	–	5	–	–	–	–	–	–	–	–
IBERIA	1	–	–	41	–	–	–	–	8	1	–	–	–	–	–	–	–
New Iberia*	–	–	–	25	–	–	–	–	3	1	–	–	–	–	–	–	–
IBERVILLE	–	–	–	24	–	–	–	–	2	4	–	–	–	–	–	–	–
JACKSON	–	–	–	10	–	–	–	–	1	–	–	–	–	–	–	–	–
JEFFERSON	3	–	–	187	1	–	1	–	31	2	–	1	–	–	–	–	–
Kenner*	12	17	–	12	–	–	–	–	5	1	–	1	–	–	–	–	–
Gretna*	2	4	–	31	–	–	–	–	6	–	–	–	–	–	–	–	–
Harahan*	2	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Westwego*	–	–	–	11	–	–	–	–	–	–	–	–	–	–	–	–	–
JEFFERSON DAVIS	–	–	–	12	–	–	–	6	2	–	–	–	–	–	–	–	–
Jennings*	–	–	–	5	–	–	–	–	2	–	–	–	–	–	–	–	–
LAFAYETTE	9	4	–	72	–	–	–	–	14	4	–	–	–	–	–	–	–
Lafayette*	4	4	–	67	–	–	–	–	11	4	–	–	–	–	–	–	–
LAFOURCHE	1	–	–	10	–	–	–	–	3	–	–	–	–	–	–	–	–
Thibodaux*	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–
LASALLE	–	–	–	23	–	–	–	–	2	–	–	–	–	–	–	–	–
LINCOLN	2	–	–	43	1	–	–	–	3	2	–	–	–	–	–	–	–
Ruston*	–	–	–	18	–	–	–	–	–	–	–	–	–	–	–	–	–
LIVINGSTON	2	4	–	14	–	–	–	–	2	1	–	–	–	1	–	–	–
MADISON	–	–	–	25	–	–	–	–	2	–	–	–	–	–	–	–	–
MOREHOUSE	–	–	–	13	–	–	–	–	5	–	–	–	–	–	–	–	–
Bastrop*	–	–	–	6	–	–	–	–	4	–	–	–	–	–	–	–	–
NATCHITOCHES	2	3	–	11	–	–	–	–	1	–	–	–	–	–	–	–	–
Natchitoches*	–	2	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–
ORLEANS	24	17	–	983	1	–	–	–	124	25	–	–	–	1	–	–	–
OUACHITA	10	2	–	118	–	–	–	–	19	2	–	–	–	–	–	–	–
Monroe*	8	–	–	106	–	–	–	–	14	2	–	–	–	–	–	–	–
West Monroe*	–	1	–	11	–	–	–	–	3	–	–	–	–	–	–	–	–
PLAQUEMINES	1	2	–	6	–	–	–	–	4	–	–	–	–	–	–	–	–
POINTE COUPEE	–	–	–	9	–	–	–	–	1	–	–	–	–	–	–	–	–
RAPIDES	11	–	–	173	1	–	–	–	8	3	–	–	–	–	–	–	–
Alexandria*	4	–	–	125	1	–	–	–	1	1	–	–	–	–	–	–	–
RED RIVER	–	1	–	4	–	–	–	–	1	–	–	–	–	–	–	–	–
RICHLAND	1	–	–	18	–	–	–	–	3	–	–	–	–	–	–	–	–
SABINE	1	–	–	41	–	–	–	–	1	–	–	–	–	–	–	–	–
ST. BERNARD	2	–	–	6	–	–	–	–	9	2	–	–	–	–	–	–	–
ST. CHARLES	–	2	–	8	–	–	–	–	1	–	–	–	–	–	–	–	–
ST. HELENA	–	–	–	3	–	–	–	–	–	–	–	–	–	–	1	–	–
ST. JAMES	–	2	–	12	–	–	–	–	8	1	–	–	–	–	–	–	–
ST. JOHN	–	2	–	19	–	–	–	–	1	1	–	–	–	–	–	–	–
ST. LANDRY	4	1	–	48	–	–	–	–	14	2	–	–	–	–	–	–	–
Opelousas*	–	–	–	34	–	–	–	–	3	–	–	–	–	–	–	–	–
Eunice*	1	1	–	16	–	–	–	–	3	2	–	–	–	–	–	–	–
ST. MARTIN	3	1	–	25	–	–	–	–	6	2	–	–	–	–	–	–	–
ST. MARY	2	1	–	16	–	–	–	–	8	–	–	–	–	–	–	–	–
Morgan City*	–	1	–	7	–	–	–	–	4	–	–	–	–	–	–	–	–
ST. TAMMANY	9	7	–	10	–	–	–	–	1	1	–	–	–	–	–	–	–
Slidell*	3	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
TANGIPAHOA	2	1	–	34	–	–	–	–	7	–	–	–	–	–	–	–	–
Hammond*	–	–	–	16	–	–	–	–	2	–	–	–	–	–	–	–	–
TENSAS	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
TERREBONNE	21	20	–	24	–	–	–	–	4	1	–	–	–	–	–	–	–
Houma*	8	9	–	17	–	–	–	–	2	1	–	–	–	–	–	–	–
UNION	–	–	–	18	–	–	–	–	4	1	–	–	–	–	–	–	–
VERMILION	7	1	–	5	–	–	–	–	9	–	–	–	–	–	–	–	–
Abbeville*	4	1	–	2	–	–	–	–	5	–	–	–	–	–	–	–	–
VERNON	–	103	–	41	–	–	–	–	4	–	–	–	–	–	–	–	–
WASHINGTON	2	8	–	42	–	–	–	–	–	–	–	–	–	–	–	–	–
Bogalusa*	1	4	–	32	–	–	–	–	–	–	–	–	–	–	–	–	–
WEBSTER	3	–	–	5	–	–	–	–	8	2	–	–	–	–	–	–	–
Minden*	1	–	–	3	–	–	–	–	2	–	–	–	–	–	–	–	–
W. BATON ROUGE	–	–	–	8	–	–	–	–	3	–	–	–	–	–	–	–	–
W. CARROLL	3	–	–	9	–	–	–	–	1	–	–	–	–	–	–	–	–
W. FELICIANA	2	–	–	62	–	–	–	–	–	–	–	–	–	–	–	–	–
WINN	–	–	–	5	–	–	–	–	2	–	–	–	–	–	–	–	–
OUT OF STATE**	–	–	–	8	–	–	–	–	–	–	–	–	–	–	–	–	–

* Cities are included in parish total.
** Not included in state total.

Table XXXI

Reportable Diseases by Race and Age

Louisiana, 1980

(By Occurrence)

DISEASE	TOTAL	RATE (Per 100,000 Population)	RACE	TOTAL (By Race)	AGE IN YEARS											
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 and Over	UNKNOWN
TOTAL	28677	682.1	W	5733	72	108	116	109	1079	1706	1479	323	173	128	152	288
			NW	22041	103	142	136	284	5627	8045	5229	806	282	141	159	1087
			Unk.	903	18	13	13	6	78	126	73	22	10	13	12	519
Actinomycosis	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Amebiasis	14	0.3	W	8	–	1	–	–	–	1	–	1	–	–	3	2
			NW	4	1	2	–	–	–	–	–	–	–	–	–	1
			Unk.	2	–	–	–	–	–	–	–	–	1	–	–	1
Anthrax	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Aseptic meningitis	83	2.0	W	53	8	4	11	3	7	6	5	4	–	–	1	4
			NW	27	7	1	4	–	3	5	2	3	–	1	1	–
			Unk.	1	1	1	–	–	–	–	1	–	–	–	–	–
Blastomycosis *	3	0.1	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	3	–	–	–	–	–	–	1	1	–	–	1	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Botulism	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Brucellosis (undulant fever)	4	0.1	W	4	–	–	–	–	1	–	1	1	–	1	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Cat Scratch Fever	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Chancroid	2	0.0	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	2	–	–	–	–	–	2	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Coccidioidomycosis	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Cryptococcosis	5	0.1	W	5	–	–	–	–	1	–	1	–	–	1	2	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Dengue	6	0.1	W	6	–	–	–	–	–	1	4	1	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Echinococcosis (hydatid disease)	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis, arthropod-borne	12	0.3	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	7	–	–	–	–	–	1	1	2	1	–	2	–
			Unk.	5	–	–	–	–	–	1	–	–	–	1	1	2
Encephalitis, post-infectious	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis, other and unspecified	15	0.4	W	11	–	2	2	1	–	1	2	–	1	–	1	1
			NW	4	–	–	–	2	–	–	1	–	1	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Food poisoning	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–

* Includes Out of State residents for blastomycosis (1).

Table XXXI (continued)

Reportable Diseases by Race and Age

Louisiana, 1980

(By Occurrence)

DISEASE	TOTAL	RACE	RATE (Per 100,000 Population)	TOTAL (By Race)	AGE IN YEARS											
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 and Over	UNKNOWN
Glanders	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Gonorrhea *	22712	540.3	W	3775	1	1	1	26	893	1414	1093	166	35	13	3	129
			NW	18309	8	31	33	215	5108	7240	4448	546	113	37	21	509
			Unk.	628	2	1	2	1	72	104	46	7	–	–	–	393
Granuloma inguinale	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis, type A	682	16.2	W	515	2	12	49	45	74	103	130	35	21	12	16	16
			NW	116	–	3	6	11	17	22	29	11	8	4	3	2
			Unk.	51	1	–	3	2	–	5	4	1	1	–	–	34
Hepatitis, type B	311	7.4	W	158	–	1	2	3	23	42	42	13	11	5	5	11
			NW	122	1	–	1	–	18	40	31	12	4	4	4	7
			Unk.	31	–	–	–	–	1	4	5	2	2	2	–	15
Hepatitis, type unspecified	251	6.0	W	167	–	–	8	8	22	38	34	20	12	10	5	10
			NW	70	–	1	3	5	3	15	18	4	8	3	8	2
			Unk.	14	–	–	–	–	–	1	4	–	1	–	–	8
Histoplasmosis	1	0.0	W	1	–	–	–	–	–	–	–	–	1	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Infectious mononucleosis	9	0.2	W	8	–	–	–	–	3	4	–	1	–	–	–	–
			NW	1	–	–	–	–	1	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Legionnaire's disease	5	0.1	W	2	–	–	–	–	–	–	–	–	1	1	–	–
			NW	1	–	–	–	–	–	–	1	–	–	–	–	–
			Unk.	2	–	–	–	–	–	–	–	1	–	1	–	–
Leprosy	5	0.1	W	3	–	–	–	–	–	–	–	–	–	–	–	3
			NW	2	–	–	–	–	–	1	1	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Leptospirosis (Weil's Disease)	7	0.2	W	3	–	–	–	–	–	1	1	–	1	–	–	–
			NW	4	–	–	–	–	–	1	–	2	–	1	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Listeriosis	1	0.0	W	1	–	–	–	–	–	–	–	–	–	–	1	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Lymphocytic choriomeningitis	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Lymphopathia venereum *	4	0.1	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	4	–	–	–	–	1	1	–	–	–	–	–	2
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Malaria	59	1.4	W	1	–	–	–	–	–	–	1	–	–	–	–	–
			NW	52	–	2	2	10	8	9	6	8	2	1	–	4
			Unk.	6	–	1	–	–	–	–	2	–	–	1	–	2
Measles	15	0.4	W	11	–	2	3	3	3	–	–	–	–	–	–	–
			NW	4	1	1	2	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infections *	103	2.5	W	48	11	19	3	2	5	–	4	1	–	–	2	1
			NW	35	9	7	7	–	3	2	1	–	4	1	1	–
			Unk.	20	5	3	2	1	1	2	1	–	1	2	1	1
Mumps	67	1.6	W	5	–	2	1	–	–	–	–	–	–	1	–	1
			NW	61	2	3	44	7	1	–	–	–	–	–	–	4
			Unk.	1	–	–	1	–	–	–	–	–	–	–	–	–
Mycobacteriosis, atypical	92	2.2	W	59	–	2	–	–	–	–	2	5	9	19	20	2
			NW	33	–	2	1	–	1	–	3	3	10	7	5	1
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–

* Includes Out of State residents for gonorrhea (135), lymphopathia venereum (1), and meningococcal infections (1).

Table XXXI (continued)
Reportable Disease by Race and Age
Louisiana, 1980

(By Occurrence)

DISEASE	TOTAL	RATE (Per 100,000 Population)	RACE	TOTAL (By Race)	AGE IN YEARS										
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 and Over	UNKNOWN
Ophthalmia neonatorum	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Pertussis (whooping cough)	38	0.9	W	18	14	3	–	–	–	–	–	–	–	–	–	1
			NW	12	7	2	1	–	–	–	–	–	–	–	–	2
			Unk.	8	5	1	1	–	–	–	–	–	–	–	–	1
Plague	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Poliomyelitis, paralytic	1	0.0	W	1	1	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Poliomyelitis, non-paralytic	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Psittacosis	1	0.0	W	1	–	–	–	–	–	–	1	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Q. Fever	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Rabies in animals	19															
Rabies in man	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Rat bite fever	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Rat bites	5	0.1	W	4	–	–	1	–	–	–	1	–	–	–	–	2
			NW	1	–	–	–	–	–	–	1	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing fever	5	0.1	W	1	1	–	–	–	–	–	–	–	–	–	–	–
			NW	4	1	3	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic fever	1	0.0	W	1	–	–	–	–	–	–	1	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Rocky mountain spotted fever	4	0.1	W	3	–	–	–	1	–	1	1	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	1	–	–	–	–	–	1	–	–	–	–	–	–
Rubella	13	0.3	W	11	1	2	3	3	1	1	–	–	–	–	–	–
			NW	2	–	–	2	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Rubella, congenital syndrome	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Salmonellosis (includes Paratyphoid fever)	213	5.1	W	85	28	18	3	6	2	4	3	1	2	3	11	4
			NW	104	51	15	3	–	3	3	7	4	4	3	7	4
			Unk.	24	2	2	2	1	–	1	1	–	1	–	3	11
Shigellosis (dysentery-bacillary)	233	5.5	W	120	3	28	28	5	10	8	23	2	–	2	2	9
			NW	96	8	39	18	5	1	7	9	2	2	1	2	2
			Unk.	17	2	3	2	–	–	1	–	–	–	–	1	8
Smallpox	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–

Table XXXI (continued)

Reportable Diseases by Race and Age

Louisiana, 1980

(By Occurrence)

DISEASE	TOTAL	RATE (Per 100,000 Population)	RACE	TOTAL (By Race)	AGE IN YEARS										
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 and Over	UNKNOWN
Syphilis *	3051	72.6	W	365	–	–	–	1	30	71	103	35	20	11	6	88
			NW	2641	5	4	3	26	446	674	625	158	69	42	46	543
			Unk.	45	–	–	–	–	3	4	3	4	–	6	3	22
Tetanus	5	0.1	W	4	–	–	–	–	–	–	–	–	–	–	4	–
			NW	1	–	–	–	–	–	–	–	–	–	1	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Toxoplasmosis	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Trachoma	1	0.0	W	1	–	–	–	–	–	–	1	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Trichinosis	28	0.7	W	5	–	–	–	–	–	1	–	1	3	–	–	–
			NW	3	–	–	–	–	–	1	–	2	–	–	–	–
			Unk.	20	–	–	–	1	1	2	5	7	3	–	–	1
Tuberculosis, pulmonary	478	11.4	W	236	–	1	–	–	3	9	24	34	54	45	64	2
			NW	237	–	4	–	1	9	17	35	45	49	29	47	1
			Unk.	5	–	–	–	–	–	–	1	–	–	–	3	1
Tuberculosis, other forms	101	2.4	W	26	–	9	1	2	1	–	1	–	2	4	6	–
			NW	74	1	22	6	2	3	4	9	3	6	6	11	1
			Unk.	1	–	1	–	–	–	–	–	–	–	–	–	–
Tularemia	1	0.0	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	1	–	–	–	–	–	–	–	–	1	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhoid fever	2	0.0	W	1	–	1	–	–	–	–	–	–	–	–	–	–
			NW	1	–	–	–	–	1	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus fever, endemic	2	0.0	W	2	–	–	–	–	–	–	–	2	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus fever, epidemic	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Undernutrition, severe	7	0.2	W	4	2	–	–	–	–	–	–	–	–	–	–	2
			NW	3	1	–	–	–	–	–	–	–	–	–	–	2
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Visceral larva migrans	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–
Yellow fever	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–	–

* Includes Out of State residents for syphilis (1).

MARRIAGE & DIVORCE

Table XXXII

Marriages, Final Divorces, and Annulments Granted

Louisiana, 1980

PARISH	MARRIAGES		DIVORCES BY PARISH GRANTING DECREE	ANNULMENTS BY PARISH GRANTING DECREE
	BY PARISH OF ISSUE OF LICENSE	BY PARISH OF OCCURRENCE		
TOTAL	43460	43460	18068	33
ACADIA	515	590	123	-
ALLEN	282	258	112 *	- *
ASCENSION	590	585	176	-
ASSUMPTION	144	176	54 *	- *
AVOYELLES	401	421	179 *	- *
BEAUREGARD	318	299	76 *	- *
BIENVILLE	-	70	60 *	- *
BOSSIER	507	921	324	-
CADDO	2720	2288	1289	6
CALCASIEU	2111	2069	868	2
CALDWELL	125	114	55	-
CAMERON	100	110	32	-
CATAHOULA	123	127	---	---
CLAIBORNE	121	118	---	---
CONCORDIA	215	222	84	1
DESOTO	179	204	103 *	- *
EAST BATON ROUGE	4120	3922	1918 *	5 *
EAST CARROLL	92	100	34 *	- *
EAST FELICIANA	176	180	95	-
EVANGELINE	394	381	135 *	- *
FRANKLIN	258	250	119 *	1 *
GRANT	98	146	54	-
IBERIA	806	751	303 *	- *
IBERVILLE	269	307	109 *	- *
JACKSON	174	164	---	---
JEFFERSON	4677	4532	2412	1
JEFFERSON DAVIS	355	362	84	1
LAFAYETTE	1769	1718	434 *	1 *
LAFOURCHE	906	840	320	2
LASALLE	178	203	97	-
LINCOLN	394	312	---	---
LIVINGSTON	637	694	299 *	- *
MADISON	128	135	154 *	- *
MOREHOUSE	259	277	126	-
NATCHITOCHES	325	341	136	-
ORLEANS	5017	5075	2779	1
OUACHITA	1342	1294	766	1
PLAQUEMINES	209	302	85	-
POINTE COUPEE	206	210	18 *	- *
RAPIDES	1598	1592	759	-
RED RIVER	158	118	29 *	- *
RICHLAND	199	201	128 *	- *
SABINE	211	227	79 *	- *
ST. BERNARD	975	974	347	-
ST. CHARLES	368	372	151	-
ST. HELENA	117	105	43 *	- *
ST. JAMES	181	214	43	-
ST. JOHN	303	320	96	-
ST. LANDRY	973	914	243 *	- *
ST. MARTIN	319	351	113	-
ST. MARY	819	791	315	-
ST. TAMMANY	997	1076	---	---
TANGIPAHOA	839	862	139	-
TENSAS	56	61	28	-
TERREBONNE	1269	1266	602	-
UNION	85	139	71 *	- *
VERMILION	497	526	134	-
VERNON	734	760	225 *	10 *
WASHINGTON	494	491	63	-
WEBSTER	442	417	167	-
WEST BATON ROUGE	281	184	51	1
WEST CARROLL	134	134	33	-
WEST FELICIANA	87	102	13	-
WINN	183	171	72	-
OUT OF STATE	-	14	-	-
UNKNOWN	1	10	12	-

--- No divorce or annulment data received from Clerk of Court's Office.
* Summary Reports.

Table XXXIII
Marriages by Month of Occurrence
Louisiana, 1980

MONTH	NUMBER	PERCENT	DAILY AVERAGE
TOTAL	43460	100.0	119
JANUARY	2622	6.0	85
FEBRUARY	3109	7.2	107
MARCH	3358	7.7	108
APRIL	3367	7.7	112
MAY	4154	9.6	134
JUNE	4698	10.8	157
JULY	3704	8.5	119
AUGUST	4757	10.9	153
SEPTEMBER	3049	7.0	102
OCTOBER	3237	7.4	104
NOVEMBER	3602	8.3	120
DECEMBER	3778	8.7	
UNKNOWN	25	- -	-

Table XXXIV
Marriages by Race of Bride, by Race of Groom
Louisiana, 1980

RACE OF GROOM	TOTAL	RACE OF BRIDE						
		WHITE	BLACK	AMERICAN INDIAN	CHINESE	JAPANESE	OTHER NONWHITE	UNKNOWN
TOTAL	43460	33607	9600	46	18	8	158	23
WHITE	33526	33366	61	31	5	5	47	11
BLACK	9696	151	9524	3	-	-	12	6
AMERICAN INDIAN	49	37	-	12	-	-	-	-
CHINESE	19	5	-	-	13	-	1	-
JAPANESE	4	3	-	-	-	1	-	-
OTHER NONWHITE	136	31	4	-	-	2	98	1
UNKNOWN	30	14	11	-	-	-	-	5

Table XXXV
Marriages by Previous Marital Status of Bride and Groom
Louisiana, 1980

PREVIOUS MARITAL STATUS OF GROOM	TOTAL	PREVIOUS MARITAL STATUS OF BRIDE				
		NEVER MARRIED PREVIOUSLY	WIDOWED	DIVORCES	PREVIOUS MARRIAGE ANNULLED	NOT STATED
TOTAL	43460	2o284	1410	10433	42	5291
NEVER MARRIED PREVIOUSLY	25782	21748	245	3483	19	287
WIDOWED	1148	171	491	475	1	10
DIVORCED	11413	4176	663	6436	16	122
PREVIOUS MARRIAGE ANNULLED	39	22	2	11	4	-
NOT STATED	5078	167	9	28	2	4872

Table XXXVI
ALL MARRIAGES BY AGE OF BRIDE - BY AGE OF GROOM
LOUISIANA, 1980

AGE OF GROOM	TOTAL	AGE OF BRIDE																													
		Under 15	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 and Over	Not Stated
ALL AGES	43460	133	565	1253	2545	4253	4073	3761	3335	2974	2559	2204	1846	1595	1338	1145	965	808	772	688	652	521	1882	1149	789	585	363	285	190	101	44	87
Under 15	4	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	13	-	8	1	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	148	9	28	46	30	21	5	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
17	554	10	82	120	165	107	33	12	6	7	3	1	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	4
18	1919	42	140	275	449	546	238	111	32	18	19	13	5	8	3	3	4	-	1	1	1	1	3	-	-	-	-	-	-	-	-	6
19	2963	22	100	283	563	783	627	270	123	72	34	24	18	11	7	6	1	3	2	4	-	3	4	-	-	-	-	-	-	-	-	3
20	3573	12	72	193	464	876	740	552	255	143	72	55	37	23	15	14	8	8	6	1	4	3	10	2	-	-	1	-	1	-	-	6
21	3515	12	46	108	312	620	668	619	464	237	128	87	43	47	23	26	18	15	10	2	4	2	11	-	1	1	-	-	-	-	-	11
22	3404	9	24	74	180	404	524	574	538	446	243	111	68	60	40	29	17	16	9	5	6	6	11	3	1	-	-	-	-	-	-	6
23	3113	5	22	41	120	265	321	421	483	439	368	222	113	87	46	40	27	19	18	13	7	7	14	5	2	-	-	-	-	-	-	8
24	2730	3	15	30	82	164	234	314	353	391	363	270	171	96	61	38	35	22	20	16	20	6	14	5	-	-	-	-	-	-	-	7
25	2397	3	9	22	45	107	164	231	251	283	288	246	235	141	89	62	49	41	27	22	29	12	28	8	3	-	-	-	-	-	-	2
26	2006	3	4	14	38	98	123	158	192	206	231	212	176	168	101	81	45	33	26	28	17	11	33	7	1	-	-	-	-	-	-	-
27	1716	-	2	9	20	65	99	109	152	166	147	169	176	142	136	96	60	40	35	17	20	11	31	8	1	-	-	-	-	-	-	5
28	1550	-	4	6	26	40	59	102	109	122	145	159	142	132	136	91	73	42	44	28	18	16	42	12	1	1	-	-	-	-	-	-
29	1334	-	1	6	8	37	40	63	88	96	90	119	118	122	127	92	79	52	40	39	33	23	44	11	4	-	1	-	-	-	-	1
30	1171	1	1	2	7	22	39	48	49	82	84	101	101	92	87	94	73	61	52	31	31	20	66	13	8	-	-	1	-	-	-	5
31	980	-	-	5	3	13	32	52	45	52	77	86	69	59	73	69	64	58	49	52	34	16	50	16	3	-	1	-	-	1	-	1
32	942	1	-	2	3	13	27	27	38	54	57	67	67	71	75	64	61	50	59	42	33	32	77	16	4	-	-	-	-	-	-	2
33	902	-	1	3	5	9	22	26	47	33	45	45	64	72	50	49	66	64	59	58	55	22	80	16	11	-	-	-	-	-	-	-
34	616	1	-	1	2	4	14	18	13	23	24	35	41	46	36	46	29	31	39	39	33	39	68	24	6	2	-	-	-	-	-	2
35-39	2551	-	1	3	7	31	34	32	54	70	92	107	125	134	135	150	137	138	146	138	138	129	466	182	71	20	5	1	1	1	1	2
40-44	1674	-	1	1	4	7	9	11	19	20	27	47	53	49	47	53	74	64	77	81	85	89	384	284	119	51	10	2	2	-	-	4
45-49	1064	-	-	1	-	3	5	1	6	1	8	15	9	18	25	17	27	24	32	43	50	40	223	239	161	80	28	5	-	-	-	3
50-54	851	-	-	1	-	2	3	2	3	4	6	1	4	8	16	10	8	14	11	19	21	17	124	150	189	154	46	22	10	2	2	2
55-59	590	-	-	-	-	-	1	-	1	-	2	3	4	4	3	7	6	9	6	4	6	10	63	93	110	111	84	38	17	5	2	1
60-64	431	-	-	-	-	1	-	1	-	-	-	1	2	1	2	2	2	1	1	2	3	-	20	34	51	97	98	85	18	7	1	1
65-69	311	-	-	2	-	1	-	-	1	1	-	-	1	2	1	-	-	-	-	-	1	2	8	13	26	43	60	65	61	19	4	-
70-74	190	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-	1	-	-	-	-	1	5	4	12	15	15	45	51	27	9	-
75 & Over	174	-	1	3	3	4	3	3	3	-	-	-	1	-	1	2	1	1	1	1	1	2	3	2	4	8	12	21	29	39	25	-
Unknown	74	-	2	-	8	6	9	2	6	5	4	7	3	2	1	3	-	1	1	2	2	1	-	2	-	2	2	-	-	-	-	3

This public document was published at a total cost of $1,565.01. Five hundred (500) copies of this public document were published in this first printing at a cost of $1,565.01. The total cost of all printings of this document, including reprints, is $1,565.01. This document was published for the Office of Health Services and Environmental Quality by the Division of Administrative Services, P.O. Box 44095, Baton Rouge, Louisiana 70804, to supply data needed for health planning and program activities under authority of R.S. 40:36. This material was printed in accordance with the standards for printing by state agencies established pursuant to R.S. 43:31.